

## DETAILED LOG

Hole Number: ER07-33

Units: METRIC

Project Name: Norway - South Norway	Primary Coordinates Grid: UTM84-32N	Destination Coordinates Grid: UTM:	Collar Dip: -46.30
Project Number: 203	North: 6659550.20	North: 60.07	Collar Az: 52.90
Location: Ertelia Mine	East: 558240.20	East: 10.05	Length: 223.71 (m)
	Elev: 178.70	Elev: 178.70	Start Depth: 0.00 (m)
Date Started: Oct 24, 2007	Collar Survey: N	Plugged: N	Contractor: Drillcon Core AB
Date Completed: Oct 29, 2007	Multishot Survey: N	Hole Size: BQ	Core Storage: Tyrstrand
Logged By: dsnor	Pulse EM Survey: N	Casing: Left in Hole	Final Depth: 223.71 (m)

Comments: SMOY

## Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	37.35	154.45	117.10	0.1385	0.1025	0.0108
WEIGHTED	142.60	145.30	2.70	0.6021	0.4634	0.0381
WEIGHTED	142.60	154.45	11.85	0.3152	0.2782	0.0209
WEIGHTED	153.45	154.45	1.00	1.2764	1.0355	0.0742

## Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
10.00	52.90	-46.30	EZ	OK		25.00	54.30	-45.80	EZ	OK	
50.00	54.20	-45.10	EZ	OK		110.00	58.10	-43.20	EZ	OK	

Detailed Lithology		Assay Data								
From (m)	To (m)	Lithology		Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.20	O/B, Overburden								

## DETAILED LOG

Hole Number: ER07-33

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
1.20	153.45	GNOR, Gabbro Norite Gabbronorite.	PG08641	35.85	36.70	0.85	0.0970	0.0470	0.0090
			PG08642	36.70	37.35	0.65	0.0790	0.0330	0.0060
			PG08643	37.35	38.35	1.00	0.1110	0.1140	0.0120
		Vari-textured - typically fine to medium grained, with local pockets (increasing with depth) of coarse to pegmatitic grains.	PG08644	38.35	39.85	1.50	0.1320	0.1160	0.0110
		Dark grey to green grey.	PG08645	39.85	41.55	1.70	0.1220	0.0850	0.0100
		Local garnets, and veins and fractures lined with serpentine.	PG08646	41.55	42.40	0.85	0.0860	0.0390	0.0070
			PG08647	42.40	43.20	0.80	0.1610	0.0860	0.0120
		Mineralization is fairly constant from 34 metres down: disseminated and blebby Po, Py, and Cp, varying from trace to 5-8% in intensity.	PG08648	43.20	44.20	1.00	0.1730	0.1400	0.0140
			PG08649	44.20	45.55	1.35	0.1030	0.0710	0.0100
		Texture	PG08650	45.55	46.85	1.30	0.0910	0.0690	0.0090
		125.05 - 127.65 : BC Broken Core	PG08651	46.85	48.35	1.50	0.0840	0.0650	0.0070
		very broken	PG08652	48.35	49.90	1.55	0.1110	0.0710	0.0100
		Mineralization	PG08653	49.90	51.15	1.25	0.1470	0.0860	0.0120
		41.55 - 42.40 : PO Pyrrhotite, D Disseminated, 1%	PG08654	51.15	52.45	1.30	0.0025	0.0080	0.0010
		152.95 - 153.45 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, STR Stringers, 10%	PG08655	52.45	53.60	1.15	0.1460	0.1160	0.0110
			PG08656	53.60	54.90	1.30	0.1180	0.0610	0.0090
		125.60 - 126.70 : PY Pyrite, TR Trace, 0.1%	PG08657	54.90	56.30	1.40	0.0460	0.0340	0.0050
		145.30 - 152.95 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 4%	PG08658	56.30	57.75	1.45	0.1840	0.1090	0.0120
			PG08659	57.75	59.10	1.35	0.1620	0.0930	0.0100
		3-5%	PG08661	59.10	60.45	1.35	0.1240	0.0860	0.0100
		144.85 - 145.30 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 17.5%	PG08662	60.45	61.80	1.35	0.1380	0.1120	0.0090
			PG08663	61.80	63.25	1.45	0.1110	0.0630	0.0070
		15-20%	PG08664	63.25	64.40	1.15	0.1290	0.1030	0.0080
		144.40 - 144.85 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 25%	PG08665	64.40	65.80	1.40	0.1770	0.0830	0.0110
			PG08666	65.80	66.70	0.90	0.1590	0.1580	0.0110
		20-30%	PG08667	66.70	67.95	1.25	0.1790	0.2470	0.0120
		143.05 - 144.40 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 7.5%	PG08668	67.95	68.70	0.75	0.1910	0.1720	0.0120
			PG08669	68.70	69.00	0.30	0.3220	0.2750	0.0160
		5-10%	PG08670	69.00	70.15	1.15	0.1410	0.1250	0.0100
		142.60 - 143.05 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 30%	PG08671	70.15	71.25	1.10	0.1810	0.1140	0.0110
			PG08672	71.25	72.60	1.35	0.0660	0.0360	0.0080
		131.80 - 142.60 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 4%	PG08673	72.60	73.90	1.30	0.0430	0.0130	0.0060
			PG08674	73.90	75.05	1.15	0.0470	0.0100	0.0060
		3-5%	PG08675	75.05	75.65	0.60	0.0710	0.0210	0.0070
		126.70 - 131.80 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 2%	PG08676	75.65	75.95	0.30	0.3080	0.1730	0.0160
			PG08677	75.95	77.35	1.40	0.2090	0.0980	0.0120
		1-3%	PG08678	77.35	78.35	1.00	0.2000	0.1100	0.0110
		124.80 - 125.60 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 2.5%	PG08679	78.35	79.35	1.00	0.1640	0.0910	0.0110
			PG08681	79.35	80.80	1.45	0.1240	0.0530	0.0100
		2-3%	PG08682	80.80	82.20	1.40	0.0530	0.0420	0.0060
		123.50 - 124.80 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 7.5%	PG08683	82.20	83.60	1.40	0.1000	0.0610	0.0070
			PG08684	83.60	84.80	1.20	0.0950	0.0360	0.0070
		5-10%	PG08685	84.80	86.15	1.35	0.1170	0.0400	0.0100
		122.65 - 123.50 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 4%							
		3-5%							

## DETAILED LOG

Hole Number: ER07-33

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
		Mineralization	PG08686	86.15	87.60	1.45	0.1270	0.0440	0.0100
122.25	- 122.65	: POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 15%	PG08687	87.60	89.00	1.40	0.1630	0.0750	0.0100
			PG08688	89.00	90.40	1.40	0.1440	0.0980	0.0080
118.20	- 122.25	: POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 4%	PG08689	90.40	91.80	1.40	0.0910	0.0640	0.0080
			PG08690	91.80	93.20	1.40	0.1440	0.0650	0.0110
3-5%			PG08691	93.20	94.55	1.35	0.0940	0.0450	0.0090
116.85	- 118.20	: PO Pyrrhotite, TR Trace, 0.1%	PG08692	94.55	96.00	1.45	0.1190	0.0620	0.0100
113.85	- 116.85	: POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 4%	PG08693	96.00	97.40	1.40	0.1460	0.0940	0.0120
			PG08694	97.40	98.80	1.40	0.1110	0.0730	0.0090
3-5%			PG08695	98.80	100.30	1.50	0.0830	0.0880	0.0100
113.35	- 113.85	: POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, BL Blebby, 7.5%	PG08696	100.30	101.40	1.10	0.0670	0.0630	0.0070
			PG08697	101.40	101.95	0.55	0.1180	0.1390	0.0140
5-10%			PG08698	101.95	102.45	0.50	0.3810	0.2940	0.0220
109.45	- 113.35	: POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 3.5%	PG08699	102.45	103.25	0.80	0.0810	0.0540	0.0080
			PG08701	103.25	104.30	1.05	0.0890	0.0600	0.0080
2-5%			PG08702	104.30	104.70	0.40	0.2860	0.1870	0.0190
109.10	- 109.45	: POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, STR Stringers, 7.5%	PG08703	104.70	105.80	1.10	0.1040	0.0630	0.0090
			PG08704	105.80	107.20	1.40	0.0690	0.0580	0.0070
5-10%			PG08705	107.20	108.10	0.90	0.0940	0.0780	0.0090
108.10	- 109.10	: POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 5%	PG08706	108.10	109.10	1.00	0.1240	0.0930	0.0090
			PG08707	109.10	109.45	0.35	0.1500	0.1970	0.0130
104.70	- 108.10	: POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 4%	PG08708	109.45	109.95	0.50	0.0580	0.0490	0.0070
3-5%			PG08709	109.95	111.40	1.45	0.0590	0.0250	0.0060
104.30	- 104.70	: POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, STR Stringers, 10%	PG08710	111.40	112.75	1.35	0.0680	0.0250	0.0070
			PG08711	112.75	113.35	0.60	0.0380	0.0310	0.0050
102.45	- 104.30	: POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 3.5%	PG08712	113.35	113.85	0.50	0.1800	0.3160	0.0230
			PG08713	113.85	114.75	0.90	0.0810	0.0690	0.0070
2-5%			PG08714	114.75	115.55	0.80	0.0360	0.0440	0.0060
101.95	- 102.45	: POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, BL Blebby, 12.5%	PG08715	115.55	116.85	1.30	0.0650	0.0410	0.0080
			PG08716	116.85	118.20	1.35	0.0340	0.0160	0.0060
10-15%			PG08717	118.20	119.60	1.40	0.1010	0.0730	0.0090
87.60	- 101.95	: POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 3.5%	PG08718	119.60	121.00	1.40	0.1010	0.0490	0.0080
			PG08719	121.00	122.25	1.25	0.1540	0.1140	0.0110
2-5%			PG08721	122.25	122.65	0.40	0.8220	0.4350	0.0550
82.20	- 87.60	: POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 2%	PG08722	122.65	123.50	0.85	0.1460	0.1420	0.0110
			PG08723	123.50	124.15	0.65	0.2980	0.1920	0.0180
1-3%			PG08724	124.15	124.80	0.65	0.2120	0.2410	0.0400
79.35	- 82.20	: PO Pyrrhotite, D Disseminated, 1%	PG08725	124.80	125.60	0.80	0.1170	0.2230	0.0100
tr-2%			PG08726	125.60	126.70	1.10	0.0480	0.0150	0.0110
75.95	- 79.35	: POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 4%	PG08727	126.70	128.20	1.50	0.1000	0.0560	0.0080
			PG08728	128.20	129.35	1.15	0.0780	0.0670	0.0070
3-5%			PG08729	129.35	130.65	1.30	0.1270	0.0940	0.0100
75.65	- 75.95	: POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 5%	PG08730	130.65	131.80	1.15	0.1210	0.0670	0.0090

Hole Number: ER07-33

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
		Mineralization	PG08731	131.80	133.00	1.20	0.1400	0.0930	0.0100
69.00	- 75.65	: POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 2.5%	PG08732	133.00	134.00	1.00	0.1770	0.1100	0.0120
2-3%			PG08733	134.00	134.95	0.95	0.0700	0.0160	0.0090
68.70	- 69.00	: POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 4%	PG08734	134.95	136.40	1.45	0.0870	0.0500	0.0090
3-5%			PG08735	136.40	137.75	1.35	0.0770	0.0530	0.0070
49.90	- 68.70	: PO Pyrrhotite, D Disseminated, 2%	PG08736	137.75	139.05	1.30	0.0710	0.0710	0.0070
1-3%			PG08737	139.05	140.00	0.95	0.0800	0.0730	0.0090
48.35	- 49.90	: PO Pyrrhotite, TR Trace, 0.1%	PG08738	140.00	141.40	1.40	0.1320	0.0720	0.0100
45.55	- 48.35	: PO Pyrrhotite, D Disseminated, 2%	PG08739	141.40	142.60	1.20	0.1230	0.2220	0.0080
1-3%			PG08741	142.60	143.05	0.45	1.1600	0.2150	0.0560
44.20	- 45.55	: PO Pyrrhotite, TR Trace, 0.1%	PG08742	143.05	143.60	0.55	0.2620	0.1500	0.0250
42.40	- 44.20	: PO Pyrrhotite, D Disseminated, 2.5%	PG08743	143.60	144.40	0.80	0.4270	0.1210	0.0310
2-3%			PG08744	144.40	144.85	0.45	0.6230	0.2220	0.0430
39.85	- 41.55	: PY Pyrite, D Disseminated, 2.5%	PG08745	144.85	145.30	0.45	0.7500	1.9450	0.0440
2-3%			PG08746	145.30	146.55	1.25	0.0880	0.3950	0.0060
39.85	- 41.55	: PO Pyrrhotite, TR Trace, 0.1%	PG08747	146.55	147.90	1.35	0.0730	0.0590	0.0070
38.35	- 39.85	: PO Pyrrhotite, D Disseminated, 4%	PG08748	147.90	149.25	1.35	0.0560	0.0500	0.0070
3-5%			PG08749	149.25	150.65	1.40	0.0960	0.0720	0.0090
37.35	- 38.35	: PO Pyrrhotite, D Disseminated, 2.5%	PG08750	150.65	151.45	0.80	0.1870	0.1340	0.0150
2-3%			PG08751	151.45	152.35	0.90	0.0950	0.0660	0.0070
35.85	- 37.35	: PO Pyrrhotite, TR Trace, 0.1%	PG08752	152.35	152.95	0.60	0.0730	0.0850	0.0080
		Structure	PG08753	152.95	153.45	0.50	0.2720	0.1000	0.0170
83.85	- 84.00	: FLT Fault, 30 Deg to CA serpentine-filled.							
87.30	- 87.40	: FLT Fault, 25 Deg to CA serpentine and carbonate							
87.40	- 87.45	: FLT Fault, 70 Deg to CA serpentine and carbonate							
88.02	- 88.03	: VN Veins, 75 Deg to CA quartz							
88.60	- 88.65	: FLT Fault, 30 Deg to CA serpentine, carbonate, and pyrite							
125.40	- 126.70	extremely broken, minimal core recovery							

Hole Number: ER07-33

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
153.45	154.45	SULF, Sulfide Semi-massive to Massive sulphide.  Pyrrhotite with <5% chalcopyrite and <2% pentlandite. Semi-massive (55%) from 153.45 to 153.8, massive (85%) from 153.8 to 154.1. 30% Sulphide from 154.1 to 154.45.  Mineralization 154.10 - 154.45 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, STR Stringers, 30% 153.80 - 154.10 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, M Massive, 85% 153.45 - 153.80 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, SM Semi-Massive, 55% 50-60%	PG08754	153.45	153.80	0.35	1.5550	0.1090	0.0890
			PG08755	153.80	154.10	0.30	1.3750	0.9910	0.0920
			PG08756	154.10	154.45	0.35	0.9130	2.0000	0.0440
154.45	223.70	FGN, Felsic Gneiss Felsic Gneiss.  Garnet-bearing granitic gneiss. Plagioclase + quartz + biotite + garnet. Local amphiboles. Not mineralized. Biotite content varies from 10-50%. Stongly foliated, typically between 35 and 60 degrees to core axis. Veins and faults are typically filled with serpentine and/or white carbonates.  Texture 197.25 - 198.40 : BC Broken Core 190.40 - 190.70 : BC Broken Core 181.95 - 185.40 : BC Broken Core 178.45 - 179.00 : BC Broken Core 169.05 - 170.95 : BC Broken Core 166.80 - 168.10 : BC Broken Core 162.80 - 164.55 : BC Broken Core  Structure 161.80 - 161.85 : FOL Foliated, 70 Deg to CA 187.85 - 187.95 : FOL Foliated, 55 Deg to CA 203.70 - 203.75 : FOL Foliated, 65 Deg to CA	PG08757	154.45	154.95	0.50	0.0470	0.2070	0.0020
			PG08758	154.95	156.05	1.10	0.0025	0.0100	0.0010
223.70	223.71	EOH, End of Hole							

## Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG08641	35.85	36.70	0.0970	0.0470	0.0090
PG08642	36.70	37.35	0.0790	0.0330	0.0060
PG08643	37.35	38.35	0.1110	0.1140	0.0120
PG08644	38.35	39.85	0.1320	0.1160	0.0110

Hole Number: ER07-33

Units: METRIC

## Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG08645	39.85	41.55	0.1220	0.0850	0.0100
PG08646	41.55	42.40	0.0860	0.0390	0.0070
PG08647	42.40	43.20	0.1610	0.0860	0.0120
PG08648	43.20	44.20	0.1730	0.1400	0.0140
PG08649	44.20	45.55	0.1030	0.0710	0.0100
PG08650	45.55	46.85	0.0910	0.0690	0.0090
PG08651	46.85	48.35	0.0840	0.0650	0.0070
PG08652	48.35	49.90	0.1110	0.0710	0.0100
PG08653	49.90	51.15	0.1470	0.0860	0.0120
PG08654	51.15	52.45	0.0025	0.0080	0.0010
PG08655	52.45	53.60	0.1460	0.1160	0.0110
PG08656	53.60	54.90	0.1180	0.0610	0.0090
PG08657	54.90	56.30	0.0460	0.0340	0.0050
PG08658	56.30	57.75	0.1840	0.1090	0.0120
PG08659	57.75	59.10	0.1620	0.0930	0.0100
PG08661	59.10	60.45	0.1240	0.0860	0.0100
PG08662	60.45	61.80	0.1380	0.1120	0.0090
PG08663	61.80	63.25	0.1110	0.0630	0.0070
PG08664	63.25	64.40	0.1290	0.1030	0.0080
PG08665	64.40	65.80	0.1770	0.0830	0.0110
PG08666	65.80	66.70	0.1590	0.1580	0.0110
PG08667	66.70	67.95	0.1790	0.2470	0.0120
PG08668	67.95	68.70	0.1910	0.1720	0.0120
PG08669	68.70	69.00	0.3220	0.2750	0.0160
PG08670	69.00	70.15	0.1410	0.1250	0.0100
PG08671	70.15	71.25	0.1810	0.1140	0.0110
PG08672	71.25	72.60	0.0660	0.0360	0.0080
PG08673	72.60	73.90	0.0430	0.0130	0.0060
PG08674	73.90	75.05	0.0470	0.0100	0.0060
PG08675	75.05	75.65	0.0710	0.0210	0.0070
PG08676	75.65	75.95	0.3080	0.1730	0.0160
PG08677	75.95	77.35	0.2090	0.0980	0.0120
PG08678	77.35	78.35	0.2000	0.1100	0.0110
PG08679	78.35	79.35	0.1640	0.0910	0.0110
PG08681	79.35	80.80	0.1240	0.0530	0.0100
PG08682	80.80	82.20	0.0530	0.0420	0.0060
PG08683	82.20	83.60	0.1000	0.0610	0.0070

Hole Number: ER07-33

Units: METRIC

## Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG08684	83.60	84.80	0.0950	0.0360	0.0070
PG08685	84.80	86.15	0.1170	0.0400	0.0100
PG08686	86.15	87.60	0.1270	0.0440	0.0100
PG08687	87.60	89.00	0.1630	0.0750	0.0100
PG08688	89.00	90.40	0.1440	0.0980	0.0080
PG08689	90.40	91.80	0.0910	0.0640	0.0080
PG08690	91.80	93.20	0.1440	0.0650	0.0110
PG08691	93.20	94.55	0.0940	0.0450	0.0090
PG08692	94.55	96.00	0.1190	0.0620	0.0100
PG08693	96.00	97.40	0.1460	0.0940	0.0120
PG08694	97.40	98.80	0.1110	0.0730	0.0090
PG08695	98.80	100.30	0.0830	0.0880	0.0100
PG08696	100.30	101.40	0.0670	0.0630	0.0070
PG08697	101.40	101.95	0.1180	0.1390	0.0140
PG08698	101.95	102.45	0.3810	0.2940	0.0220
PG08699	102.45	103.25	0.0810	0.0540	0.0080
PG08701	103.25	104.30	0.0890	0.0600	0.0080
PG08702	104.30	104.70	0.2860	0.1870	0.0190
PG08703	104.70	105.80	0.1040	0.0630	0.0090
PG08704	105.80	107.20	0.0690	0.0580	0.0070
PG08705	107.20	108.10	0.0940	0.0780	0.0090
PG08706	108.10	109.10	0.1240	0.0930	0.0090
PG08707	109.10	109.45	0.1500	0.1970	0.0130
PG08708	109.45	109.95	0.0580	0.0490	0.0070
PG08709	109.95	111.40	0.0590	0.0250	0.0060
PG08710	111.40	112.75	0.0680	0.0250	0.0070
PG08711	112.75	113.35	0.0380	0.0310	0.0050
PG08712	113.35	113.85	0.1800	0.3160	0.0230
PG08713	113.85	114.75	0.0810	0.0690	0.0070
PG08714	114.75	115.55	0.0360	0.0440	0.0060
PG08715	115.55	116.85	0.0650	0.0410	0.0080
PG08716	116.85	118.20	0.0340	0.0160	0.0060
PG08717	118.20	119.60	0.1010	0.0730	0.0090
PG08718	119.60	121.00	0.1010	0.0490	0.0080
PG08719	121.00	122.25	0.1540	0.1140	0.0110
PG08721	122.25	122.65	0.8220	0.4350	0.0550
PG08722	122.65	123.50	0.1460	0.1420	0.0110

Hole Number: ER07-33

Units: METRIC

## Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG08723	123.50	124.15	0.2980	0.1920	0.0180
PG08724	124.15	124.80	0.2120	0.2410	0.0400
PG08725	124.80	125.60	0.1170	0.2230	0.0100
PG08726	125.60	126.70	0.0480	0.0150	0.0110
PG08727	126.70	128.20	0.1000	0.0560	0.0080
PG08728	128.20	129.35	0.0780	0.0670	0.0070
PG08729	129.35	130.65	0.1270	0.0940	0.0100
PG08730	130.65	131.80	0.1210	0.0670	0.0090
PG08731	131.80	133.00	0.1400	0.0930	0.0100
PG08732	133.00	134.00	0.1770	0.1100	0.0120
PG08733	134.00	134.95	0.0700	0.0160	0.0090
PG08734	134.95	136.40	0.0870	0.0500	0.0090
PG08735	136.40	137.75	0.0770	0.0530	0.0070
PG08736	137.75	139.05	0.0710	0.0710	0.0070
PG08737	139.05	140.00	0.0800	0.0730	0.0090
PG08738	140.00	141.40	0.1320	0.0720	0.0100
PG08739	141.40	142.60	0.1230	0.2220	0.0080
PG08741	142.60	143.05	1.1600	0.2150	0.0560
PG08742	143.05	143.60	0.2620	0.1500	0.0250
PG08743	143.60	144.40	0.4270	0.1210	0.0310
PG08744	144.40	144.85	0.6230	0.2220	0.0430
PG08745	144.85	145.30	0.7500	1.9450	0.0440
PG08746	145.30	146.55	0.0880	0.3950	0.0060
PG08747	146.55	147.90	0.0730	0.0590	0.0070
PG08748	147.90	149.25	0.0560	0.0500	0.0070
PG08749	149.25	150.65	0.0960	0.0720	0.0090
PG08750	150.65	151.45	0.1870	0.1340	0.0150
PG08751	151.45	152.35	0.0950	0.0660	0.0070
PG08752	152.35	152.95	0.0730	0.0850	0.0080
PG08753	152.95	153.45	0.2720	0.1000	0.0170
PG08754	153.45	153.80	1.5550	0.1090	0.0890
PG08755	153.80	154.10	1.3750	0.9910	0.0920
PG08756	154.10	154.45	0.9130	2.0000	0.0440
PG08757	154.45	154.95	0.0470	0.2070	0.0020
PG08758	154.95	156.05	0.0025	0.0100	0.0010