

DETAILED LOG

Hole Number: ER07-34

Units: METRIC

Project Name: Norway - South Norway	Primary Coordinates Grid: UTM84-32N	Destination Coordinates Grid: UTM:	Collar Dip: -79.60
Project Number: 203	North: 6659549.10	North: 60.07	Collar Az: 56.60
Location: Ertelia Mine	East: 558240.10	East: 10.05	Length: 292.51 (m)
	Elev: 176.50	Elev: 176.50	Start Depth: 0.00 (m)
Date Started: Oct 30, 2007	Collar Survey: N	Plugged: N	Contractor: Drillcon Core AB
Date Completed: Nov 04, 2007	Multishot Survey: N	Hole Size: BQ	Core Storage: Tyrstrand
Logged By: dsnor	Pulse EM Survey: N	Casing: Left in Hole	Final Depth: 292.51 (m)

Comments: Testing mineralization trend SE of Ertelia mine.

Intersected several instances of massive sulphide between 90.05 and 138.55 metres depth, the largest being 2.7 metres long at 102.30 metres depth.
 Minor (<5%) mineralization is fairly constant from 45.85 to 90.05 metres.

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	85.60	124.55	38.95	0.3803	0.6689	0.0320
WEIGHTED	85.60	138.70	53.10	0.3353	0.5577	0.0282
WEIGHTED	97.75	124.55	26.80	0.4509	0.8823	0.0397
WEIGHTED	102.15	114.30	12.15	0.6390	1.4706	0.0554
WEIGHTED	121.10	124.55	3.45	0.6665	0.9839	0.0624
WEIGHTED	136.80	138.70	1.90	1.0488	1.2064	0.0682
WEIGHTED	158.95	159.70	0.75	1.1697	0.8372	0.0519

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
10.00	56.60	-79.60	EZ	OK		25.00	57.10	-79.60	EZ	OK	
50.00	57.70	-79.70	EZ	OK		100.00	45.80	-79.90	EZ	OK	
125.00	39.90	-79.80	EZ	OK							

Detailed Lithology		Assay Data								
From (m)	To (m)	Lithology		Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.50	O/B, Overburden								

Hole Number: ER07-34

Units: METRIC

Detailed Lithology		Lithology	Assay Data						
From (m)	To (m)		Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
1.50	58.00	GNOR, Gabbro Norite Gabbronorite. Vari-textured - typically fine to medium grained, with local pockets (increasing with depth) of coarse to pegmatitic grains. Dark grey to green-grey. Local garnets, and veins and fractures lined with serpentine and sometimes carbonate. Mineralization is fairly constant from 48.45 metres depth: disseminated and blebby Po, Pn, and Cp, varying from trace to 5-8% in intensity. Mineralization 48.45 - 57.90 : PO Pyrrhotite, D Disseminated, 3.5% 1-5%, +tr cp. Structure 15.95 - 16.90 : FLT Fault, 5 Deg to CA Serpentine-lined fault subparallel to core axis 25.95 - 26.40 : VN Veins, 45 Deg to CA pegmatitic plag and biotite	PG08759	46.75	47.65	0.90	0.0470	0.0460	0.0030
			PG08761	47.65	48.45	0.80	0.0480	0.0310	0.0030
			PG08762	48.45	49.15	0.70	0.1320	0.1100	0.0090
			PG08763	49.15	49.85	0.70	0.1760	0.1450	0.0120
			PG08764	49.85	50.55	0.70	0.1110	0.0910	0.0080
			PG08765	50.55	51.20	0.65	0.0720	0.0640	0.0060
			PG08766	51.20	51.95	0.75	0.1030	0.0930	0.0090
			PG08767	51.95	52.65	0.70	0.0860	0.0780	0.0080
			PG08768	52.65	53.35	0.70	0.1310	0.1040	0.0090
			PG08769	53.35	54.00	0.65	0.1560	0.1120	0.0100
			PG08770	54.00	54.70	0.70	0.1970	0.1420	0.0130
			PG08771	54.70	55.30	0.60	0.1880	0.1340	0.0130
			PG08772	55.30	55.95	0.65	0.1390	0.1020	0.0110
			PG08773	55.95	56.75	0.80	0.0620	0.0510	0.0060
			PG08774	56.75	57.25	0.50	0.0830	0.0740	0.0070
			PG08775	57.25	57.90	0.65	0.1080	0.0930	0.0090
			PG08776	57.90	58.30	0.40	0.0370	0.0360	0.0040
58.00	65.45	MGN, Mafic Gneiss Mafic Gneiss. Garnet Amphibolite Gneiss. Amphiboles + Biotite + Plagioclase + garnet. Dark grey, fine-grained. Foliated at 30 degrees to core axis. Non-mineralized. Structure 64.70 - 64.75 : FOL Foliated, 30 Deg to CA	PG08777	58.30	59.50	1.20	0.0090	0.0090	0.0020

DETAILED LOG

Hole Number: ER07-34

Units: METRIC

Detailed Lithology		Lithology	Assay Data						
From (m)	To (m)		Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
65.45	102.30	GNOR, Gabbro Norite Gabbronorite.	PG08778	67.25	68.05	0.80	0.1240	0.0600	0.0070
			PG08779	68.05	68.35	0.30	0.1310	0.0810	0.0060
			PG08781	68.35	69.00	0.65	0.0770	0.0590	0.0050
		Vari-textured - typically fine to medium grained, with local pockets (increasing with depth) of coarse to pegmatitic grains.	PG08782	69.00	70.05	1.05	0.0330	0.0300	0.0030
		Dark grey to green grey.	PG08783	70.05	71.05	1.00	0.0180	0.0240	0.0020
		Local garnets, and veins and fractures lined with serpentine.	PG08784	71.05	71.95	0.90	0.0530	0.0400	0.0040
			PG08785	71.95	72.70	0.75	0.0260	0.0110	0.0020
		Strongly mineralized. Intensity varies from trace to massive sulphides. Po, cp, py and pn. Average mineralization over the entire unit is possibly as high as 10% sulphide.	PG08786	78.40	79.20	0.80	0.0690	0.0310	0.0050
			PG08787	79.20	80.05	0.85	0.0400	0.0170	0.0040
		Mineralization	PG08788	80.05	81.10	1.05	0.0690	0.0300	0.0050
		100.70 - 102.30 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 4%	PG08789	81.10	82.00	0.90	0.0550	0.0480	0.0040
		3-5%	PG08790	82.00	82.55	0.55	0.0830	0.0650	0.0060
		97.75 - 100.70 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 25%	PG08791	82.55	82.90	0.35	0.1280	0.1410	0.0110
		20-30%	PG08792	82.90	83.60	0.70	0.0320	0.0240	0.0030
		91.10 - 97.75 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 10%	PG08793	83.60	84.15	0.55	0.0170	0.0150	0.0020
		5-15%	PG08794	84.15	84.55	0.40	0.0910	0.0870	0.0070
		90.30 - 91.10 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, SM Semi-Massive, 40%	PG08795	84.55	85.05	0.50	0.0070	0.0025	0.0010
		90.05 - 90.30 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, M Massive, 75%	PG08796	85.05	85.60	0.55	0.0390	0.0430	0.0040
		3-5% cp	PG08797	85.60	86.05	0.45	0.1930	0.5120	0.0140
		86.95 - 90.05 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 7.5%	PG08798	86.05	86.85	0.80	0.0880	0.1210	0.0060
		5-10% +py	PG08799	86.85	87.35	0.50	0.1500	0.1520	0.0100
		82.00 - 86.95 : PO Pyrrhotite, D Disseminated, 5%	PG08800	87.35	87.85	0.50	0.1320	0.5680	0.0110
		+tr cp, py, pn	PG08801	87.85	88.45	0.60	0.1980	0.0880	0.0130
		78.40 - 82.00 : PO Pyrrhotite, D Disseminated, 0.1% trace	PG08802	88.45	88.75	0.30	0.1660	0.2720	0.0100
		68.35 - 71.95 : PO Pyrrhotite, D Disseminated, 1.5% 1-2%	PG08803	88.75	89.30	0.55	0.3580	0.3870	0.0200
			PG08804	89.30	89.90	0.60	0.2780	0.2700	0.0150
			PG08805	89.90	90.30	0.40	1.0930	0.4960	0.0550
			PG08806	90.30	90.70	0.40	0.2690	0.5970	0.0240
			PG08807	90.70	91.20	0.50	0.8310	0.2540	0.0690
			PG08808	91.20	91.85	0.65	0.0590	0.0260	0.0040
			PG08809	91.85	92.55	0.70	0.1190	0.1080	0.0070
			PG08810	92.55	93.25	0.70	0.0650	0.0440	0.0050
			PG08811	93.25	94.00	0.75	0.0800	0.0660	0.0050
			PG08812	94.00	95.15	1.15	0.1800	0.1050	0.0120
			PG08813	95.15	95.60	0.45	0.4320	0.3450	0.0320
			PG08814	95.60	96.40	0.80	0.2830	0.1550	0.0200
			PG08815	96.40	96.95	0.55	0.0830	0.0620	0.0060
			PG08816	96.95	97.75	0.80	0.0480	0.0490	0.0040
			PG08817	97.75	98.10	0.35	0.4080	0.4930	0.0270
			PG08818	98.10	98.65	0.55	0.4560	0.2840	0.0310
			PG08819	98.65	99.30	0.65	0.2390	0.1360	0.0150
			PG08820	99.30	99.80	0.50	0.4520	0.2490	0.0260
			PG08821	99.80	100.35	0.55	0.3660	0.4110	0.0270
			PG08822						
			PG08823						

Hole Number: ER07-34

Units: METRIC

Detailed Lithology		Lithology	Assay Data						
From (m)	To (m)		Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
			PG08824	100.35	100.70	0.35	0.4210	0.8910	0.0430
			PG08825	100.70	101.20	0.50	0.1250	0.1350	0.0100
			PG08826	101.20	101.70	0.50	0.0400	0.0380	0.0040
			PG08827	101.70	102.15	0.45	0.1090	0.9740	0.0610
			PG08828	102.15	102.45	0.30	0.7460	0.8050	0.1360
102.30	105.00	MS, Massive Sulphide Massive sulphide. Pyrrhotite, bearing chalcopyrite, pyrite, and pentlandite. Mineralization 102.30 - 105.00 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, M Massive, 77.5% 70-85%	PG08830	102.45	102.75	0.30	1.4830	0.0830	0.0710
			PG08831	102.75	103.10	0.35	1.1070	0.7000	0.0640
			PG08832	103.10	103.50	0.40	1.5120	0.3360	0.0760
			PG08833	103.50	103.90	0.40	1.3700	0.1820	0.0630
			PG08834	103.90	104.30	0.40	1.4520	0.3090	0.1340
			PG08835	104.30	104.70	0.40	0.6870	4.2090	0.2410
			PG08836	104.70	105.00	0.30	0.8550	4.1350	0.1810
105.00	114.15	SULF, Sulfide Strongly mineralized gabbro-norite. 105-106.9 m - 30-40% sulphide 106.9-107.45 m - 65% sulphide, including 20-30% cp 107.45-113.45 m - 25-35% net-textured sulphide 113.45-114.15 m - 50% semi-massive sulphide Mineralization 113.45 - 114.15 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, SM Semi-Massive, 50% 110.10 - 113.45 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, Net Net Textured, 35% 107.45 - 110.10 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, Net Net Textured, 25% 106.90 - 107.45 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, SM Semi-Massive, 65% 60-70% (20-30% cp). 105.00 - 106.90 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, Net Net Textured, 35% 30-40%	PG08837	105.00	105.45	0.45	0.7030	0.9810	0.0700
			PG08838	105.45	106.05	0.60	0.3060	1.3720	0.0210
			PG08839	106.05	106.80	0.75	0.2550	2.3460	0.0200
			PG08841	106.80	107.15	0.35	0.4090	7.9300	0.0320
			PG08842	107.15	107.50	0.35	0.4820	12.0720	0.0430
			PG08843	107.50	108.20	0.70	0.3660	2.6320	0.0290
			PG08844	108.20	108.65	0.45	0.3390	0.8630	0.0270
			PG08845	108.65	109.45	0.80	0.3620	0.7300	0.0320
			PG08846	109.45	110.00	0.55	0.5340	0.4950	0.0350
			PG08847	110.00	110.50	0.50	0.5590	0.2920	0.0340
			PG08848	110.50	111.10	0.60	0.4200	0.1540	0.0240
			PG08849	111.10	111.95	0.85	0.4120	0.1630	0.0190
			PG08850	111.95	112.55	0.60	0.5990	0.4660	0.0480
			PG08851	112.55	113.45	0.90	0.6270	0.1700	0.0390
			PG08852	113.45	114.00	0.55	0.8800	0.1960	0.0800
			PG08853	114.00	114.30	0.30	0.5250	0.2420	0.0350

DETAILED LOG

Hole Number: ER07-34

Units: METRIC

Detailed Lithology		Lithology	Assay Data						
From (m)	To (m)		Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
114.15	161.20	GNOR, Gabbro Norite Gabbronorite.	PG08854	114.30	115.00	0.70	0.1210	0.1640	0.0110
		Vari-textured - typically fine to medium grained, with local pockets (increasing in frequency with depth) of coarse to pegmatitic grainsize.	PG08855	115.00	115.65	0.65	0.0820	0.1120	0.0060
		Dark grey to green grey.	PG08856	115.65	116.25	0.60	0.1440	0.1160	0.0110
		Local garnets, and veins and fractures lined with serpentine.	PG08857	116.25	117.25	1.00	0.1100	0.0970	0.0090
		Strongly mineralized. Intensity varies from trace to massive sulphides. Po, cp, py and pn. Average mineralization over the entire unit is possibly as high as 10% sulphide.	PG08858	117.25	118.10	0.85	0.1110	0.1250	0.0090
		Texture	PG08859	118.10	119.00	0.90	0.1120	0.0950	0.0090
		157.40 - 159.00 : BC Broken Core	PG08861	119.00	119.65	0.65	0.1370	0.1080	0.0100
		152.35 - 155.00 : BC Broken Core	PG08862	119.65	120.40	0.75	0.0870	0.0750	0.0070
		Mineralization	PG08863	120.40	121.10	0.70	0.1170	0.1510	0.0090
		158.95 - 159.70 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, SM Semi-Massive, 65%	PG08864	121.10	121.50	0.40	0.6490	0.5450	0.0280
		60-70%	PG08866	121.50	122.00	0.50	0.7900	2.0070	0.1260
		138.55 - 158.95 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 1%	PG08867	122.00	122.45	0.45	0.9580	0.4200	0.0560
		tr-2%	PG08868	122.45	122.80	0.35	0.0680	0.2220	0.0060
		137.85 - 138.55 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, M Massive, 90%	PG08869	122.80	123.30	0.50	1.2530	0.3400	0.0820
		136.95 - 137.85 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, Net Net Textured, 25%	PG08870	123.30	123.85	0.55	0.0630	0.3760	0.0040
		20-30%	PG08871	123.85	124.25	0.40	0.8240	0.9860	0.0480
		134.35 - 134.45 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, M Massive, 90%	PG08872	124.25	124.55	0.30	0.6640	3.7840	0.1710
		vein. py at base. 30 degrees to core axis.	PG08873	124.55	125.50	0.95	0.1080	0.4670	0.0100
		133.95 - 134.20 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 10%	PG08874	125.50	126.40	0.90	0.0570	0.0290	0.0060
		127.30 - 133.95 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 1%	PG08875	126.40	127.10	0.70	0.0690	0.0240	0.0060
		trace to 2%	PG08876	127.10	128.10	1.00	0.0870	0.0700	0.0060
		124.50 - 127.30 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, D Disseminated, 7.5%	PG08877	128.10	128.70	0.60	0.0280	0.0080	0.0030
		5-10%	PG08878	128.70	129.60	0.90	0.0480	0.0270	0.0040
		124.20 - 124.50 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, M Massive, 75%	PG08879	129.60	130.05	0.45	0.0330	0.0150	0.0030
		all po at the top, rich in cp and py at the base	PG08881	130.05	130.65	0.60	0.0730	0.0200	0.0170
		123.90 - 124.00 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, M Massive, 80%	PG08882	130.65	131.45	0.80	0.0520	0.0190	0.0050
		vein.	PG08883	131.45	132.35	0.90	0.0730	0.0440	0.0060
		122.90 - 123.30 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, M Massive, 85%	PG08884	132.35	133.30	0.95	0.0620	0.0460	0.0080
		5% cp	PG08885	133.30	133.85	0.55	0.0460	0.0590	0.0040
			PG08886	133.85	134.40	0.55	0.1740	0.1380	0.0100
			PG08887	134.40	134.70	0.30	0.6850	0.9840	0.1520
			PG08888	134.70	135.50	0.80	0.0550	0.1580	0.0050
			PG08889	135.50	136.30	0.80	0.0440	0.0420	0.0040
			PG08890	136.30	136.80	0.50	0.0370	0.0080	0.0030
			PG08891	136.80	137.20	0.40	0.7880	1.9960	0.0340
			PG08892	137.20	137.80	0.60	0.3280	2.0070	0.0420
			PG08894	137.80	138.30	0.50	1.8350	0.1470	0.1110
			PG08895	138.30	138.70	0.40	1.4080	0.5400	0.0880
			PG08896	138.70	139.15	0.45	0.1140	0.1260	0.0180
			PG08897	139.15	140.00	0.85	0.0290	0.0370	0.0040
			PG08898	140.00	140.80	0.80	0.0290	0.0400	0.0060
			PG08899	140.80	142.00	1.20	0.0320	0.0250	0.0050
			PG08901	142.00	142.65	0.65	0.0090	0.0060	0.0020

Hole Number: ER07-34

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
		Mineralization	PG08902	142.65	143.30	0.65	0.0080	0.0070	0.0020
		122.60 - 122.80 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, BL Blebby, 30%	PG08903	143.30	143.95	0.65	0.0480	0.0340	0.0050
		one pocket of massive accounts for all of sulphides in this span	PG08904	143.95	144.60	0.65	0.0700	0.0630	0.0080
		121.15 - 122.40 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, SM	PG08905	144.60	145.55	0.95	0.0730	0.0560	0.0080
		Semi-Massive, 6%	PG08906	145.55	146.00	0.45	0.0050	0.0025	0.0005
		Grades from 30% at top to 90% sulphide at the bottom of the intersection.	PG08907	146.00	147.00	1.00	0.0440	0.0410	0.0050
		114.15 - 121.15 : POPNCP Pyrrhotite/Pentlandite/Chalcopyrite, ws wisps, 7.5%	PG08908	147.00	147.40	0.40	0.2200	0.1080	0.0130
		5-10%	PG08909	147.40	148.20	0.80	0.0910	0.0510	0.0060
			PG08910	148.20	148.80	0.60	0.0310	0.0130	0.0030
			PG08911	148.80	149.85	1.05	0.0220	0.0100	0.0040
			PG08912	157.50	158.45	0.95	0.0250	0.0090	0.0040
			PG08913	158.45	158.95	0.50	0.0240	0.0210	0.0030
			PG08914	158.95	159.30	0.35	1.1340	0.6740	0.0550
			PG08915	159.30	159.70	0.40	1.2010	0.9800	0.0490
			PG08916	159.70	160.30	0.60	0.0350	0.0490	0.0040
			PG08917	160.30	161.30	1.00	0.0480	0.1010	0.0050
161.20	243.15	FGN, Felsic Gneiss	PG08918	178.75	179.75	1.00	0.0005	0.0025	0.0005
		Felsic Gneiss.	PG08919	179.75	180.25	0.50	0.0005	0.0025	0.0005
		Garnet-bearing granitic gneiss. Plagioclase + quartz + biotite + garnet. Local amphiboles. Not mineralized.	PG08921	180.25	180.55	0.30	0.1810	0.0800	0.0350
		Biotite content varies from 5-50%.	PG08922	180.55	181.05	0.50	0.0020	0.0220	0.0020
		Stongly foliated, typically between 35 and 60 degrees to core axis.	PG08923	181.05	182.15	1.10	0.0020	0.0025	0.0005
		Texture							
		220.00 - 220.30 : BC Broken Core							
		206.00 - 206.35 : BC Broken Core							
		199.10 - 199.65 : BC Broken Core							
		190.85 - 191.30 : BC Broken Core							
		188.40 - 188.70 : BC Broken Core							
		171.20 - 172.00 : BC Broken Core							
		170.00 - 170.35 : BC Broken Core							
		Mineralization							
		180.40 - 180.45 : POPN Pyrrhotit/Pentlandite, Net Net Textured, 25% po:py 2:1 ratio.							
		Structure							
		181.40 - 181.45 : FOL Foliated, 50 Deg to CA							
		200.50 - 200.55 : FOL Foliated, 70 Deg to CA							
		214.30 - 214.35 : FOL Foliated, 55 Deg to CA							
		235.20 - 235.25 : FOL Foliated, 45 Deg to CA							
		237.45 - 237.50 : FOL Foliated, 0 Deg to CA							
		237.95 - 238.35 : FOL Foliated, 45 Deg to CA							
		239.05 - 239.10 : FOL Foliated, 50 Deg to CA							

Hole Number: ER07-34

Units: METRIC

Detailed Lithology		Lithology	Assay Data						
From (m)	To (m)		Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
243.15	244.90	GAB, Gabbro Gabbro Plagioclase + Amphiboles + biotite. Foliated near, and parallel to, the contacts with the gneiss. Medium-coarse grained, non, magnetic. More felsic than the mineralized gabbro in the upper hole.							
244.90	292.50	FGN, Felsic Gneiss Felsic Gneiss. Garnet-bearing granitic gneiss. Plagioclase + quartz + biotite + garnet. Local amphiboles. Not mineralized. Biotite content varies from 5-50%, from about 280 metres downward biotite content is 5-10%. Stongly foliated, typically between 35 and 60 degrees to core axis Structure 244.90 - 244.91 : UC Upper Contact, 55 Deg to CA 251.10 - 251.15 : FOL Foliated, 45 Deg to CA 265.30 - 265.35 : FOL Foliated, 25 Deg to CA 278.75 - 278.80 : FOL Foliated, 35 Deg to CA 290.85 - 290.90 : FOL Foliated, 45 Deg to CA							
292.50	292.51	EOH, End of Hole							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG08759	46.75	47.65	0.0470	0.0460	0.0030
PG08761	47.65	48.45	0.0480	0.0310	0.0030
PG08762	48.45	49.15	0.1320	0.1100	0.0090
PG08763	49.15	49.85	0.1760	0.1450	0.0120
PG08764	49.85	50.55	0.1110	0.0910	0.0080
PG08765	50.55	51.20	0.0720	0.0640	0.0060
PG08766	51.20	51.95	0.1030	0.0930	0.0090
PG08767	51.95	52.65	0.0860	0.0780	0.0080
PG08768	52.65	53.35	0.1310	0.1040	0.0090
PG08769	53.35	54.00	0.1560	0.1120	0.0100
PG08770	54.00	54.70	0.1970	0.1420	0.0130
PG08771	54.70	55.30	0.1880	0.1340	0.0130
PG08772	55.30	55.95	0.1390	0.1020	0.0110
PG08773	55.95	56.75	0.0620	0.0510	0.0060

Hole Number: ER07-34

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG08774	56.75	57.25	0.0830	0.0740	0.0070
PG08775	57.25	57.90	0.1080	0.0930	0.0090
PG08776	57.90	58.30	0.0370	0.0360	0.0040
PG08777	58.30	59.50	0.0090	0.0090	0.0020
PG08778	67.25	68.05	0.1240	0.0600	0.0070
PG08779	68.05	68.35	0.1310	0.0810	0.0060
PG08781	68.35	69.00	0.0770	0.0590	0.0050
PG08782	69.00	70.05	0.0330	0.0300	0.0030
PG08783	70.05	71.05	0.0180	0.0240	0.0020
PG08784	71.05	71.95	0.0530	0.0400	0.0040
PG08785	71.95	72.70	0.0260	0.0110	0.0020
PG08786	78.40	79.20	0.0690	0.0310	0.0050
PG08787	79.20	80.05	0.0400	0.0170	0.0040
PG08788	80.05	81.10	0.0690	0.0300	0.0050
PG08789	81.10	82.00	0.0550	0.0480	0.0040
PG08790	82.00	82.55	0.0830	0.0650	0.0060
PG08791	82.55	82.90	0.1280	0.1410	0.0110
PG08792	82.90	83.60	0.0320	0.0240	0.0030
PG08793	83.60	84.15	0.0170	0.0150	0.0020
PG08794	84.15	84.55	0.0910	0.0870	0.0070
PG08795	84.55	85.05	0.0070	0.0025	0.0010
PG08796	85.05	85.60	0.0390	0.0430	0.0040
PG08797	85.60	86.05	0.1930	0.5120	0.0140
PG08798	86.05	86.85	0.0880	0.1210	0.0060
PG08799	86.85	87.35	0.1500	0.1520	0.0100
PG08801	87.35	87.85	0.1320	0.5680	0.0110
PG08802	87.85	88.45	0.1980	0.0880	0.0130
PG08803	88.45	88.75	0.1660	0.2720	0.0100
PG08804	88.75	89.30	0.3580	0.3870	0.0200
PG08805	89.30	89.90	0.2780	0.2700	0.0150
PG08806	89.90	90.30	1.0930	0.4960	0.0550
PG08807	90.30	90.70	0.2690	0.5970	0.0240
PG08808	90.70	91.20	0.8310	0.2540	0.0690
PG08809	91.20	91.85	0.0590	0.0260	0.0040
PG08810	91.85	92.55	0.1190	0.1080	0.0070
PG08811	92.55	93.25	0.0650	0.0440	0.0050
PG08812	93.25	94.00	0.0800	0.0660	0.0050

Hole Number: ER07-34

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG08813	94.00	95.15	0.1800	0.1050	0.0120
PG08814	95.15	95.60	0.4320	0.3450	0.0320
PG08815	95.60	96.40	0.2830	0.1550	0.0200
PG08816	96.40	96.95	0.0830	0.0620	0.0060
PG08817	96.95	97.75	0.0480	0.0490	0.0040
PG08818	97.75	98.10	0.4080	0.4930	0.0270
PG08819	98.10	98.65	0.4560	0.2840	0.0310
PG08821	98.65	99.30	0.2390	0.1360	0.0150
PG08822	99.30	99.80	0.4520	0.2490	0.0260
PG08823	99.80	100.35	0.3660	0.4110	0.0270
PG08824	100.35	100.70	0.4210	0.8910	0.0430
PG08825	100.70	101.20	0.1250	0.1350	0.0100
PG08826	101.20	101.70	0.0400	0.0380	0.0040
PG08827	101.70	102.15	0.1090	0.9740	0.0610
PG08828	102.15	102.45	0.7460	0.8050	0.1360
PG08830	102.45	102.75	1.4830	0.0830	0.0710
PG08831	102.75	103.10	1.1070	0.7000	0.0640
PG08832	103.10	103.50	1.5120	0.3360	0.0760
PG08833	103.50	103.90	1.3700	0.1820	0.0630
PG08834	103.90	104.30	1.4520	0.3090	0.1340
PG08835	104.30	104.70	0.6870	4.2090	0.2410
PG08836	104.70	105.00	0.8550	4.1350	0.1810
PG08837	105.00	105.45	0.7030	0.9810	0.0700
PG08838	105.45	106.05	0.3060	1.3720	0.0210
PG08839	106.05	106.80	0.2550	2.3460	0.0200
PG08841	106.80	107.15	0.4090	7.9300	0.0320
PG08842	107.15	107.50	0.4820	12.0720	0.0430
PG08843	107.50	108.20	0.3660	2.6320	0.0290
PG08844	108.20	108.65	0.3390	0.8630	0.0270
PG08845	108.65	109.45	0.3620	0.7300	0.0320
PG08846	109.45	110.00	0.5340	0.4950	0.0350
PG08847	110.00	110.50	0.5590	0.2920	0.0340
PG08848	110.50	111.10	0.4200	0.1540	0.0240
PG08849	111.10	111.95	0.4120	0.1630	0.0190
PG08850	111.95	112.55	0.5990	0.4660	0.0480
PG08851	112.55	113.45	0.6270	0.1700	0.0390
PG08852	113.45	114.00	0.8800	0.1960	0.0800

Hole Number: ER07-34

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG08853	114.00	114.30	0.5250	0.2420	0.0350
PG08854	114.30	115.00	0.1210	0.1640	0.0110
PG08855	115.00	115.65	0.0820	0.1120	0.0060
PG08856	115.65	116.25	0.1440	0.1160	0.0110
PG08857	116.25	117.25	0.1100	0.0970	0.0090
PG08858	117.25	118.10	0.1110	0.1250	0.0090
PG08859	118.10	119.00	0.1120	0.0950	0.0090
PG08861	119.00	119.65	0.1370	0.1080	0.0100
PG08862	119.65	120.40	0.0870	0.0750	0.0070
PG08863	120.40	121.10	0.1170	0.1510	0.0090
PG08864	121.10	121.50	0.6490	0.5450	0.0280
PG08866	121.50	122.00	0.7900	2.0070	0.1260
PG08867	122.00	122.45	0.9580	0.4200	0.0560
PG08868	122.45	122.80	0.0680	0.2220	0.0060
PG08869	122.80	123.30	1.2530	0.3400	0.0820
PG08870	123.30	123.85	0.0630	0.3760	0.0040
PG08871	123.85	124.25	0.8240	0.9860	0.0480
PG08872	124.25	124.55	0.6640	3.7840	0.1710
PG08873	124.55	125.50	0.1080	0.4670	0.0100
PG08874	125.50	126.40	0.0570	0.0290	0.0060
PG08875	126.40	127.10	0.0690	0.0240	0.0060
PG08876	127.10	128.10	0.0870	0.0700	0.0060
PG08877	128.10	128.70	0.0280	0.0080	0.0030
PG08878	128.70	129.60	0.0480	0.0270	0.0040
PG08879	129.60	130.05	0.0330	0.0150	0.0030
PG08881	130.05	130.65	0.0730	0.0200	0.0170
PG08882	130.65	131.45	0.0520	0.0190	0.0050
PG08883	131.45	132.35	0.0730	0.0440	0.0060
PG08884	132.35	133.30	0.0620	0.0460	0.0080
PG08885	133.30	133.85	0.0460	0.0590	0.0040
PG08886	133.85	134.40	0.1740	0.1380	0.0100
PG08887	134.40	134.70	0.6850	0.9840	0.1520
PG08888	134.70	135.50	0.0550	0.1580	0.0050
PG08889	135.50	136.30	0.0440	0.0420	0.0040
PG08890	136.30	136.80	0.0370	0.0080	0.0030
PG08891	136.80	137.20	0.7880	1.9960	0.0340
PG08892	137.20	137.80	0.3280	2.0070	0.0420

Hole Number: ER07-34

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG08894	137.80	138.30	1.8350	0.1470	0.1110
PG08895	138.30	138.70	1.4080	0.5400	0.0880
PG08896	138.70	139.15	0.1140	0.1260	0.0180
PG08897	139.15	140.00	0.0290	0.0370	0.0040
PG08898	140.00	140.80	0.0290	0.0400	0.0060
PG08899	140.80	142.00	0.0320	0.0250	0.0050
PG08901	142.00	142.65	0.0090	0.0060	0.0020
PG08902	142.65	143.30	0.0080	0.0070	0.0020
PG08903	143.30	143.95	0.0480	0.0340	0.0050
PG08904	143.95	144.60	0.0700	0.0630	0.0080
PG08905	144.60	145.55	0.0730	0.0560	0.0080
PG08906	145.55	146.00	0.0050	0.0025	0.0005
PG08907	146.00	147.00	0.0440	0.0410	0.0050
PG08908	147.00	147.40	0.2200	0.1080	0.0130
PG08909	147.40	148.20	0.0910	0.0510	0.0060
PG08910	148.20	148.80	0.0310	0.0130	0.0030
PG08911	148.80	149.85	0.0220	0.0100	0.0040
PG08912	157.50	158.45	0.0250	0.0090	0.0040
PG08913	158.45	158.95	0.0240	0.0210	0.0030
PG08914	158.95	159.30	1.1340	0.6740	0.0550
PG08915	159.30	159.70	1.2010	0.9800	0.0490
PG08916	159.70	160.30	0.0350	0.0490	0.0040
PG08917	160.30	161.30	0.0480	0.1010	0.0050
PG08918	178.75	179.75	0.0005	0.0025	0.0005
PG08919	179.75	180.25	0.0005	0.0025	0.0005
PG08921	180.25	180.55	0.1810	0.0800	0.0350
PG08922	180.55	181.05	0.0020	0.0220	0.0020
PG08923	181.05	182.15	0.0020	0.0025	0.0005