

Hole Number: ER07-35

Units: METRIC

Project Name: Norway - South Norway	Primary Coordinates Grid: UTM84-32N	Destination Coordinates Grid: UTM:	Collar Dip: -72.00
Project Number: 203	North: 6659723.80	North: 60.07	Collar Az: 55.00
Location: Ertelia Mine	East: 557981.90	East: 10.04	Length: 501.01 (m)
	Elev: 160.00	Elev: 160.00	Start Depth: 0.00 (m)
Date Started: Nov 05, 2007	Collar Survey: N	Plugged: N	Contractor: Drillcon Core AB
Date Completed:	Multishot Survey: N	Hole Size: BQ	Core Storage: Tyrstrand
Logged By: dsnor	Pulse EM Survey: N	Casing: Left in Hole	Final Depth: 501.01 (m)

Comments: Target: 50m N of #6b intersection.

Result: hit MS at Contact -- 3 discreet "veins" totalling 2.3m over 3.75m interval

## Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	449.00	450.65	1.65	1.4595	0.3973	0.1039
WEIGHTED	449.00	452.75	3.75	0.9668	0.3238	0.0740
WEIGHTED	452.00	452.75	0.75	1.6145	0.7337	0.1405

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	8.00	O/B, Overburden							
8.00	49.70	GNOR, Gabbro Norite Fine to medium grained gabbro norite. Dark grey to green-grey in colour. Weathered near top of hole, with stronger green colour and higher amounts of chlorite and amphiboles.  Serpentine and/or carbonate filled fractures and faults are common. 1cm carbonate and serpentine vein at 10 degrees to core axis at 12.00-12.35 m.  Probable fault zone produces broken core from 22.10 m to 23.05 m. Another at 39.2 - 40.1 m.  From 48.70 metres to lower contact at 49.70 metres, rock is almost exclusively amphibole and biotite, mottled, and strongly foliated at 55 degrees to core axis. Texture 17.00 - 17.30 : BC Broken Core 22.10 - 23.05 : BC Broken Core 39.20 - 40.10 : BC Broken Core Structure 12.00 - 12.35 : VN Veins, 10 Deg to CA filled with carbonate and ~10% serpentine, 1 cm wide 19.65 - 19.70 : VN Veins, 40 Deg to CA serpentine, 1.2 cm wide							

Hole Number: ER07-35

Units: METRIC

Detailed Lithology		Lithology	Assay Data						
From (m)	To (m)		Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
49.70	59.80	PEG, Pegmatite Pegmatitic Quartz vein.  Pale grey-brown to white pegmatitic quartz grains, with mica (ms and bt) in between grains, along fractures and cleavages.  Core is somewhat broken.  Upper and lower contacts are both sharp at 65 degrees to core axis. Texture 49.70 - 59.80 : BC Broken Core in zones - sometimes competent for up to 70 cm between broken zones. Structure 49.70 - 49.71 : UC Upper Contact, 65 Deg to CA sharp 59.79 - 59.80 : LC Lower Contact, 65 Deg to CA sharp							

Hole Number: ER07-35

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
59.80	185.05	GNOR, Gabbro Norite	PG08924	120.00	121.00	1.00	0.1560	0.1110	0.0090
		Fine to medium grained gabbro norite.	PG08925	121.00	122.00	1.00	0.1690	0.1470	0.0110
		Dark grey to green-grey in colour.	PG08926	122.00	123.00	1.00	0.1100	0.0820	0.0090
		Lightly altered from 93.70 - 95.95 m, with stronger green colour and higher amounts of chlorite and amphiboles.	PG08927	123.00	124.00	1.00	0.1330	0.1050	0.0080
			PG08928	124.00	125.00	1.00	0.0900	0.0640	0.0050
		Serpentine and/or carbonate filled fractures and faults are common.	PG08929	125.00	125.95	0.95	0.0800	0.0600	0.0060
		Broken core, mostly in fault or fracture zones lined with serpentine, is common from 98.10 m to 118.25 m.	PG08930	125.95	127.20	1.25	0.1250	0.0930	0.0080
			PG08931	127.20	128.00	0.80	0.0120	0.0110	0.0010
			PG08932	128.00	129.00	1.00	0.1410	0.1320	0.0100
		~5cm thick quartz veins at 110.25 and 111.10 m.	PG08933	129.00	130.00	1.00	0.1420	0.1030	0.0090
		Trace sulphide mineralization begins at 110.90 metres.	PG08934	130.00	131.00	1.00	0.1160	0.1000	0.0070
		Texture	PG08935	131.00	132.00	1.00	0.1200	0.1100	0.0080
		117.30 - 118.25 : BC Broken Core	PG08936	132.00	133.00	1.00	0.0710	0.0600	0.0050
		116.15 - 116.80 : BC Broken Core	PG08937	133.00	134.00	1.00	0.1720	0.1340	0.0100
		113.65 - 114.40 : BC Broken Core	PG08938	134.00	135.00	1.00	0.1570	0.1250	0.0090
		109.80 - 110.15 : BC Broken Core	PG08939	135.00	136.00	1.00	0.1140	0.0850	0.0070
		104.70 - 105.45 : BC Broken Core	PG08941	136.00	136.75	0.75	0.1830	0.1470	0.0110
		102.85 - 104.00 : BC Broken Core	PG05219	136.75	137.05	0.30	0.1270	0.0980	0.0090
		98.10 - 98.20 : BC Broken Core	PG08942	137.05	138.00	0.95	0.1500	0.1360	0.0120
		Mineralization	PG08943	138.00	139.00	1.00	0.1560	0.1370	0.0130
		110.90 - 128.95 : PO Pyrrhotite, TR Trace, 0.01%	PG08944	139.00	140.00	1.00	0.1320	0.1290	0.0110
		128.95 - 168.50 : PO Pyrrhotite, D Disseminated, 2.5% 2-3%	PG08945	140.00	141.00	1.00	0.1670	0.1830	0.0120
		168.50 - 172.50 : PO Pyrrhotite, TR Trace, 0.01%	PG08946	141.00	142.00	1.00	0.1430	0.1420	0.0120
		175.35 - 185.05 : PO Pyrrhotite, TR Trace, 0.01%	PG08947	142.00	143.00	1.00	0.1360	0.1230	0.0100
		Alteration	PG08948	143.00	144.00	1.00	0.1610	0.1360	0.0120
		150.40 - 154.15 : CHL Chlorite, P Pervasive, S Strong hydrothermal? alteration zone, resulting in strongly green tinged rock rich in chlorites and amphiboles.	PG08949	144.00	145.00	1.00	0.1590	0.1200	0.0120
		Structure	PG08950	145.00	146.00	1.00	0.1720	0.1240	0.0120
		66.85 - 66.86 : VN Veins, 50 Deg to CA filled with carbonate, laminated with serpentine	PG08951	146.00	147.00	1.00	0.1320	0.0900	0.0100
		146.95 - 147.05 : VN Veins, 30 Deg to CA carbonate and serpentine, 2.2 cm wide.	PG08952	147.00	148.00	1.00	0.1560	0.1140	0.0130
			PG08953	148.00	149.00	1.00	0.1200	0.0910	0.0090
			PG08954	149.00	150.00	1.00	0.1270	0.0980	0.0090
			PG08955	150.00	150.40	0.40	0.1860	0.1350	0.0150
			PG08956	150.40	151.00	0.60	0.0710	0.0410	0.0070
			PG08957	151.00	152.00	1.00	0.0900	0.0640	0.0080
			PG08958	152.00	153.10	1.10	0.1470	0.0900	0.0140
			PG08959	153.10	154.15	1.05	0.1670	0.0930	0.0180
		MINOR INTERVALS:	PG08961	154.15	154.95	0.80	0.1450	0.1130	0.0110
		Minor Interval:	PG08962	154.95	156.00	1.05	0.1400	0.0990	0.0110
		108.8 - 110.9 SED, Sediment	PG08963	156.00	157.00	1.00	0.0900	0.0660	0.0070
		Fine-grained grey-brown metasediments.	PG08964	157.00	158.00	1.00	0.0860	0.0550	0.0070
		Associated with small quartz veins in gabbro-norite.	PG08965	158.00	159.00	1.00	0.0820	0.0540	0.0070
		upper contact: 60 degrees.	PG08966	159.00	160.00	1.00	0.1440	0.1100	0.0120
		lower contact: 30 degrees.	PG08967	160.00	161.00	1.00	0.1130	0.0840	0.0100

Hole Number: ER07-35

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
		MINOR INTERVALS:	PG08968	161.00	162.00	1.00	0.0940	0.0840	0.0070
		Minor Interval:	PG08969	162.00	163.00	1.00	0.1370	0.1050	0.0110
		127.2 - 128 PEG, Pegmatite	PG08970	163.00	163.95	0.95	0.1390	0.1080	0.0120
		similar to Pegmatite unit above:	PG08971	163.95	165.00	1.05	0.0940	0.0640	0.0070
		quartz and plagioclase, with sheets of mica that impact the cohesiveness of the rock.	PG08972	165.00	166.00	1.00	0.0930	0.0780	0.0080
		Texture	PG08973	166.00	167.00	1.00	0.1100	0.0910	0.0100
		127.20 - 128.00 : BC Broken Core	PG08974	167.00	168.00	1.00	0.1100	0.0640	0.0070
		Minor Interval:	PG08975	168.00	169.00	1.00	0.0880	0.0430	0.0070
		172.65 - 175.15 DIA, Diabase	PG08976	169.00	170.00	1.00	0.0580	0.0270	0.0040
		Fine grained diabase dyke.							
		Dark grey. Bt + pyroxene + pl.							
		Bordered by a 15cm quartz vein at the upper contact, and a 20 cm quartz vein at the lower contact.							
185.05	192.45	PEG, Pegmatite							
		Pegmatitic quartz and biotite.							
		no mineralization.							
		white quartz, brown-gold mica. (phlogopite?).							
		30 cm chilled (medium-grained) margin at base.							
		Altered gabbro-norite from 187.4 - 189.1 m.							

Hole Number: ER07-35

Units: METRIC

Detailed Lithology		Lithology	Assay Data						
From (m)	To (m)		Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
192.45	449.00	GNOR, Gabbro Norite	PG08977	236.35	237.35	1.00	0.1400	0.1060	0.0130
		Fine to medium grained gabbro norite.	PG08978	237.35	237.90	0.55	0.0570	0.0200	0.0090
		Dark grey to green-grey in colour.	PG08979	237.90	238.85	0.95	0.0790	0.0480	0.0100
		Serpentine and/or carbonate filled fractures and faults are common.	PG08981	238.85	239.85	1.00	0.1270	0.0730	0.0140
		Broken core, mostly in fault or fracture zones lined with serpentine, occurs at:	PG08982	239.85	240.55	0.70	0.1150	0.0850	0.0120
		194.30 - 196.10 m	PG08983	240.55	240.90	0.35	0.2680	0.2340	0.0370
		210.00 - 210.70 m	PG08984	240.90	241.80	0.90	0.1240	0.0700	0.0120
		215.25 - 216.15 m	PG08985	241.80	242.85	1.05	0.1060	0.0850	0.0100
		229.10 - 229.80 m	PG08986	242.85	244.00	1.15	0.0840	0.0550	0.0060
		255.55 - 256.10 m	PG08987	244.00	245.00	1.00	0.0380	0.0200	0.0030
		261.15 - 261.65 m	PG08988	245.00	246.00	1.00	0.0690	0.0470	0.0050
		262.65 - 262.85 m	PG08989	246.00	246.50	0.50	0.1010	0.0720	0.0080
		263.25 - 269.00 m	PG08990	246.50	247.50	1.00	0.0840	0.0580	0.0080
		290.10 - 290.50 m	PG08991	274.10	275.00	0.90	0.0870	0.0360	0.0070
		297.90 - 298.40 m	PG08992	275.00	275.80	0.80	0.1240	0.0560	0.0120
		328.00 - 328.35 m	PG08993	275.80	276.35	0.55	0.1700	0.2080	0.0160
		358.25 - 358.75 m	PG08994	276.35	277.40	1.05	0.1730	0.0830	0.0160
		380.65 - 380.30 m	PG08995	277.40	278.00	0.60	0.1390	0.0640	0.0130
		397.25 - 398.70 m	PG08996	278.00	279.00	1.00	0.0790	0.0290	0.0080
		409.00 - 409.45 m	PG08997	279.00	280.00	1.00	0.0940	0.0580	0.0080
		411.65 - 411.85 m	PG08998	280.00	281.00	1.00	0.1220	0.0940	0.0120
		425.05 - 425.60 m	PG08999	281.00	282.00	1.00	0.1200	0.0680	0.0100
		427.55 - 427.85 m	PG05178	282.00	283.00	1.00	0.0630	0.0400	0.0060
		430.00 - 431.65 m	PG05179	283.00	284.00	1.00	0.1560	0.1100	0.0150
		435.45 - 436.35 m	PG05180	284.00	284.80	0.80	0.1970	0.1100	0.0170
		437.60 - 439.00 m	PG05181	284.80	285.35	0.55	0.1390	0.0850	0.0130
		444.60 - 445.85 m	PG05182	285.35	286.50	1.15	0.1190	0.0620	0.0110
		Fracture set: 392.05 - 392.30 m. 40 degrees TCA.	PG05183	286.50	287.00	0.50	0.0850	0.0390	0.0100
		-40cm thick quartz veins at 195.70 and 198.00 m.	PG05184	287.00	287.90	0.90	0.1160	0.0540	0.0120
		Trace sulphide mineralization occurs throughout the unit. Pyrrhotite, Pyrite, and Chalcopyrite.	PG05185	311.00	312.00	1.00	0.1290	0.0690	0.0090
		1 cm Po vein @ 240.60 m, remobilized. Sulphide amounts increasing with depth, becoming blebby and up to 5-10% below 390 m.	PG05186	312.00	313.00	1.00	0.1270	0.0780	0.0080
		Qz PEG vein from 303.50 - 306.25 m. Contact alteration in GNOR:	PG05187	313.00	314.00	1.00	0.1370	0.0730	0.0090
		302.75-303.50 m and 306.25 - 311.00 metres. Alteration is coarse-grained bt + chl + amphiboles and elevated Qz levels.	PG05188	314.00	315.00	1.00	0.0640	0.0870	0.0060
		Another similar vein from 423.55 - 425.00 m. Blebs of pyrite near top.	PG05189	315.00	316.00	1.00	0.0870	0.0530	0.0070
		MINOR INTERVALS:	PG05190	316.00	317.00	1.00	0.0910	0.0470	0.0060
		Minor Interval:	PG05191	317.00	318.00	1.00	0.1420	0.0810	0.0100
		303.5 - 306.25 PEG, Pegmatite	PG05192	318.00	319.00	1.00	0.1410	0.0770	0.0100
		Pegmatitic white quartz and mica (biotite/phlogopite?).	PG05193	319.00	320.00	1.00	0.0690	0.0450	0.0060
		no mineralization	PG05194	320.00	321.00	1.00	0.0890	0.0550	0.0070
			PG05195	321.00	322.00	1.00	0.1230	0.0980	0.0100
			PG05196	322.00	323.00	1.00	0.0620	0.0340	0.0050
			PG05197	323.00	324.00	1.00	0.0790	0.0440	0.0070
			PG05198	324.00	325.00	1.00	0.0470	0.0270	0.0040

## DETAILED LOG

Hole Number: ER07-35

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
			PG05199	325.00	326.00	1.00	0.0320	0.0170	0.0030
			QB3501	326.00	327.00	1.00	0.0890	0.0620	0.0070
			QB3502	327.00	328.00	1.00	0.1580	0.0890	0.0130
			QB3503	328.00	329.00	1.00	0.0490	0.0290	0.0040
			QB3504	329.00	330.00	1.00	0.0350	0.0180	0.0030
			QB3505	330.00	331.00	1.00	0.1660	0.0990	0.0130
			QB3506	331.00	332.00	1.00	0.1150	0.0700	0.0090
			QB3507	332.00	333.00	1.00	0.1390	0.0880	0.0110
			QB3508	333.00	334.00	1.00	0.1040	0.0550	0.0070
			QB3509	334.00	335.00	1.00	0.0920	0.0570	0.0070
			QB3510	335.00	336.00	1.00	0.1860	0.1660	0.0150
			QB3511	336.00	337.00	1.00	0.0940	0.0460	0.0090
			QB3512	337.00	337.55	0.55	0.0960	0.0430	0.0070
			QB3513	337.55	337.85	0.30	0.0640	0.3400	0.0070
			QB3514	337.85	339.05	1.20	0.0790	0.0410	0.0070
			QB3515	339.05	340.00	0.95	0.0870	0.0350	0.0060
			QB3516	340.00	341.00	1.00	0.1240	0.0600	0.0100
			QB3517	341.00	342.00	1.00	0.0790	0.0240	0.0050
			QB3518	342.00	343.00	1.00	0.0500	0.0190	0.0030
			QB3519	343.00	344.00	1.00	0.1050	0.0610	0.0100
			QB3521	344.00	345.00	1.00	0.1040	0.0670	0.0090
			QB3522	345.00	346.00	1.00	0.0940	0.0550	0.0090
			QB3523	346.00	347.00	1.00	0.1000	0.0530	0.0080
			QB3524	347.00	348.00	1.00	0.1030	0.0630	0.0090
			QB3525	348.00	349.00	1.00	0.1620	0.1240	0.0150
			QB3526	349.00	350.00	1.00	0.1370	0.1180	0.0110
			QB3527	350.00	351.00	1.00	0.1480	0.1060	0.0110
			QB3528	351.00	352.00	1.00	0.1070	0.1620	0.0080
			QB3529	352.00	353.00	1.00	0.1040	0.1120	0.0080
			QB3530	353.00	353.70	0.70	0.1210	0.1210	0.0100
			QB3531	353.70	354.25	0.55	0.1370	0.2140	0.0110
			QB3532	354.25	354.80	0.55	0.1200	0.1840	0.0100
			QB3533	354.80	355.40	0.60	0.1130	0.1120	0.0090
			QB3534	355.40	356.00	0.60	0.1080	0.1180	0.0090
			QB3535	356.00	357.00	1.00	0.0860	0.1070	0.0080
			QB3536	357.00	358.00	1.00	0.0940	0.0780	0.0070
			QB3537	358.00	359.00	1.00	0.1010	0.0830	0.0110
			QB3538	359.00	360.00	1.00	0.0480	0.0410	0.0050
			QB3539	360.00	360.95	0.95	0.0470	0.0260	0.0050
			QB3541	360.95	362.00	1.05	0.0640	0.0380	0.0050
			QB3542	362.00	363.00	1.00	0.0690	0.0460	0.0060
			QB3543	363.00	364.00	1.00	0.1150	0.0680	0.0100
			QB3544	364.00	365.00	1.00	0.1000	0.0420	0.0090

## DETAILED LOG

Hole Number: ER07-35

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
			QB3545	365.00	366.00	1.00	0.0850	0.0510	0.0070
			QB3546	366.00	367.00	1.00	0.0630	0.0400	0.0050
			QB3547	367.00	368.00	1.00	0.0610	0.0360	0.0060
			QB3548	368.00	369.00	1.00	0.0300	0.0240	0.0030
			QB3549	369.00	370.00	1.00	0.0280	0.0370	0.0030
			QB3550	370.00	371.00	1.00	0.0840	0.0250	0.0070
			QB3551	371.00	372.00	1.00	0.1180	0.0790	0.0090
			QB3552	372.00	373.00	1.00	0.0890	0.0560	0.0070
			QB3553	373.00	374.00	1.00	0.1180	0.0920	0.0110
			QB3554	374.00	375.00	1.00	0.1830	0.1300	0.0150
			QB3555	375.00	376.05	1.05	0.1960	0.1400	0.0150
			QB3556	376.05	377.00	0.95	0.0820	0.0720	0.0070
			QB3557	377.00	378.00	1.00	0.1110	0.0650	0.0080
			QB3558	378.00	379.00	1.00	0.0980	0.0520	0.0070
			QB3559	379.00	380.00	1.00	0.2190	0.1280	0.0160
			QB3561	380.00	381.00	1.00	0.1180	0.0740	0.0100
			QB3562	381.00	382.00	1.00	0.0990	0.0790	0.0080
			QB3563	382.00	383.00	1.00	0.0950	0.0680	0.0080
			QB3564	383.00	384.00	1.00	0.0630	0.0380	0.0060
			QB3565	384.00	385.00	1.00	0.0750	0.0560	0.0070
			QB3566	385.00	386.00	1.00	0.0800	0.0660	0.0100
			QB3567	386.00	387.00	1.00	0.0720	0.0550	0.0060
			QB3568	387.00	388.00	1.00	0.0730	0.0500	0.0070
			QB3569	388.00	389.00	1.00	0.0780	0.0510	0.0060
			QB3570	389.00	390.00	1.00	0.0300	0.0150	0.0030
			QB3571	390.00	391.00	1.00	0.1090	0.0800	0.0110
			QB3572	391.00	392.00	1.00	0.0870	0.0470	0.0080
			QB3573	392.00	393.00	1.00	0.0840	0.0470	0.0080
			QB3574	393.00	393.80	0.80	0.1150	0.0590	0.0080
			QB3575	393.80	394.45	0.65	0.1240	0.0930	0.0110
			QB3576	394.45	395.00	0.55	0.0460	0.0350	0.0040
			QB3577	395.00	396.00	1.00	0.1060	0.0700	0.0090
			QB3578	396.00	397.00	1.00	0.0230	0.0160	0.0040
			QB3579	397.00	398.00	1.00	0.0080	0.0100	0.0050
			QB3581	398.00	399.00	1.00	0.0050	0.0090	0.0040
			QB3582	399.00	400.00	1.00	0.0360	0.0270	0.0050
			QB3583	400.00	401.00	1.00	0.1380	0.0840	0.0100
			QB3584	401.00	401.55	0.55	0.2170	0.1540	0.0160
			QB3585	401.55	402.15	0.60	0.2980	0.1530	0.0220
			QB3586	402.15	403.00	0.85	0.2120	0.1480	0.0150
			QB3587	403.00	404.00	1.00	0.1630	0.1350	0.0120
			QB3588	404.00	405.00	1.00	0.1400	0.0860	0.0110
			QB3589	405.00	405.90	0.90	0.1100	0.0730	0.0110

## DETAILED LOG

Hole Number: ER07-35

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
			QB3590	405.90	406.35	0.45	0.1890	0.1480	0.0160
			QB3591	406.35	407.00	0.65	0.1850	0.1220	0.0160
			QB3592	407.00	408.00	1.00	0.1320	0.0830	0.0130
			QB3593	408.00	409.00	1.00	0.1180	0.0810	0.0130
			QB3594	409.00	410.00	1.00	0.0260	0.0300	0.0040
			QB3595	410.00	410.65	0.65	0.0350	0.0220	0.0040
			QB3596	410.65	411.30	0.65	0.1670	0.1380	0.0150
			QB3597	411.30	411.65	0.35	0.5780	0.4320	0.0480
			QB3598	411.65	412.20	0.55	0.2090	0.1300	0.0150
			QB3599	412.20	413.00	0.80	0.1170	0.0900	0.0100
			QB3609	413.00	414.00	1.00	0.1510	0.1090	0.0130
			QB3610	414.00	415.00	1.00	0.1780	0.1360	0.0150
			QB3611	415.00	416.00	1.00	0.1440	0.1200	0.0120
			QB3612	416.00	417.00	1.00	0.1240	0.0970	0.0110
			QB3613	417.00	417.95	0.95	0.0930	0.0960	0.0090
			QB3614	417.95	419.00	1.05	0.1200	0.0830	0.0110
			QB3615	419.00	419.70	0.70	0.0850	0.0640	0.0080
			QB3616	419.70	420.05	0.35	0.1280	0.1480	0.0140
			QB3617	420.05	421.00	0.95	0.0250	0.0200	0.0040
			QB3618	421.00	422.00	1.00	0.1370	0.0950	0.0120
			QB3619	422.00	422.75	0.75	0.1710	0.1270	0.0150
			QB3621	422.75	423.15	0.40	0.2290	0.1300	0.0190
			QB3622	423.15	423.50	0.35	0.0620	0.0370	0.0080
			QB3623	423.50	424.35	0.85	0.0230	0.0160	0.0020
			QB3624	424.35	425.10	0.75	0.1100	0.0410	0.0100
			QB3625	425.10	425.95	0.85	0.1570	0.1700	0.0140
			QB3626	425.95	427.00	1.05	0.2240	0.1440	0.0180
			QB3627	427.00	428.00	1.00	0.1930	0.1270	0.0160
			QB3628	428.00	429.00	1.00	0.1600	0.0890	0.0140
			QB3629	429.00	430.00	1.00	0.0190	0.0060	0.0050
			QB3630	430.00	431.00	1.00	0.0840	0.0500	0.0090
			QB3631	431.00	432.00	1.00	0.1390	0.0850	0.0130
			QB3632	432.00	433.00	1.00	0.1170	0.1000	0.0120
			QB3633	433.00	434.00	1.00	0.1220	0.0650	0.0110
			QB3634	434.00	435.00	1.00	0.0760	0.0440	0.0070
			QB3635	435.00	436.00	1.00	0.0350	0.0370	0.0040
			QB3636	436.00	437.00	1.00	0.0900	0.0810	0.0090
			QB3637	437.00	438.00	1.00	0.0660	0.0490	0.0070
			QB3638	438.00	439.05	1.05	0.0730	0.0230	0.0070
			QB3639	439.05	440.00	0.95	0.0230	0.0070	0.0030
			QB3641	440.00	440.95	0.95	0.0300	0.0140	0.0030
			QB3642	440.95	442.00	1.05	0.0330	0.0240	0.0060
			QB3643	442.00	442.75	0.75	0.0250	0.0080	0.0040



Hole Number: ER07-35

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
			QB3644	442.75	443.40	0.65	0.0560	0.0660	0.0070
			QB3645	443.40	444.00	0.60	0.0700	0.0210	0.0070
			QB3646	444.00	445.00	1.00	0.0430	0.0070	0.0060
			QB3647	445.00	446.00	1.00	0.0630	0.1550	0.0060
			QB3648	446.00	447.00	1.00	0.0830	0.0750	0.0050
			QB3649	447.00	448.00	1.00	0.0650	0.0330	0.0040
			QB3650	448.00	449.00	1.00	0.0930	0.0580	0.0070
449.00	452.75	MS, Massive Sulphide	QB3651	449.00	449.30	0.30	1.6330	0.6620	0.0960
		Unit is 55% MASSIVE SULPHIDE -- contains 3 discreet strong po-dominate MS veins.	QB3653	449.30	449.60	0.30	0.0350	0.0310	0.0040
		Unit occurs at basal contact of GNOR.	QB3654	449.60	450.10	0.50	1.9850	0.4090	0.1070
		MS intervals are 80% po, 10-12% py, <5% cpy, tr-3% pn.	QB3655	450.10	450.65	0.55	1.6640	0.4420	0.1600
		All 3 becoming py-rich towards base.	QB3657	450.65	451.40	0.75	0.0070	0.0090	0.0005
		449.00 - 449.30m -- MS / 0.25m vien	QB3658	451.40	452.00	0.60	0.0020	0.0025	0.0005
		449.30 - 449.60m -- GNOR	QB3659	452.00	452.35	0.35	1.5900	0.2510	0.1000
		449.60 - 450.65m -- MS / 1.05m vien	QB3661	452.35	452.75	0.40	1.6360	1.1560	0.1760
		450.65 - 452.00m -- FGN -- fg, light grey with some mafic bands. High silica content, ~5% garnets.							
		452.00 - 452.75m -- MS / 0.75m vien							

Hole Number: ER07-35

Units: METRIC

Detailed Lithology		Lithology	Assay Data						
From (m)	To (m)		Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
452.75	501.00	FGN, Felsic Gneiss fine to medium grained felsic gneiss. Light to mid grey. ~5% garnets, locally up to 30%. Laminated with bands of biotite and amphiboles. Foliated typically from 50 - 70 degreesTCA.  450-501m -- generally fine, well developed gneissic banding range 40-70CA, mostly consistently at 50CA, very little changes orientation of banding. Interval is 50% intermediate, 30% felsic, 20% mafic gniess. locally some narrow qtz-rich bands sometimes pegmatitic minor late x-cutting qtz +/- carb veinlets upto 1 cm 5% blebby garents throughout no sulphides, no samples  Core very competent, good core recoveries.  499.10-499.30 -- 5cm grey qtz (chert?) overlies 12cm black dull (non-conductive) argillite (with oblong frags and minor carb partings) -- contacts sharp @ 70CA, bands discreet,  Broken core at: 453.95 - 453.05 m 455.20 - 456.25 m 457.65 - 457.85 m 459.55 - 459.65 m 465.60 - 456.25 m 465.60 - 466.00 m 483.70 - 483.90 m  Drillers mis-measured (at least once) -- tags were relabeled and all footages corrected.	QB3663	452.75	453.30	0.55	0.0050	0.0110	0.0010
			QB3664	453.30	454.30	1.00	0.0220	0.0060	0.0020
501.00	501.01	EOH, End of Hole							

## Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG08924	120.00	121.00	0.1560	0.1110	0.0090
PG08925	121.00	122.00	0.1690	0.1470	0.0110
PG08926	122.00	123.00	0.1100	0.0820	0.0090
PG08927	123.00	124.00	0.1330	0.1050	0.0080
PG08928	124.00	125.00	0.0900	0.0640	0.0050
PG08929	125.00	125.95	0.0800	0.0600	0.0060
PG08930	125.95	127.20	0.1250	0.0930	0.0080
PG08931	127.20	128.00	0.0120	0.0110	0.0010
PG08932	128.00	129.00	0.1410	0.1320	0.0100

Hole Number: ER07-35

Units: METRIC

## Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG08933	129.00	130.00	0.1420	0.1030	0.0090
PG08934	130.00	131.00	0.1160	0.1000	0.0070
PG08935	131.00	132.00	0.1200	0.1100	0.0080
PG08936	132.00	133.00	0.0710	0.0600	0.0050
PG08937	133.00	134.00	0.1720	0.1340	0.0100
PG08938	134.00	135.00	0.1570	0.1250	0.0090
PG08939	135.00	136.00	0.1140	0.0850	0.0070
PG08941	136.00	136.75	0.1830	0.1470	0.0110
PG05219	136.75	137.05	0.1270	0.0980	0.0090
PG08942	137.05	138.00	0.1500	0.1360	0.0120
PG08943	138.00	139.00	0.1560	0.1370	0.0130
PG08944	139.00	140.00	0.1320	0.1290	0.0110
PG08945	140.00	141.00	0.1670	0.1830	0.0120
PG08946	141.00	142.00	0.1430	0.1420	0.0120
PG08947	142.00	143.00	0.1360	0.1230	0.0100
PG08948	143.00	144.00	0.1610	0.1360	0.0120
PG08949	144.00	145.00	0.1590	0.1200	0.0120
PG08950	145.00	146.00	0.1720	0.1240	0.0120
PG08951	146.00	147.00	0.1320	0.0900	0.0100
PG08952	147.00	148.00	0.1560	0.1140	0.0130
PG08953	148.00	149.00	0.1200	0.0910	0.0090
PG08954	149.00	150.00	0.1270	0.0980	0.0090
PG08955	150.00	150.40	0.1860	0.1350	0.0150
PG08956	150.40	151.00	0.0710	0.0410	0.0070
PG08957	151.00	152.00	0.0900	0.0640	0.0080
PG08958	152.00	153.10	0.1470	0.0900	0.0140
PG08959	153.10	154.15	0.1670	0.0930	0.0180
PG08961	154.15	154.95	0.1450	0.1130	0.0110
PG08962	154.95	156.00	0.1400	0.0990	0.0110
PG08963	156.00	157.00	0.0900	0.0660	0.0070
PG08964	157.00	158.00	0.0860	0.0550	0.0070
PG08965	158.00	159.00	0.0820	0.0540	0.0070
PG08966	159.00	160.00	0.1440	0.1100	0.0120
PG08967	160.00	161.00	0.1130	0.0840	0.0100
PG08968	161.00	162.00	0.0940	0.0840	0.0070
PG08969	162.00	163.00	0.1370	0.1050	0.0110
PG08970	163.00	163.95	0.1390	0.1080	0.0120

Hole Number: ER07-35

Units: METRIC

## Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG08971	163.95	165.00	0.0940	0.0640	0.0070
PG08972	165.00	166.00	0.0930	0.0780	0.0080
PG08973	166.00	167.00	0.1100	0.0910	0.0100
PG08974	167.00	168.00	0.1100	0.0640	0.0070
PG08975	168.00	169.00	0.0880	0.0430	0.0070
PG08976	169.00	170.00	0.0580	0.0270	0.0040
PG08977	236.35	237.35	0.1400	0.1060	0.0130
PG08978	237.35	237.90	0.0570	0.0200	0.0090
PG08979	237.90	238.85	0.0790	0.0480	0.0100
PG08981	238.85	239.85	0.1270	0.0730	0.0140
PG08982	239.85	240.55	0.1150	0.0850	0.0120
PG08983	240.55	240.90	0.2680	0.2340	0.0370
PG08984	240.90	241.80	0.1240	0.0700	0.0120
PG08985	241.80	242.85	0.1060	0.0850	0.0100
PG08986	242.85	244.00	0.0840	0.0550	0.0060
PG08987	244.00	245.00	0.0380	0.0200	0.0030
PG08988	245.00	246.00	0.0690	0.0470	0.0050
PG08989	246.00	246.50	0.1010	0.0720	0.0080
PG08990	246.50	247.50	0.0840	0.0580	0.0080
PG08991	274.10	275.00	0.0870	0.0360	0.0070
PG08992	275.00	275.80	0.1240	0.0560	0.0120
PG08993	275.80	276.35	0.1700	0.2080	0.0160
PG08994	276.35	277.40	0.1730	0.0830	0.0160
PG08995	277.40	278.00	0.1390	0.0640	0.0130
PG08996	278.00	279.00	0.0790	0.0290	0.0080
PG08997	279.00	280.00	0.0940	0.0580	0.0080
PG08998	280.00	281.00	0.1220	0.0940	0.0120
PG08999	281.00	282.00	0.1200	0.0680	0.0100
PG05178	282.00	283.00	0.0630	0.0400	0.0060
PG05179	283.00	284.00	0.1560	0.1100	0.0150
PG05180	284.00	284.80	0.1970	0.1100	0.0170
PG05181	284.80	285.35	0.1390	0.0850	0.0130
PG05182	285.35	286.50	0.1190	0.0620	0.0110
PG05183	286.50	287.00	0.0850	0.0390	0.0100
PG05184	287.00	287.90	0.1160	0.0540	0.0120
PG05185	311.00	312.00	0.1290	0.0690	0.0090
PG05186	312.00	313.00	0.1270	0.0780	0.0080

Hole Number: ER07-35

Units: METRIC

## Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG05187	313.00	314.00	0.1370	0.0730	0.0090
PG05188	314.00	315.00	0.0640	0.0870	0.0060
PG05189	315.00	316.00	0.0870	0.0530	0.0070
PG05190	316.00	317.00	0.0910	0.0470	0.0060
PG05191	317.00	318.00	0.1420	0.0810	0.0100
PG05192	318.00	319.00	0.1410	0.0770	0.0100
PG05193	319.00	320.00	0.0690	0.0450	0.0060
PG05194	320.00	321.00	0.0890	0.0550	0.0070
PG05195	321.00	322.00	0.1230	0.0980	0.0100
PG05196	322.00	323.00	0.0620	0.0340	0.0050
PG05197	323.00	324.00	0.0790	0.0440	0.0070
PG05198	324.00	325.00	0.0470	0.0270	0.0040
PG05199	325.00	326.00	0.0320	0.0170	0.0030
QB3501	326.00	327.00	0.0890	0.0620	0.0070
QB3502	327.00	328.00	0.1580	0.0890	0.0130
QB3503	328.00	329.00	0.0490	0.0290	0.0040
QB3504	329.00	330.00	0.0350	0.0180	0.0030
QB3505	330.00	331.00	0.1660	0.0990	0.0130
QB3506	331.00	332.00	0.1150	0.0700	0.0090
QB3507	332.00	333.00	0.1390	0.0880	0.0110
QB3508	333.00	334.00	0.1040	0.0550	0.0070
QB3509	334.00	335.00	0.0920	0.0570	0.0070
QB3510	335.00	336.00	0.1860	0.1660	0.0150
QB3511	336.00	337.00	0.0940	0.0460	0.0090
QB3512	337.00	337.55	0.0960	0.0430	0.0070
QB3513	337.55	337.85	0.0640	0.3400	0.0070
QB3514	337.85	339.05	0.0790	0.0410	0.0070
QB3515	339.05	340.00	0.0870	0.0350	0.0060
QB3516	340.00	341.00	0.1240	0.0600	0.0100
QB3517	341.00	342.00	0.0790	0.0240	0.0050
QB3518	342.00	343.00	0.0500	0.0190	0.0030
QB3519	343.00	344.00	0.1050	0.0610	0.0100
QB3521	344.00	345.00	0.1040	0.0670	0.0090
QB3522	345.00	346.00	0.0940	0.0550	0.0090
QB3523	346.00	347.00	0.1000	0.0530	0.0080
QB3524	347.00	348.00	0.1030	0.0630	0.0090
QB3525	348.00	349.00	0.1620	0.1240	0.0150

Hole Number: ER07-35

Units: METRIC

## Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
QB3526	349.00	350.00	0.1370	0.1180	0.0110
QB3527	350.00	351.00	0.1480	0.1060	0.0110
QB3528	351.00	352.00	0.1070	0.1620	0.0080
QB3529	352.00	353.00	0.1040	0.1120	0.0080
QB3530	353.00	353.70	0.1210	0.1210	0.0100
QB3531	353.70	354.25	0.1370	0.2140	0.0110
QB3532	354.25	354.80	0.1200	0.1840	0.0100
QB3533	354.80	355.40	0.1130	0.1120	0.0090
QB3534	355.40	356.00	0.1080	0.1180	0.0090
QB3535	356.00	357.00	0.0860	0.1070	0.0080
QB3536	357.00	358.00	0.0940	0.0780	0.0070
QB3537	358.00	359.00	0.1010	0.0830	0.0110
QB3538	359.00	360.00	0.0480	0.0410	0.0050
QB3539	360.00	360.95	0.0470	0.0260	0.0050
QB3541	360.95	362.00	0.0640	0.0380	0.0050
QB3542	362.00	363.00	0.0690	0.0460	0.0060
QB3543	363.00	364.00	0.1150	0.0680	0.0100
QB3544	364.00	365.00	0.1000	0.0420	0.0090
QB3545	365.00	366.00	0.0850	0.0510	0.0070
QB3546	366.00	367.00	0.0630	0.0400	0.0050
QB3547	367.00	368.00	0.0610	0.0360	0.0060
QB3548	368.00	369.00	0.0300	0.0240	0.0030
QB3549	369.00	370.00	0.0280	0.0370	0.0030
QB3550	370.00	371.00	0.0840	0.0250	0.0070
QB3551	371.00	372.00	0.1180	0.0790	0.0090
QB3552	372.00	373.00	0.0890	0.0560	0.0070
QB3553	373.00	374.00	0.1180	0.0920	0.0110
QB3554	374.00	375.00	0.1830	0.1300	0.0150
QB3555	375.00	376.05	0.1960	0.1400	0.0150
QB3556	376.05	377.00	0.0820	0.0720	0.0070
QB3557	377.00	378.00	0.1110	0.0650	0.0080
QB3558	378.00	379.00	0.0980	0.0520	0.0070
QB3559	379.00	380.00	0.2190	0.1280	0.0160
QB3561	380.00	381.00	0.1180	0.0740	0.0100
QB3562	381.00	382.00	0.0990	0.0790	0.0080
QB3563	382.00	383.00	0.0950	0.0680	0.0080
QB3564	383.00	384.00	0.0630	0.0380	0.0060

Hole Number: ER07-35

Units: METRIC

## Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
QB3565	384.00	385.00	0.0750	0.0560	0.0070
QB3566	385.00	386.00	0.0800	0.0660	0.0100
QB3567	386.00	387.00	0.0720	0.0550	0.0060
QB3568	387.00	388.00	0.0730	0.0500	0.0070
QB3569	388.00	389.00	0.0780	0.0510	0.0060
QB3570	389.00	390.00	0.0300	0.0150	0.0030
QB3571	390.00	391.00	0.1090	0.0800	0.0110
QB3572	391.00	392.00	0.0870	0.0470	0.0080
QB3573	392.00	393.00	0.0840	0.0470	0.0080
QB3574	393.00	393.80	0.1150	0.0590	0.0080
QB3575	393.80	394.45	0.1240	0.0930	0.0110
QB3576	394.45	395.00	0.0460	0.0350	0.0040
QB3577	395.00	396.00	0.1060	0.0700	0.0090
QB3578	396.00	397.00	0.0230	0.0160	0.0040
QB3579	397.00	398.00	0.0080	0.0100	0.0050
QB3581	398.00	399.00	0.0050	0.0090	0.0040
QB3582	399.00	400.00	0.0360	0.0270	0.0050
QB3583	400.00	401.00	0.1380	0.0840	0.0100
QB3584	401.00	401.55	0.2170	0.1540	0.0160
QB3585	401.55	402.15	0.2980	0.1530	0.0220
QB3586	402.15	403.00	0.2120	0.1480	0.0150
QB3587	403.00	404.00	0.1630	0.1350	0.0120
QB3588	404.00	405.00	0.1400	0.0860	0.0110
QB3589	405.00	405.90	0.1100	0.0730	0.0110
QB3590	405.90	406.35	0.1890	0.1480	0.0160
QB3591	406.35	407.00	0.1850	0.1220	0.0160
QB3592	407.00	408.00	0.1320	0.0830	0.0130
QB3593	408.00	409.00	0.1180	0.0810	0.0130
QB3594	409.00	410.00	0.0260	0.0300	0.0040
QB3595	410.00	410.65	0.0350	0.0220	0.0040
QB3596	410.65	411.30	0.1670	0.1380	0.0150
QB3597	411.30	411.65	0.5780	0.4320	0.0480
QB3598	411.65	412.20	0.2090	0.1300	0.0150
QB3599	412.20	413.00	0.1170	0.0900	0.0100
QB3609	413.00	414.00	0.1510	0.1090	0.0130
QB3610	414.00	415.00	0.1780	0.1360	0.0150
QB3611	415.00	416.00	0.1440	0.1200	0.0120

Hole Number: ER07-35

Units: METRIC

## Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
QB3612	416.00	417.00	0.1240	0.0970	0.0110
QB3613	417.00	417.95	0.0930	0.0960	0.0090
QB3614	417.95	419.00	0.1200	0.0830	0.0110
QB3615	419.00	419.70	0.0850	0.0640	0.0080
QB3616	419.70	420.05	0.1280	0.1480	0.0140
QB3617	420.05	421.00	0.0250	0.0200	0.0040
QB3618	421.00	422.00	0.1370	0.0950	0.0120
QB3619	422.00	422.75	0.1710	0.1270	0.0150
QB3621	422.75	423.15	0.2290	0.1300	0.0190
QB3622	423.15	423.50	0.0620	0.0370	0.0080
QB3623	423.50	424.35	0.0230	0.0160	0.0020
QB3624	424.35	425.10	0.1100	0.0410	0.0100
QB3625	425.10	425.95	0.1570	0.1700	0.0140
QB3626	425.95	427.00	0.2240	0.1440	0.0180
QB3627	427.00	428.00	0.1930	0.1270	0.0160
QB3628	428.00	429.00	0.1600	0.0890	0.0140
QB3629	429.00	430.00	0.0190	0.0060	0.0050
QB3630	430.00	431.00	0.0840	0.0500	0.0090
QB3631	431.00	432.00	0.1390	0.0850	0.0130
QB3632	432.00	433.00	0.1170	0.1000	0.0120
QB3633	433.00	434.00	0.1220	0.0650	0.0110
QB3634	434.00	435.00	0.0760	0.0440	0.0070
QB3635	435.00	436.00	0.0350	0.0370	0.0040
QB3636	436.00	437.00	0.0900	0.0810	0.0090
QB3637	437.00	438.00	0.0660	0.0490	0.0070
QB3638	438.00	439.05	0.0730	0.0230	0.0070
QB3639	439.05	440.00	0.0230	0.0070	0.0030
QB3641	440.00	440.95	0.0300	0.0140	0.0030
QB3642	440.95	442.00	0.0330	0.0240	0.0060
QB3643	442.00	442.75	0.0250	0.0080	0.0040
QB3644	442.75	443.40	0.0560	0.0660	0.0070
QB3645	443.40	444.00	0.0700	0.0210	0.0070
QB3646	444.00	445.00	0.0430	0.0070	0.0060
QB3647	445.00	446.00	0.0630	0.1550	0.0060
QB3648	446.00	447.00	0.0830	0.0750	0.0050
QB3649	447.00	448.00	0.0650	0.0330	0.0040
QB3650	448.00	449.00	0.0930	0.0580	0.0070



Hole Number: ER07-35

Units: METRIC

## Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
QB3651	449.00	449.30	1.6330	0.6620	0.0960
QB3653	449.30	449.60	0.0350	0.0310	0.0040
QB3654	449.60	450.10	1.9850	0.4090	0.1070
QB3655	450.10	450.65	1.6640	0.4420	0.1600
QB3657	450.65	451.40	0.0070	0.0090	0.0005
QB3658	451.40	452.00	0.0020	0.0025	0.0005
QB3659	452.00	452.35	1.5900	0.2510	0.1000
QB3661	452.35	452.75	1.6360	1.1560	0.1760
QB3663	452.75	453.30	0.0050	0.0110	0.0010
QB3664	453.30	454.30	0.0220	0.0060	0.0020