

Hole Number: ER08-42

Units: METRIC

Project Name: Norway - South Norway	Primary Coordinates Grid: UTM84-32N	Destination Coordinates Grid: UTM:	Collar Dip: -44.80
Project Number: 203	North: 6659566.68	North: 60.07	Collar Az: 56.90
Location: Surface	East: 558355.69	East: 10.05	Length: 63.11 (m)
	Elev: 160.40	Elev: 160.40	Start Depth: 0.00 (m)
Date Started: Jan 18, 2008	Collar Survey: N	Plugged: N	Contractor: Drillcon Core AB
Date Completed: Jan 19, 2008	Multishot Survey: N	Hole Size: NQ	Core Storage: Tyrstrand
Logged By: K Leonard	Pulse EM Survey: N	Casing: Left in Hole	Final Depth: 63.11 (m)

Comments: This hole is positioned to intersected Ni sulphide mineralization below the Open Cut on Section 1450N. This hole will test above Hole ER08-41.

Results:

1-5% Po (up to 15% locally) low grade, blebby Po mineralization from 5.5 to 35m hosted in GNOR.

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
10.00	56.90	-44.80	EZ	OK		25.00	60.60	-44.60	EZ	OK	
50.00	59.10	-44.10	EZ	OK							

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	3.00	CAS, Casing							

Hole Number: ER08-42

Units: METRIC

Detailed Lithology		Lithology	Assay Data						
From (m)	To (m)		Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
3.00	35.00	GNOR, Gabbro Norite dark grey in colour, medium grained, massive to well foliated, locally fractured, blebby sulphides throughout, competent core. Structure 9.60 - 10.00 low angle fracturing 17.70 - 18.30 blocky, rubbly core 33.17 - 33.55 well fractured MINOR INTERVALS: Minor Interval: 5.5 - 35 SULF, Sulfide broad, low grade zone of disseminated, blebby Po with subordinate Py and Cpy. Content ranges from 1 to 5%, up to 15% locally.	BL01052	5.50	6.00	0.50	0.0700	0.0560	0.0050
			BL01053	6.00	7.00	1.00	0.0500	0.0510	0.0050
			BL01054	7.00	8.00	1.00	0.1100	0.1010	0.0080
			BL01055	8.00	9.00	1.00	0.1860	0.1510	0.0120
			BL01056	9.00	10.00	1.00	0.0450	0.0380	0.0030
			BL01057	10.00	11.00	1.00	0.0800	0.0900	0.0080
			BL01058	11.00	11.40	0.40	0.0130	0.0060	0.0010
			BL01059	11.40	11.80	0.40	0.6030	0.2800	0.0440
			BL01061	11.80	12.55	0.75	0.0200	0.0160	0.0030
			BL01062	12.55	12.95	0.40	0.5160	0.2330	0.0390
			BL01063	12.95	14.00	1.05	0.0750	0.0600	0.0050
			BL01064	14.00	15.00	1.00	0.0420	0.0140	0.0040
			BL01065	15.00	15.50	0.50	0.1730	0.1500	0.0120
			BL01066	15.50	16.00	0.50	0.1380	0.1110	0.0100
			BL01067	16.00	16.50	0.50	0.1180	0.1260	0.0090
			BL01068	16.50	17.00	0.50	0.1220	0.0950	0.0080
			BL01069	17.00	18.00	1.00	0.1170	0.0910	0.0130
			BL01070	18.00	19.00	1.00	0.1010	0.1210	0.0120
			BL01071	19.00	20.00	1.00	0.0510	0.0580	0.0050
			BL01072	20.00	21.00	1.00	0.0980	0.0800	0.0090
			BL01073	21.00	22.00	1.00	0.1000	0.1020	0.0110
			BL01074	22.00	23.00	1.00	0.0780	0.0880	0.0080
			BL01075	23.00	24.00	1.00	0.0380	0.0330	0.0050
			BL01076	24.00	25.00	1.00	0.0480	0.0530	0.0040
			BL01077	25.00	26.00	1.00	0.0360	0.0260	0.0040
			BL01078	26.00	27.00	1.00	0.0270	0.0550	0.0030
			BL01079	27.00	28.00	1.00	0.0530	0.0410	0.0060
			BL01081	28.00	29.00	1.00	0.0450	0.0440	0.0050
			BL01082	29.00	30.00	1.00	0.0920	0.0490	0.0090
			BL01083	30.00	31.00	1.00	0.0690	0.0590	0.0080
			BL01084	31.00	32.00	1.00	0.1350	0.1360	0.0110
			BL01085	32.00	32.50	0.50	0.1480	0.1120	0.0130
			BL01086	32.50	33.00	0.50	0.1580	0.1590	0.0200
			BL01087	33.00	33.55	0.55	0.0590	0.0710	0.0110
			BL01088	33.55	34.00	0.45	0.0560	0.0930	0.0110
			BL01089	34.00	34.65	0.65	0.0570	0.1020	0.0110
			BL01090	34.65	35.15	0.50	0.2590	0.1250	0.0750
35.00	63.10	FGN, Felsic Gneiss grey in colour, fine grained, laminated to banded, well foliated, competent core, nil sulphides.	BL01091	35.15	36.00	0.85	0.0030	0.0080	0.0005
63.10	63.11	EOH, End of Hole							

Hole Number: ER08-42

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
BL01052	5.50	6.00	0.0700	0.0560	0.0050
BL01053	6.00	7.00	0.0500	0.0510	0.0050
BL01054	7.00	8.00	0.1100	0.1010	0.0080
BL01055	8.00	9.00	0.1860	0.1510	0.0120
BL01056	9.00	10.00	0.0450	0.0380	0.0030
BL01057	10.00	11.00	0.0800	0.0900	0.0080
BL01058	11.00	11.40	0.0130	0.0060	0.0010
BL01059	11.40	11.80	0.6030	0.2800	0.0440
BL01061	11.80	12.55	0.0200	0.0160	0.0030
BL01062	12.55	12.95	0.5160	0.2330	0.0390
BL01063	12.95	14.00	0.0750	0.0600	0.0050
BL01064	14.00	15.00	0.0420	0.0140	0.0040
BL01065	15.00	15.50	0.1730	0.1500	0.0120
BL01066	15.50	16.00	0.1380	0.1110	0.0100
BL01067	16.00	16.50	0.1180	0.1260	0.0090
BL01068	16.50	17.00	0.1220	0.0950	0.0080
BL01069	17.00	18.00	0.1170	0.0910	0.0130
BL01070	18.00	19.00	0.1010	0.1210	0.0120
BL01071	19.00	20.00	0.0510	0.0580	0.0050
BL01072	20.00	21.00	0.0980	0.0800	0.0090
BL01073	21.00	22.00	0.1000	0.1020	0.0110
BL01074	22.00	23.00	0.0780	0.0880	0.0080
BL01075	23.00	24.00	0.0380	0.0330	0.0050
BL01076	24.00	25.00	0.0480	0.0530	0.0040
BL01077	25.00	26.00	0.0360	0.0260	0.0040
BL01078	26.00	27.00	0.0270	0.0550	0.0030
BL01079	27.00	28.00	0.0530	0.0410	0.0060
BL01081	28.00	29.00	0.0450	0.0440	0.0050
BL01082	29.00	30.00	0.0920	0.0490	0.0090
BL01083	30.00	31.00	0.0690	0.0590	0.0080
BL01084	31.00	32.00	0.1350	0.1360	0.0110
BL01085	32.00	32.50	0.1480	0.1120	0.0130
BL01086	32.50	33.00	0.1580	0.1590	0.0200
BL01087	33.00	33.55	0.0590	0.0710	0.0110
BL01088	33.55	34.00	0.0560	0.0930	0.0110
BL01089	34.00	34.65	0.0570	0.1020	0.0110
BL01090	34.65	35.15	0.2590	0.1250	0.0750

Hole Number: ER08-42

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
BL01091	35.15	36.00	0.0030	0.0080	0.0005