

DETAILED LOG

Hole Number: ER2006-01B

Units: METRIC

Project Name: Norway - South Norway	Primary Coordinates Grid: UTM84-32N	Destination Coordinates Grid: UTM:	Collar Dip: -60.08
Project Number: 203	North: 6659673.40	North: 60.07	Collar Az: 53.00
Location: Ertelia	East: 558150.30	East: 10.04	Length: 134.00 (m)
	Elev: 175.84	Elev: 175.84	Start Depth: 0.00 (m)
Date Started: Jun 14, 2006	Collar Survey: N	Plugged: N	Contractor: Arctic Drilling A/S
Date Completed: Jun 18, 2006	Multishot Survey: Y	Hole Size: TT46	Core Storage:
Logged By: larsw	Pulse EM Survey: Y	Casing: Left in Hole, capped	Final Depth: 134.00 (m)

Comments: No Casing. Cap on a Pine branch stuck in hole.

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	61.50	73.00	11.50	0.7795	0.5379	0.0520
WEIGHTED	64.40	71.44	7.04	1.1164	0.6723	0.0743
WEIGHTED	116.70	118.48	1.78	0.9392	1.4886	0.0632
WEIGHTED	116.70	121.68	4.98	0.7905	0.8573	0.0531

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
0.00	52.00	-60.08	Gyro	OK		3.00	53.56	-60.06	Gyro	OK	
6.00	51.52	-59.91	Gyro	OK		9.00	51.56	-59.96	Gyro	OK	
12.00	51.76	-60.01	Gyro	OK		15.00	53.07	-59.97	Gyro	OK	
18.00	51.86	-59.99	Gyro	OK		21.00	53.04	-60.18	Gyro	OK	
24.00	51.92	-60.17	Gyro	OK		27.00	54.92	-60.16	Gyro	OK	
30.00	54.47	-60.09	Gyro	OK		33.00	54.87	-59.98	Gyro	OK	
36.00	51.84	-60.05	Gyro	OK		39.00	52.38	-59.96	Gyro	OK	
42.00	54.67	-59.97	Gyro	OK		45.00	55.88	-59.92	Gyro	OK	
48.00	56.08	-60.02	Gyro	OK		51.00	53.93	-59.92	Gyro	OK	
54.00	55.17	-59.84	Gyro	OK		57.00	53.20	-59.85	Gyro	OK	
60.00	52.46	-59.81	Gyro	OK		63.00	55.94	-59.75	Gyro	OK	
66.00	55.61	-59.75	Gyro	OK		69.00	54.09	-59.75	Gyro	OK	
72.00	53.01	-59.86	Gyro	OK		75.00	50.44	-59.74	Gyro	OK	
78.00	50.56	-59.67	Gyro	OK		81.00	50.88	-59.63	Gyro	OK	
84.00	53.01	-59.78	Gyro	OK		87.00	52.53	-59.66	Gyro	OK	
90.00	53.10	-59.57	Gyro	OK		93.00	53.36	-59.54	Gyro	OK	
96.00	53.35	-59.60	Gyro	OK		99.00	57.35	-59.64	Gyro	OK	
102.00	56.96	-59.60	Gyro	OK							

Hole Number: ER2006-01B

Units: METRIC

Detailed Lithology		Lithology	Assay Data						
From (m)	To (m)		Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	0.48	C, Casing							
0.48	11.81	GAB, Gabbro This unit consists of a dark gray, non-magnetic (mag-sus<2.5), on a meter-scale homogeneous, medium-grained gabbronorite. The main minerals are pyroxene and plagioclase in a ratio of ~65/35. Locally, individual pyroxene crystals are up to ~5mm in size. The unit is cut by a coarse-grained quartz ?vein? at 13.86- 14.40m; the upper contact is brecciated at 35 degrees tca; the lower contact is sharp at 65 degrees tca. The unit is cut by serpentized shears; see structure for details. The unit contains ca. 1% disseminated po throughout. Structure 5.38 - 5.40 : S Schistose, 15 Deg to CA serpentized RQD 0.48 - 3.00 : 68.00 % RQD 100.00 % Core 3.00 - 6.00 : 30.00 % RQD 100.00 % Core 6.00 - 9.00 : 28.00 % RQD 100.00 % Core 9.00 - 12.00 : 43.00 % RQD 100.00 % Core	PG04204	0.48	2.00	1.52	0.1300	0.1000	0.0200
			PG04205	2.00	3.50	1.50	0.1400	0.0800	0.0100
			PG04206	4.50	6.00	1.50	0.1600	0.1000	0.0100
			PG04207	6.00	7.50	1.50	0.1100	0.0900	0.0200
			PG04208	7.50	9.00	1.50	0.1200	0.0700	0.0100
			PG04209	9.00	10.50	1.50	0.1400	0.0700	0.0100
			PG04210	10.50	11.80	1.30	0.1300	0.0800	0.0100
11.81	14.52	4, Anorthosite / Anorthosite Gabbro White, very coarse grained anorthosite with ~5% light beige sugary quartz and thin, sub mm-scale chlorite/biotite veinlets. This unit is non-magnetic (mag-sus<0.15). The unit is homogeneous and not mineralized. The upper contact is brecciated over ~5cm. RQD 12.00 - 15.00 : 96.00 % RQD 100.00 % Core							

DETAILED LOG

Hole Number: ER2006-01B

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
14.52	39.82	GAB, Gabbro	PG04211	14.52	16.00	1.48	0.1300	0.0900	0.0100
		This unit consists of a dark gray, non-magnetic (mag-sus <9), homogeneous, medium-grained pyroxene and plagioclase (60/40%) bearing gabbro. Bronze-colored orthopyroxenes are characteristic in drill core. Locally, plagioclase-rich zones of up to ~50cm in size appear light gray; small faults and shear zones seem to be more prevalent in plagioclase-rich zones. This unit is pervasively po mineralized (~1%); locally, cpy can be found as well. Semi-massive sulfide at: 34.43 - 34.48m. 3 - 5% po between 34.50 - 38.00m. See "Mineralization" for more detail. Mineralization 34.43 - 34.48 : Py Pyrite, SM Semi-Massive, 5% 34.43 - 34.48 : Po Pyrrhotite, SM Semi-Massive, 45% Structure 23.25 - 23.26 : S Schistose, 35 Deg to CA py mineralized 36.15 - 36.16 : S Schistose, 40 Deg to CA 37.95 - 37.96 : S Schistose, 40 Deg to CA RQD 15.00 - 18.00 : 93.00 % RQD 100.00 % Core 18.00 - 21.00 : 76.00 % RQD 100.00 % Core 21.00 - 24.00 : 71.00 % RQD 100.00 % Core 24.00 - 27.00 : 83.00 % RQD 100.00 % Core 27.00 - 30.00 : 68.00 % RQD 100.00 % Core 30.00 - 33.00 : 79.00 % RQD 100.00 % Core 33.00 - 36.00 : 83.00 % RQD 100.00 % Core 36.00 - 39.00 : 80.00 % RQD 100.00 % Core 39.00 - 42.00 : 73.00 % RQD 100.00 % Core	PG04212	16.00	17.50	1.50	0.1300	0.0800	0.0100
			PG04213	17.50	19.00	1.50	0.1200	0.0700	0.0100
			PG04214	19.00	20.50	1.50	0.1500	0.1100	0.0100
			PG04215	20.50	22.00	1.50	0.1300	0.1300	0.0100
			PG04216	22.00	23.50	1.50	0.1600	0.1200	0.0100
			PG04217	23.50	25.00	1.50	0.1700	0.1200	0.0200
			PG04218	25.00	26.50	1.50	0.1700	0.1500	0.0100
			PG04219	26.50	28.00	1.50	0.1400	0.1200	0.0100
			PG04220	28.00	29.50	1.50	0.1200	0.0900	0.0100
			PG04221	29.50	31.00	1.50	0.1500	0.1200	0.0100
			PG04222	31.00	32.50	1.50	0.1200	0.2000	0.0100
			PG04223	32.50	34.00	1.50	0.2400	0.1900	0.0200
			PG04224	34.00	35.50	1.50	0.2700	0.2500	0.0200
			PG04226	35.50	37.00	1.50	0.1500	0.1900	0.0100
			PG04227	37.00	38.50	1.50	0.1200	0.0900	0.0100
			PG04228	38.50	39.82	1.32	0.1200	0.3400	0.0100
39.82	41.14		MS, Massive Sulphide	PG04229	39.82	41.14	1.32	2.2500	0.6200
		Coarse-grained, homogeneous massive sulfide with ~95%po, and ~1%cpy. The upper and lower contacts are sharp at 75 and 70 degrees respectively. The conductance on the uncut core is 1600 - 4500 S. The unit contains rounded wall rock fragments. No visible pn. Mineralization 39.82 - 41.14 : Cpy Chalcopyrite, M Massive, 1% 39.82 - 41.14 : Po Pyrrhotite, M Massive, 95% C = 1600 - 4500S							

Hole Number: ER2006-01B

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
41.14	105.70	GAB, Gabbro	PG04230	41.14	42.50	1.36	0.1100	0.0900	0.0100
		This unit consists of a dark gray, fine- to medium-grained, non-magnetic. On a meter scale homogeneous gabbronorite with about 50% pyroxene and 50% plagioclase. Large, distinct bronzite crystals can be up to ~1cm in size. The unit is pervasively mineralized (mainly po, minor cpy and py); locally, the mineralization is patchy. In these areas the host rock is coarse-grained. The unit is strongly mineralized between 64.40m and 71.44m with 15% - 60% sulfides. See "Mineralization" for more detail. 80.40m - 80.76m: quartz-feldspar vein with blotchy pyroxene aggregates in the upper half; the lower half is chlorite-rich. The unit is garnet-bearing between 102.09m and 102.26m with ~5% garnet in cm-scale clusters. The lower contact of this unit is sharp at 50 degrees tca. Mineralization 71.44 - 80.00 : Cpy Chalcopyrite, PAT Patchy, 0.5% 71.44 - 80.00 : Py Pyrite, PAT Patchy, 1% 71.44 - 80.00 : Po Pyrrhotite, PAT Patchy, 5% 67.85 - 71.44 : Py Pyrite, SM Semi-Massive, 2% especially between 70.00m and 70.40m, possibly related to fault 67.85 - 71.44 : Cpy Chalcopyrite, SM Semi-Massive, 2% throughout in small aggregates 67.85 - 71.44 : Po Pyrrhotite, SM Semi-Massive, 50% fine- to medium-grained, locally, sulfides form matrix 66.65 - 67.85 : Cpy Chalcopyrite, INT Interstitial, 2% 66.65 - 67.85 : Po Pyrrhotite, INT Interstitial, 15% 65.30 - 66.65 : Cpy Chalcopyrite, INT Interstitial, 2% 65.30 - 66.65 : Po Pyrrhotite, INT Interstitial, 20% interstitially to patchy, sulfides fairly fine grained 64.40 - 65.30 : Cpy Chalcopyrite, SM Semi-Massive, 0.5% 64.40 - 65.30 : Py Pyrite, SM Semi-Massive, 2% 64.40 - 65.30 : Po Pyrrhotite, SM Semi-Massive, 65% sulfide matrix contains sub- to euhedral pyroxene xx up to 1.5cm; sulfides medium - coarse grained Structure 67.70 - 67.71 : F Fractured, 55 Deg to CA At 67.70m, fault gouge at 55 tca. +-15cm on either side is broken core. 69.50 - 69.90 Broken core with pyrite-healed fractures. Core angle difficult to determine 70.30 - 70.55 : S Schistose, 80 Deg to CA Pyrite-healed fractures (75-90 tca). 79.80 - 79.81 : S Schistose, 20 Deg to CA 80.40 - 80.76 : S1 First Foliation, 65 Deg to CA	PG04231	42.50	44.00	1.50	0.1400	0.0800	0.0100
			PG04232	44.00	45.50	1.50	0.1100	0.0900	0.0100
			PG04233	45.50	47.00	1.50	0.1500	0.1800	0.0100
			PG04234	47.50	48.50	1.00	0.2200	0.1500	0.0200
			PG04235	48.50	50.00	1.50	0.1600	0.0500	0.0100
			PG04236	50.00	51.50	1.50	0.1300	0.0900	0.0100
			PG04237	51.50	53.00	1.50	0.1400	0.1900	0.0100
			PG04238	53.00	54.00	1.00	0.1300	0.0600	0.0100
			PG04239	54.00	55.50	1.50	0.1300	0.0800	0.0100
			PG04240	55.50	57.00	1.50	0.1200	0.0800	0.0100
			PG04241	57.00	58.50	1.50	0.1100	0.4100	0.0100
			PG04242	58.50	60.00	1.50	0.0250	0.0250	0.0100
			PG04243	60.00	61.50	1.50	0.0800	0.1100	0.0100
			PG04244	61.50	63.00	1.50	0.3100	0.1300	0.0200
		PG04245	63.00	64.40	1.40	0.1000	0.1300	0.0100	
		PG04246	64.40	65.30	0.90	1.7100	0.2300	0.1200	
		PG04247	65.30	66.65	1.35	0.5100	0.6200	0.0500	
		PG04248	66.65	67.85	1.20	0.3900	0.9000	0.0300	
		PG04249	67.85	69.35	1.50	1.4800	1.2300	0.0900	
		PG04251	69.35	70.85	1.50	1.5300	0.3400	0.0900	
		PG04252	70.85	71.44	0.59	1.1000	0.4300	0.0700	
		PG04253	71.44	73.00	1.56	0.3200	0.6900	0.0200	
		PG04254	73.00	74.50	1.50	0.1300	0.2300	0.0100	
		PG04255	74.50	76.00	1.50	0.0900	0.4000	0.0100	
		PG04256	76.00	77.50	1.50	0.0250	0.0250	0.0100	
		PG04257	77.50	79.00	1.50	0.2400	0.1800	0.0200	
		PG04258	79.00	80.00	1.00	0.1100	0.0600	0.0100	
		PG04259	80.00	81.00	1.00	0.0600	0.0250	0.0100	
		PG04260	81.00	82.00	1.00	0.0600	0.0250	0.0100	
		PG04261	82.00	83.00	1.00	0.0250	0.0250	0.0100	
		PG04262	83.00	84.00	1.00	0.0250	0.0250	0.0100	
		PG04263	84.00	85.00	1.00	0.1100	0.0800	0.0100	
		PG04264	85.00	86.00	1.00	0.0600	0.0250	0.0100	
		PG04265	86.00	87.00	1.00	0.0700	0.0250	0.0100	
		PG04266	87.00	88.00	1.00	0.0500	0.0250	0.0100	
		PG04267	88.00	89.00	1.00	0.1200	0.0700	0.0100	
		PG04268	101.00	102.00	1.00	0.0250	0.0250	0.0100	
		PG04269	102.00	103.00	1.00	0.0250	0.0250	0.0200	
		PG04270	103.00	104.00	1.00	0.1600	0.0800	0.0100	
		PG04271	104.00	105.00	1.00	0.0250	0.0250	0.0100	
		PG04272	105.00	105.70	0.70	0.0900	0.0700	0.0100	

DETAILED LOG

Hole Number: ER2006-01B

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
		Structure							
		93.36 - 93.46 : S Schistose, 25 Deg to CA							
		105.60 - 105.70 : LC Lower Contact, 50 Deg to CA							
		RQD							
		42.00 - 45.00 : 72.00 % RQD 100.00 % Core							
		45.00 - 48.00 : 67.00 % RQD 100.00 % Core							
		48.00 - 51.00 : 77.00 % RQD 100.00 % Core							
		51.00 - 54.00 : 77.00 % RQD 100.00 % Core							
		54.00 - 57.00 : 93.00 % RQD 100.00 % Core							
		57.00 - 60.00 : 77.00 % RQD 100.00 % Core							
		60.00 - 63.00 : 100.00 % RQD 100.00 % Core							
		63.00 - 66.00 : 91.00 % RQD 100.00 % Core							
		66.00 - 69.00 : 83.00 % RQD 100.00 % Core							
		69.00 - 72.00 : 47.00 % RQD 100.00 % Core							
		72.00 - 75.00 : 68.00 % RQD 100.00 % Core							
		75.00 - 78.00 : 77.00 % RQD 100.00 % Core							
		78.00 - 81.00 : 77.00 % RQD 100.00 % Core							
		81.00 - 84.00 : 69.00 % RQD 100.00 % Core							
		84.00 - 87.00 : 79.00 % RQD 100.00 % Core							
		87.00 - 90.00 : 96.00 % RQD 100.00 % Core							
		90.00 - 93.00 : 95.00 % RQD 100.00 % Core							
		93.00 - 96.00 : 76.00 % RQD 100.00 % Core							
		96.00 - 99.00 : 97.00 % RQD 100.00 % Core							
		99.00 - 102.00 : 82.00 % RQD 100.00 % Core							
		102.00 - 105.00 : 96.00 % RQD 100.00 % Core							
		105.00 - 108.00 : 81.00 % RQD 100.00 % Core							

Hole Number: ER2006-01B

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
105.70	134.00	5, Undivided Metasediments	PG04273	105.70	107.00	1.30	0.0600	0.0900	0.0100
		This unit consists of a a gray to reddish beige intermediate gneiss with variable mineralogy, containing up to ~40% fine-grained garnet as well as plagioclase, and mafic minerals. The rock is variably foliated with rapidly changing foliation angles. The unit is variably magnetic, depending on the mineralization. The hole was shut down at 134.00m when an unknown historic mine opening was intersected. This unit is variably mineralized; see "Mineralization" for more detail. Mineralization 120.84 - 121.67 : Py Pyrite, SM Semi-Massive, 1% 120.84 - 121.67 : Cpy Chalcopyrite, SM Semi-Massive, 0.5% 120.84 - 121.67 : Po Pyrrhotite, SM Semi-Massive, 50% 118.10 - 118.33 : Cpy Chalcopyrite, SM Semi-Massive, 15% 117.70 - 118.49 : Po Pyrrhotite, SM Semi-Massive, 30% 117.18 - 117.70 : Cpy Chalcopyrite, PAT Patchy, 1% 117.18 - 117.70 : Po Pyrrhotite, PAT Patchy, 1% 116.70 - 117.18 : Cpy Chalcopyrite, SM Semi-Massive, 2% 116.70 - 117.18 : Po Pyrrhotite, SM Semi-Massive, 30% 114.60 - 116.70 : Cpy Chalcopyrite, PAT Patchy, 1% 114.60 - 116.70 : Py Pyrite, PAT Patchy, 1% 114.60 - 116.70 : Po Pyrrhotite, PAT Patchy, 2% RQD 108.00 - 111.00 : 61.00 % RQD 100.00 % Core 111.00 - 114.00 : 65.00 % RQD 100.00 % Core 114.00 - 117.00 : 90.00 % RQD 100.00 % Core 117.00 - 120.00 : 97.00 % RQD 100.00 % Core 120.00 - 123.00 : 67.00 % RQD 100.00 % Core 123.00 - 126.00 : 87.00 % RQD 100.00 % Core 126.00 - 129.00 : 91.00 % RQD 100.00 % Core 129.00 - 132.00 : 97.00 % RQD 100.00 % Core 132.00 - 134.00 : 75.00 % RQD 100.00 % Core	PG04274	107.00	108.00	1.00	0.0250	0.0250	0.0100
			PG04276	114.00	115.00	1.00	0.0500	0.0250	0.0100
			PG04277	115.00	115.87	0.87	0.0600	0.1000	0.0100
			PG04278	115.87	116.28	0.41	0.7000	0.7300	0.0900
			PG04279	116.28	116.70	0.42	0.0800	0.0800	0.0100
			PG04280	116.70	117.19	0.49	1.0700	2.3800	0.0600
			PG04281	117.19	117.70	0.51	0.1700	0.1100	0.0100
			PG04282	117.70	118.48	0.78	1.3600	1.8300	0.1000
			PG04283	118.48	119.00	0.52	0.3200	0.3300	0.0300
			PG04284	119.00	119.34	0.34	0.9800	0.5000	0.0600
			PG04285	119.34	120.84	1.50	0.3200	0.4600	0.0100
			PG04286	120.84	121.68	0.84	1.5300	0.7000	0.1200
			PG04287	121.68	123.00	1.32	0.0250	0.0250	0.0100

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG04204	0.48	2.00	0.1300	0.1000	0.0200
PG04205	2.00	3.50	0.1400	0.0800	0.0100
PG04206	4.50	6.00	0.1600	0.1000	0.0100
PG04207	6.00	7.50	0.1100	0.0900	0.0200

Hole Number: ER2006-01B

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG04208	7.50	9.00	0.1200	0.0700	0.0100
PG04209	9.00	10.50	0.1400	0.0700	0.0100
PG04210	10.50	11.80	0.1300	0.0800	0.0100
PG04211	14.52	16.00	0.1300	0.0900	0.0100
PG04212	16.00	17.50	0.1300	0.0800	0.0100
PG04213	17.50	19.00	0.1200	0.0700	0.0100
PG04214	19.00	20.50	0.1500	0.1100	0.0100
PG04215	20.50	22.00	0.1300	0.1300	0.0100
PG04216	22.00	23.50	0.1600	0.1200	0.0100
PG04217	23.50	25.00	0.1700	0.1200	0.0200
PG04218	25.00	26.50	0.1700	0.1500	0.0100
PG04219	26.50	28.00	0.1400	0.1200	0.0100
PG04220	28.00	29.50	0.1200	0.0900	0.0100
PG04221	29.50	31.00	0.1500	0.1200	0.0100
PG04222	31.00	32.50	0.1200	0.2000	0.0100
PG04223	32.50	34.00	0.2400	0.1900	0.0200
PG04224	34.00	35.50	0.2700	0.2500	0.0200
PG04226	35.50	37.00	0.1500	0.1900	0.0100
PG04227	37.00	38.50	0.1200	0.0900	0.0100
PG04228	38.50	39.82	0.1200	0.3400	0.0100
PG04229	39.82	41.14	2.2500	0.6200	0.1300
PG04230	41.14	42.50	0.1100	0.0900	0.0100
PG04231	42.50	44.00	0.1400	0.0800	0.0100
PG04232	44.00	45.50	0.1100	0.0900	0.0100
PG04233	45.50	47.00	0.1500	0.1800	0.0100
PG04234	47.50	48.50	0.2200	0.1500	0.0200
PG04235	48.50	50.00	0.1600	0.0500	0.0100
PG04236	50.00	51.50	0.1300	0.0900	0.0100
PG04237	51.50	53.00	0.1400	0.1900	0.0100
PG04238	53.00	54.00	0.1300	0.0600	0.0100
PG04239	54.00	55.50	0.1300	0.0800	0.0100
PG04240	55.50	57.00	0.1200	0.0800	0.0100
PG04241	57.00	58.50	0.1100	0.4100	0.0100
PG04242	58.50	60.00	0.0250	0.0250	0.0100
PG04243	60.00	61.50	0.0800	0.1100	0.0100
PG04244	61.50	63.00	0.3100	0.1300	0.0200
PG04245	63.00	64.40	0.1000	0.1300	0.0100

Hole Number: ER2006-01B

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG04246	64.40	65.30	1.7100	0.2300	0.1200
PG04247	65.30	66.65	0.5100	0.6200	0.0500
PG04248	66.65	67.85	0.3900	0.9000	0.0300
PG04249	67.85	69.35	1.4800	1.2300	0.0900
PG04251	69.35	70.85	1.5300	0.3400	0.0900
PG04252	70.85	71.44	1.1000	0.4300	0.0700
PG04253	71.44	73.00	0.3200	0.6900	0.0200
PG04254	73.00	74.50	0.1300	0.2300	0.0100
PG04255	74.50	76.00	0.0900	0.4000	0.0100
PG04256	76.00	77.50	0.0250	0.0250	0.0100
PG04257	77.50	79.00	0.2400	0.1800	0.0200
PG04258	79.00	80.00	0.1100	0.0600	0.0100
PG04259	80.00	81.00	0.0600	0.0250	0.0100
PG04260	81.00	82.00	0.0600	0.0250	0.0100
PG04261	82.00	83.00	0.0250	0.0250	0.0100
PG04262	83.00	84.00	0.0250	0.0250	0.0100
PG04263	84.00	85.00	0.1100	0.0800	0.0100
PG04264	85.00	86.00	0.0600	0.0250	0.0100
PG04265	86.00	87.00	0.0700	0.0250	0.0100
PG04266	87.00	88.00	0.0500	0.0250	0.0100
PG04267	88.00	89.00	0.1200	0.0700	0.0100
PG04268	101.00	102.00	0.0250	0.0250	0.0100
PG04269	102.00	103.00	0.0250	0.0250	0.0200
PG04270	103.00	104.00	0.1600	0.0800	0.0100
PG04271	104.00	105.00	0.0250	0.0250	0.0100
PG04272	105.00	105.70	0.0900	0.0700	0.0100
PG04273	105.70	107.00	0.0600	0.0900	0.0100
PG04274	107.00	108.00	0.0250	0.0250	0.0100
PG04276	114.00	115.00	0.0500	0.0250	0.0100
PG04277	115.00	115.87	0.0600	0.1000	0.0100
PG04278	115.87	116.28	0.7000	0.7300	0.0900
PG04279	116.28	116.70	0.0800	0.0800	0.0100
PG04280	116.70	117.19	1.0700	2.3800	0.0600
PG04281	117.19	117.70	0.1700	0.1100	0.0100
PG04282	117.70	118.48	1.3600	1.8300	0.1000
PG04283	118.48	119.00	0.3200	0.3300	0.0300
PG04284	119.00	119.34	0.9800	0.5000	0.0600

Hole Number: ER2006-01B

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG04285	119.34	120.84	0.3200	0.4600	0.0100
PG04286	120.84	121.68	1.5300	0.7000	0.1200
PG04287	121.68	123.00	0.0250	0.0250	0.0100