

DETAILED LOG

Hole Number: ER2006-04

Units: METRIC

Project Name: Norway - South Norway	Primary Coordinates Grid: UTM84-32N	Destination Coordinates Grid: UTM:	Collar Dip: -80.19
Project Number: 203	North: 6659589.30	North: 60.07	Collar Az: 55.50
Location: Ertelia	East: 558207.65	East: 10.05	Length: 223.75 (m)
	Elev: 171.24	Elev: 171.24	Start Depth: 0.00 (m)
Date Started: Jun 23, 2006	Collar Survey: Y	Plugged: N	Contractor: Arctic Drilling A/S
Date Completed: Jun 27, 2006	Multishot Survey: Y	Hole Size: TT46	Core Storage:
Logged By: larsw	Pulse EM Survey: Y	Casing: Left in Hole, capped	Final Depth: 223.75 (m)

Comments: Casing Loose.

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	181.85	193.05	11.20	0.2821	0.2339	0.0262

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
0.00	55.50	-80.19	Gyro	OK		2.00		-80.20	EZ	OK	
3.00	55.57	-80.58	Gyro	OK		6.00	60.13	-80.20	Gyro	OK	
9.00	58.47	-80.20	Gyro	OK		12.00	58.78	-80.21	Gyro	OK	
15.00	60.12	-80.31	Gyro	OK		18.00	58.79	-80.26	Gyro	OK	
21.00	58.38	-80.25	Gyro	OK		24.00	57.85	-80.43	Gyro	OK	
27.00	59.77	-80.29	Gyro	OK		30.00	58.22	-80.21	Gyro	OK	
33.00	58.19	-80.16	Gyro	OK		36.00	58.92	-80.03	Gyro	OK	
39.00	60.06	-79.93	Gyro	OK		42.00	59.72	-79.85	Gyro	OK	
45.00	59.49	-79.89	Gyro	OK		48.00	61.96	-79.74	Gyro	OK	
51.00	60.49	-79.49	Gyro	OK		54.00	61.73	-79.33	Gyro	OK	
57.00	60.82	-79.41	Gyro	OK		60.00	62.27	-79.30	Gyro	OK	
63.00	63.57	-79.37	Gyro	OK		66.00	65.52	-79.38	Gyro	OK	
69.00	64.73	-79.30	Gyro	OK		72.00	64.97	-79.22	Gyro	OK	
75.00	64.96	-79.18	Gyro	OK		78.00	63.05	-79.36	Gyro	OK	
81.00	65.04	-79.23	Gyro	OK		84.00	65.37	-79.03	Gyro	OK	
87.00	66.94	-79.06	Gyro	OK		90.00	63.11	-79.03	Gyro	OK	
93.00	64.98	-78.95	Gyro	OK		96.00	62.99	-78.84	Gyro	OK	
99.00	65.46	-78.81	Gyro	OK		102.00	65.66	-78.84	Gyro	OK	
105.00	65.14	-78.76	Gyro	OK		108.00	64.46	-78.83	Gyro	OK	
111.00	68.57	-78.76	Gyro	OK		114.00	66.26	-78.82	Gyro	OK	
117.00	65.76	-78.71	Gyro	OK		120.00	68.92	-78.65	Gyro	OK	
123.00	66.52	-78.61	Gyro	OK		126.00	63.57	-78.76	Gyro	OK	
129.00	65.55	-78.57	Gyro	OK		132.00	71.77	-78.74	Gyro	OK	

DETAILED LOG

Hole Number: ER2006-04

Units: METRIC

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
135.00	64.99	-78.73	Gyro	OK		138.00	69.88	-78.65	Gyro	OK	
141.00	61.17	-78.61	Gyro	OK		144.00	68.18	-78.56	Gyro	OK	
147.00	66.84	-78.50	Gyro	OK		150.00	66.17	-78.53	Gyro	OK	
153.00	68.37	-78.50	Gyro	OK		156.00	67.89	-78.50	Gyro	OK	
159.00	70.54	-78.51	Gyro	OK		162.00	67.27	-78.49	Gyro	OK	
165.00	67.19	-78.47	Gyro	OK		168.00	68.92	-78.46	Gyro	OK	
171.00	71.12	-78.48	Gyro	OK		174.00	72.72	-78.51	Gyro	OK	
177.00	75.00	-78.47	Gyro	OK		180.00	72.10	-78.37	Gyro	OK	
183.00	60.55	-78.31	Gyro	DO		186.00	66.31	-78.36	Gyro	OK	
189.00	66.74	-78.34	Gyro	OK		192.00	68.77	-78.19	Gyro	OK	
195.00	70.07	-78.00	Gyro	OK		198.00	69.42	-77.87	Gyro	OK	
201.00	70.11	-77.64	Gyro	OK		204.00	71.24	-77.56	Gyro	OK	
207.00	69.28	-77.47	Gyro	OK		210.00	75.94	-77.37	Gyro	OK	

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	3.10	C, Casing							

Hole Number: ER2006-04

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
3.10	181.85	GAB, Gabbro	PG04390	60.00	61.50	1.50	0.0900	0.0250	0.0100
		This unit consists of a dark gray, medium-grained, non-foliated, non-magnetic pyroxene and plagioclase-bearing gabbro. The rock is homogeneous on a meter scale; however, changes in grain size and ratio of pyroxene to plagioclase do occur.	PG04391	61.50	63.00	1.50	0.0700	0.0250	0.0100
			PG04392	63.00	64.50	1.50	0.1100	0.0500	0.0100
		21.45m - 22.95m: very fine grained, homogeneous, non-magnetic, non-foliated mafic dyke. The upper and lower contacts are distinct and irregular but not sharp	PG04393	64.50	66.00	1.50	0.1300	0.0700	0.0100
			PG04394	71.00	72.50	1.50	0.1300	0.0600	0.0100
		84.00m - 90.63m: plagioclase-rich (up to ~60%), inhomogeneous, locally foliated section. The lower ~1.5m are dark gray to black and fine grained, similar to basaltic dykes. A fault cuts this section at 89.50m at 35 degrees tca. Interpretation: a gneissic raft bounds a fault along which a basaltic dyke intruded. The gneiss is partly recrystallized/ digested.	PG04395	72.50	74.00	1.50	0.1500	0.0800	0.0100
			PG04396	74.00	75.50	1.50	0.1100	0.0700	0.0100
		Various faults and shears cut this unit; see "Structure" for details.	PG04397	75.50	77.00	1.50	0.0250	0.0250	0.0100
			PG04398	77.00	78.50	1.50	0.1300	0.0250	0.0100
		148.70m - 150.40m: rounded light gray, plagioclase-rich, ?K-spar-bearing "fragments". The contacts between the light colored areas and the dark gabbro are very sharp but without any shearing, alteration etc. The grain size and texture as well as the sulfide content are identical with those of the gabbro. One possible interpretation is that the light colored material are completely recrystallized gneiss fragments with partly digested margins.	PG04399	78.50	80.00	1.50	0.1000	0.0250	0.0100
			PG04401	80.00	81.50	1.50	0.1000	0.0600	0.0100
		This unit contains trace to minor po and py mineralization as well as very local trace cpy. Mineralization occurs as dissemination and fine blebs, which commonly occur in clusters up to ~50cm in size. Mineralization is more common starting at ~60m. Starting at ~125m sulfides become more common and individual sulfide blebs grow in size up to ~1.5cm.	PG04402	81.50	83.00	1.50	0.0900	0.0250	0.0100
			PG04403	98.00	99.50	1.50	0.1400	0.0700	0.0100
		The lower contact of this unit is sharp at 50 degrees tca along a massive sulphide vein.	PG04404	99.50	101.00	1.50	0.1000	0.0250	0.0100
			PG04405	101.00	102.50	1.50	0.1800	0.0600	0.0100
		Mineralization	PG04406	107.00	108.50	1.50	0.0250	0.0250	0.0100
			PG04407	108.50	110.00	1.50	0.0900	0.0500	0.0100
		125.00 - 181.85 : Cpy Chalcopyrite, BB Blebby, 0.5% locally higher	PG04408	110.00	111.50	1.50	0.0250	0.0250	0.0100
			PG04409	111.50	113.00	1.50	0.0500	0.0250	0.0100
		125.00 - 181.85 : Py Pyrite, BB Blebby, 1%	PG04410	113.00	114.50	1.50	0.1100	0.0250	0.0100
			PG04411	114.50	116.00	1.50	0.0250	0.0250	0.0100
		125.00 - 181.85 : Po Pyrrhotite, BB Blebby, 2% locally higher	PG04412	116.00	117.50	1.50	0.0700	0.0250	0.0100
			PG04413	117.50	119.00	1.50	0.0700	0.0250	0.0100
		60.00 - 125.00 : Py Pyrite, D Disseminated, 0.5%	PG04414	119.00	120.50	1.50	0.1400	0.0250	0.0100
			PG04415	120.50	122.00	1.50	0.1600	0.0250	0.0100
		60.00 - 125.00 : Po Pyrrhotite, D Disseminated, 0.5% trace to 2% locally	PG04416	122.00	123.50	1.50	0.1600	0.0800	0.0100
			PG04417	123.50	125.00	1.50	0.1000	0.0250	0.0100
		Structure	PG04418	125.00	126.50	1.50	0.1300	0.0900	0.0100
			PG04419	126.50	128.00	1.50	0.1200	0.1000	0.0100
		16.60 - 16.61 : S Schistose, 25 Deg to CA	PG04420	128.00	129.50	1.50	0.1100	0.1000	0.0100
			PG04421	129.50	131.00	1.50	0.1000	0.0250	0.0100
		24.80 - 26.00 unknown attitude - very broken core	PG04422	131.00	132.50	1.50	0.1900	0.1200	0.0100
			PG04423	132.50	134.00	1.50	0.2400	0.1100	0.0200
		48.83 - 48.84 : S Schistose, 40 Deg to CA	PG04424	134.00	135.50	1.50	0.1800	0.0800	0.0100
			PG04426	135.50	137.00	1.50	0.1800	0.1000	0.0100
		56.14 - 56.15 : S Schistose, 25 Deg to CA	PG04427	137.00	138.50	1.50	0.1300	0.0600	0.0100
			PG04428	138.50	140.00	1.50	0.2000	0.1200	0.0100
			PG04429	140.00	141.50	1.50	0.2400	0.1100	0.0200
			PG04430	141.50	143.00	1.50	0.0250	0.0250	0.0100
			PG04431	143.00	144.50	1.50	0.0600	0.0250	0.0100
			PG04432	144.50	146.00	1.50	0.2100	0.1100	0.0100
			PG04433	146.00	147.50	1.50	0.1500	0.1000	0.0100
			PG04434	147.50	149.00	1.50	0.1600	0.1400	0.0100

DETAILED LOG

Hole Number: ER2006-04

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
		Structure	PG04435	149.00	150.50	1.50	0.1300	0.1700	0.0100
		61.55 - 62.15 : F Fractured, 15 Deg to CA	PG04436	150.50	152.00	1.50	0.1900	0.1600	0.0100
		estimated at 10 - 25 degrees tca	PG04437	152.00	153.50	1.50	0.2000	0.2600	0.0200
		65.68 - 65.90	PG04438	153.50	155.00	1.50	0.1100	0.0700	0.0100
		unknown attitude - very broken core	PG04439	155.00	156.50	1.50	0.0250	0.0250	0.0100
		66.70 - 67.00	PG04440	156.50	158.00	1.50	0.0800	0.0250	0.0100
		unknown attitude - very broken core	PG04441	158.00	159.50	1.50	0.1000	0.0250	0.0100
		89.45 - 89.55 : F Fractured, 35 Deg to CA	PG04442	159.50	161.00	1.50	0.1200	0.0800	0.0100
		119.60 - 119.61 : S Schistose, 25 Deg to CA	PG04443	161.00	162.50	1.50	0.1400	0.0700	0.0100
		RQD	PG04444	162.50	164.00	1.50	0.2000	0.0900	0.0200
		3.10 - 6.00 : 81.00 % RQD 100.00 % Core	PG04445	164.00	165.50	1.50	0.2100	0.1000	0.0100
		6.00 - 9.00 : 90.00 % RQD 100.00 % Core	PG04446	165.50	167.00	1.50	0.2100	0.0700	0.0200
		9.00 - 12.00 : 97.00 % RQD 100.00 % Core	PG04447	167.00	168.50	1.50	0.1700	0.0600	0.0100
		12.00 - 15.00 : 97.00 % RQD 100.00 % Core	PG04448	168.50	170.00	1.50	0.1700	0.0250	0.0100
		15.00 - 18.00 : 85.00 % RQD 100.00 % Core	PG04449	170.00	171.50	1.50	0.1900	0.0600	0.0100
		18.00 - 21.00 : 95.00 % RQD 100.00 % Core	PG04451	171.50	173.00	1.50	0.2000	0.0700	0.0100
		21.00 - 24.00 : 76.00 % RQD 100.00 % Core	PG04452	173.00	174.50	1.50	0.1700	0.0250	0.0100
		24.00 - 27.00 : 78.00 % RQD 100.00 % Core	PG04453	174.50	176.00	1.50	0.1400	0.0500	0.0100
		27.00 - 30.00 : 86.00 % RQD 100.00 % Core	PG04454	176.00	177.50	1.50	0.1500	0.0800	0.0100
		30.00 - 33.00 : 89.00 % RQD 100.00 % Core	PG04455	177.50	179.00	1.50	0.1200	0.0500	0.0100
		33.00 - 36.00 : 80.00 % RQD 100.00 % Core	PG04456	179.00	180.50	1.50	0.1000	0.0500	0.0100
		36.00 - 39.00 : 84.00 % RQD 100.00 % Core	PG04457	180.50	181.85	1.35	0.1300	0.1900	0.0200
		39.00 - 42.00 : 100.00 % RQD 100.00 % Core							
		42.00 - 45.00 : 85.00 % RQD 100.00 % Core							
		45.00 - 48.00 : 87.00 % RQD 100.00 % Core							
		48.00 - 51.00 : 83.00 % RQD 100.00 % Core							
		51.00 - 54.00 : 49.00 % RQD 100.00 % Core							
		54.00 - 57.00 : 89.00 % RQD 100.00 % Core							
		57.00 - 60.00 : 100.00 % RQD 100.00 % Core							
		60.00 - 63.00 : 77.00 % RQD 100.00 % Core							
		63.00 - 66.00 : 65.00 % RQD 100.00 % Core							
		66.00 - 69.00 : 47.00 % RQD 100.00 % Core							
		69.00 - 72.00 : 84.00 % RQD 100.00 % Core							
		72.00 - 75.00 : 88.00 % RQD 100.00 % Core							
		75.00 - 78.00 : 96.00 % RQD 100.00 % Core							
		78.00 - 81.00 : 76.00 % RQD 100.00 % Core							
		81.00 - 84.00 : 62.00 % RQD 100.00 % Core							
		84.00 - 87.00 : 48.00 % RQD 100.00 % Core							
		87.00 - 90.00 : 57.00 % RQD 100.00 % Core							
		90.00 - 93.00 : 77.00 % RQD 100.00 % Core							

DETAILED LOG

Hole Number: ER2006-04

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
		RQD							
	93.00 - 96.00	: 78.00 % RQD 100.00 % Core							
	96.00 - 99.00	: 75.00 % RQD 100.00 % Core							
	99.00 - 102.00	: 100.00 % RQD 100.00 % Core							
	102.00 - 105.00	: 96.00 % RQD 100.00 % Core							
	105.00 - 108.00	: 94.00 % RQD 100.00 % Core							
	108.00 - 111.00	: 87.00 % RQD 100.00 % Core							
	111.00 - 114.00	: 98.00 % RQD 100.00 % Core							
	114.00 - 117.00	: 84.00 % RQD 100.00 % Core							
	117.00 - 120.00	: 70.00 % RQD 100.00 % Core							
	120.00 - 123.00	: 89.00 % RQD 100.00 % Core							
	123.00 - 126.00	: 85.00 % RQD 100.00 % Core							
	126.00 - 129.00	: 91.00 % RQD 100.00 % Core							
	129.00 - 132.00	: 89.00 % RQD 100.00 % Core							
	132.00 - 135.00	: 85.00 % RQD 100.00 % Core							
	135.00 - 138.00	: 73.00 % RQD 100.00 % Core							
	138.00 - 141.00	: 88.00 % RQD 100.00 % Core							
	141.00 - 144.00	: 84.00 % RQD 100.00 % Core							
	144.00 - 147.00	: 83.00 % RQD 100.00 % Core							
	147.00 - 150.00	: 90.00 % RQD 100.00 % Core							
	150.00 - 153.00	: 90.00 % RQD 100.00 % Core							
	153.00 - 156.00	: 93.00 % RQD 100.00 % Core							
	156.00 - 159.00	: 93.00 % RQD 100.00 % Core							
	159.00 - 162.00	: 72.00 % RQD 100.00 % Core							
	162.00 - 165.00	: 92.00 % RQD 100.00 % Core							
	165.00 - 168.00	: 83.00 % RQD 100.00 % Core							
	168.00 - 171.00	: 85.00 % RQD 100.00 % Core							
	171.00 - 174.00	: 97.00 % RQD 100.00 % Core							
	174.00 - 177.00	: 88.00 % RQD 100.00 % Core							
	177.00 - 180.00	: 99.00 % RQD 100.00 % Core							
	180.00 - 183.00	: 90.00 % RQD 100.00 % Core							

Hole Number: ER2006-04

Units: METRIC

Detailed Lithology		Lithology	Assay Data						
From (m)	To (m)		Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
181.85	183.09	MS, Massive Sulphide Massive sulfide containing ~70% po, 1-2% py, and 1-3% cpy. The po is medium grained; black wallrock fragments are suspended in the sulfide matrix. Py is more common in the top ~15cm. Cpy is dispersed throughout the entire unit, except at the lower contact where cpy occurs "massive" in a 2 - 4cm thick band. The lower contact of this unit is sharp at 35 degrees to the ca. Mineralization 181.85 - 183.09 : Cpy Chalcopyrite, M Massive, 2% 181.85 - 183.09 : Py Pyrite, M Massive, 1% especially along hanging wall contact 181.85 - 183.09 : Po Pyrrhotite, M Massive, 70% RQD 183.00 - 186.00 : 79.00 % RQD 100.00 % Core	PG04458	181.85	183.09	1.24	1.4700	0.9800	0.1000
183.09	186.04	5, Undivided Metasediments This unit is more inhomogenous, locally weakly foliated (30 - 45 degrees tca), and it contains plagioclase-rich patches as well as local garnets (likely an intermediate to mafic gneiss). The lower contact of this unit is along a felsic horizon (quartz-feldspar) at ~80 degrees tca. RQD 186.00 - 189.00 : 85.00 % RQD 100.00 % Core	PG04459	183.09	184.50	1.41	0.0250	0.0250	0.0100
			PG04460	184.50	186.00	1.50	0.0250	0.0250	0.0100
			PG04461	186.00	187.50	1.50	0.1200	0.0900	0.0200
186.04	192.53	GAB, Gabbro Weakly mineralized gabbronorite (1-2% pyrrhotite) as described from 3.10-181.85m The lower contact of this unit is sharp but irregular along a 1cm wide MS veinlet. Mineralization 191.90 - 192.05 : Cpy Chalcopyrite, PAT Patchy, 2% 191.90 - 192.05 : Po Pyrrhotite, PAT Patchy, 20% 192.45 - 192.53 : Cpy Chalcopyrite, PAT Patchy, 2% 192.45 - 192.53 : Po Pyrrhotite, PAT Patchy, 20% RQD 189.00 - 192.00 : 79.00 % RQD 100.00 % Core 192.00 - 195.00 : 86.00 % RQD 100.00 % Core MINOR INTERVALS: Minor Interval: 186.34 - 186.64 5, Undivided Metasediments Mafic to intermediate gneiss (raft?) - as described from 183.09-186.04m. The upper contact of this unit is lost as the core does not fit together. The lower contact of this unit is sharp at 60 tca along a felsic horizon.	PG04462	187.50	189.00	1.50	0.0900	0.0700	0.0100
			PG04463	189.00	190.50	1.50	0.0600	0.0700	0.0100
			PG04464	190.50	191.83	1.33	0.0250	0.0250	0.0100
			PG04465	191.83	192.15	0.32	0.5500	0.4800	0.0500
			PG04466	192.15	192.45	0.30	0.0250	0.0250	0.0100
			PG04467	192.45	193.05	0.60	1.0700	1.3200	0.0800

Hole Number: ER2006-04

Units: METRIC

Detailed Lithology		Lithology	Assay Data						
From (m)	To (m)		Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
192.53	223.75	5, Undivided Metasediments This unit consists of a variably colored, almost black to light gray, well-foliated, non-magnetic, locally garnet and quartz-bearing gneiss (intermediate to locally mafic). Foliation angles vary from 50 to 90 degrees tca. The lower contact of this unit was not reached as the hole was shut down. This unit is not mineralized. RQD 195.00 - 198.00 : 57.00 % RQD 100.00 % Core 198.00 - 201.00 : 47.00 % RQD 100.00 % Core 201.00 - 204.00 : 59.00 % RQD 100.00 % Core 204.00 - 207.00 : 64.00 % RQD 100.00 % Core 207.00 - 210.00 : 47.00 % RQD 100.00 % Core 210.00 - 213.00 : 45.00 % RQD 100.00 % Core 213.00 - 216.00 : 72.00 % RQD 100.00 % Core 216.00 - 219.00 : 67.00 % RQD 100.00 % Core 219.00 - 222.00 : 97.00 % RQD 100.00 % Core 222.00 - 223.75 : 83.00 % RQD 100.00 % Core MINOR INTERVALS: Minor Interval: 192.6 - 192.82 MS, Massive Sulphide Massive sulphide veinlet (90 pyrrhotite, 2 pyrite and 3 chalcopyrite). The upper and lower contacts of this veinlet are sharp at 85 and 70 degrees tca, respectively. Mineralization 192.60 - 192.82 : Cpy Chalcopyrite, VN Veins, 3% 192.60 - 192.82 : Py Pyrite, FG Fine Grained, 2% 192.60 - 192.82 : Po Pyrrhotite, M Massive, 90%	PG04468	193.05	194.00	0.95	0.0250	0.0250	0.0100

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG04390	60.00	61.50	0.0900	0.0250	0.0100
PG04391	61.50	63.00	0.0700	0.0250	0.0100
PG04392	63.00	64.50	0.1100	0.0500	0.0100
PG04393	64.50	66.00	0.1300	0.0700	0.0100
PG04394	71.00	72.50	0.1300	0.0600	0.0100
PG04395	72.50	74.00	0.1500	0.0800	0.0100
PG04396	74.00	75.50	0.1100	0.0700	0.0100

Hole Number: ER2006-04

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG04397	75.50	77.00	0.0250	0.0250	0.0100
PG04398	77.00	78.50	0.1300	0.0250	0.0100
PG04399	78.50	80.00	0.1000	0.0250	0.0100
PG04401	80.00	81.50	0.1000	0.0600	0.0100
PG04402	81.50	83.00	0.0900	0.0250	0.0100
PG04403	98.00	99.50	0.1400	0.0700	0.0100
PG04404	99.50	101.00	0.1000	0.0250	0.0100
PG04405	101.00	102.50	0.1800	0.0600	0.0100
PG04406	107.00	108.50	0.0250	0.0250	0.0100
PG04407	108.50	110.00	0.0900	0.0500	0.0100
PG04408	110.00	111.50	0.0250	0.0250	0.0100
PG04409	111.50	113.00	0.0500	0.0250	0.0100
PG04410	113.00	114.50	0.1100	0.0250	0.0100
PG04411	114.50	116.00	0.0250	0.0250	0.0100
PG04412	116.00	117.50	0.0700	0.0250	0.0100
PG04413	117.50	119.00	0.0700	0.0250	0.0100
PG04414	119.00	120.50	0.1400	0.0250	0.0100
PG04415	120.50	122.00	0.1600	0.0250	0.0100
PG04416	122.00	123.50	0.1600	0.0800	0.0100
PG04417	123.50	125.00	0.1000	0.0250	0.0100
PG04418	125.00	126.50	0.1300	0.0900	0.0100
PG04419	126.50	128.00	0.1200	0.1000	0.0100
PG04420	128.00	129.50	0.1100	0.1000	0.0100
PG04421	129.50	131.00	0.1000	0.0250	0.0100
PG04422	131.00	132.50	0.1900	0.1200	0.0100
PG04423	132.50	134.00	0.2400	0.1100	0.0200
PG04424	134.00	135.50	0.1800	0.0800	0.0100
PG04426	135.50	137.00	0.1800	0.1000	0.0100
PG04427	137.00	138.50	0.1300	0.0600	0.0100
PG04428	138.50	140.00	0.2000	0.1200	0.0100
PG04429	140.00	141.50	0.2400	0.1100	0.0200
PG04430	141.50	143.00	0.0250	0.0250	0.0100
PG04431	143.00	144.50	0.0600	0.0250	0.0100
PG04432	144.50	146.00	0.2100	0.1100	0.0100
PG04433	146.00	147.50	0.1500	0.1000	0.0100
PG04434	147.50	149.00	0.1600	0.1400	0.0100
PG04435	149.00	150.50	0.1300	0.1700	0.0100

Hole Number: ER2006-04

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG04436	150.50	152.00	0.1900	0.1600	0.0100
PG04437	152.00	153.50	0.2000	0.2600	0.0200
PG04438	153.50	155.00	0.1100	0.0700	0.0100
PG04439	155.00	156.50	0.0250	0.0250	0.0100
PG04440	156.50	158.00	0.0800	0.0250	0.0100
PG04441	158.00	159.50	0.1000	0.0250	0.0100
PG04442	159.50	161.00	0.1200	0.0800	0.0100
PG04443	161.00	162.50	0.1400	0.0700	0.0100
PG04444	162.50	164.00	0.2000	0.0900	0.0200
PG04445	164.00	165.50	0.2100	0.1000	0.0100
PG04446	165.50	167.00	0.2100	0.0700	0.0200
PG04447	167.00	168.50	0.1700	0.0600	0.0100
PG04448	168.50	170.00	0.1700	0.0250	0.0100
PG04449	170.00	171.50	0.1900	0.0600	0.0100
PG04451	171.50	173.00	0.2000	0.0700	0.0100
PG04452	173.00	174.50	0.1700	0.0250	0.0100
PG04453	174.50	176.00	0.1400	0.0500	0.0100
PG04454	176.00	177.50	0.1500	0.0800	0.0100
PG04455	177.50	179.00	0.1200	0.0500	0.0100
PG04456	179.00	180.50	0.1000	0.0500	0.0100
PG04457	180.50	181.85	0.1300	0.1900	0.0200
PG04458	181.85	183.09	1.4700	0.9800	0.1000
PG04459	183.09	184.50	0.0250	0.0250	0.0100
PG04460	184.50	186.00	0.0250	0.0250	0.0100
PG04461	186.00	187.50	0.1200	0.0900	0.0200
PG04462	187.50	189.00	0.0900	0.0700	0.0100
PG04463	189.00	190.50	0.0600	0.0700	0.0100
PG04464	190.50	191.83	0.0250	0.0250	0.0100
PG04465	191.83	192.15	0.5500	0.4800	0.0500
PG04466	192.15	192.45	0.0250	0.0250	0.0100
PG04467	192.45	193.05	1.0700	1.3200	0.0800
PG04468	193.05	194.00	0.0250	0.0250	0.0100