

DETAILED LOG

Hole Number: ER2006-05

Units: METRIC

Project Name: Norway - South Norway	Primary Coordinates Grid: UTM84-32N	Destination Coordinates Grid: UTM:	Collar Dip: -51.21
Project Number: 203	North: 6659741.46	North: 60.07	Collar Az: 56.00
Location: Ertelia	East: 558077.27	East: 10.04	Length: 239.70 (m)
	Elev: 179.68	Elev: 179.68	Start Depth: 0.00 (m)
Date Started: Jun 27, 2006	Collar Survey: Y	Plugged: N	Contractor: Arctic Drilling A/S
Date Completed: Jul 05, 2006	Multishot Survey: Y	Hole Size: TT46	Core Storage:
Logged By: larsw	Pulse EM Survey: Y	Casing: Left in Hole, capped	Final Depth: 239.70 (m)

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	27.30	46.26	18.96	0.2712	0.1500	0.0265
WEIGHTED	32.10	33.27	1.17	0.8246	0.2585	0.0832
WEIGHTED	41.00	46.26	5.26	0.4027	0.1639	0.0358
WEIGHTED	97.92	106.78	8.86	1.0756	0.6414	0.0802
WEIGHTED	103.70	106.78	3.08	1.6945	0.5910	0.1132
WEIGHTED	199.70	201.00	1.30	0.7131	1.3677	0.0531
WEIGHTED	199.70	209.62	9.92	0.2568	0.8249	0.0254

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
0.00	59.42	-51.21	Gyro	DO		3.00	44.15	-51.03	Gyro	DO	
6.00	49.64	-50.93	Gyro	OK		9.00	52.23	-50.86	Gyro	OK	
12.00	48.40	-50.80	Gyro	OK		15.00	81.29	-50.71	Gyro	DO	
18.00	57.69	-50.66	Gyro	OK		21.00	57.68	-50.52	Gyro	OK	
24.00	47.46	-50.51	Gyro	OK		27.00	45.00	-50.39	Gyro	OK	
30.00	42.55	-50.28	Gyro	OK		33.00	73.45	-50.22	Gyro	DO	
36.00	22.23	-50.27	Gyro	DO		39.00	61.88	-50.37	Gyro	DO	
42.00	72.28	-50.36	Gyro	DO		45.00	51.35	-50.23	Gyro	OK	
48.00	53.00	-50.15	Gyro	OK		51.00	55.31	-50.15	Gyro	OK	
54.00	53.43	-50.16	Gyro	OK		57.00	52.74	-50.17	Gyro	OK	
60.00	53.86	-50.23	Gyro	OK		63.00	50.49	-50.26	Gyro	OK	
66.00	62.62	-50.30	Gyro	DO		69.00	53.36	-50.33	Gyro	OK	
72.00	54.59	-50.36	Gyro	OK		75.00	54.55	-50.43	Gyro	OK	
78.00	56.55	-50.40	Gyro	OK		81.00	53.48	-50.45	Gyro	OK	
84.00	53.31	-50.44	Gyro	OK		87.00	53.76	-50.47	Gyro	OK	
90.00	52.17	-50.54	Gyro	OK		93.00	45.20	-50.54	Gyro	OK	
96.00	44.00	-50.61	Gyro	OK		99.00	43.00	-50.69	Gyro	OK	
102.00	42.23	-50.64	Gyro	OK		105.00	53.57	-50.62	Gyro	OK	

Hole Number: ER2006-05

Units: METRIC

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
108.00	54.35	-50.68	Gyro	OK		111.00	55.66	-50.59	Gyro	OK	
114.00	56.18	-50.49	Gyro	OK		117.00	57.02	-50.47	Gyro	OK	
120.00	56.93	-50.42	Gyro	OK		123.00	58.43	-50.28	Gyro	OK	
126.00	61.22	-50.23	Gyro	OK		129.00	59.67	-50.29	Gyro	OK	
132.00	59.85	-50.41	Gyro	OK		135.00	58.08	-50.28	Gyro	OK	
138.00	57.67	-50.50	Gyro	OK		141.00	62.99	-50.46	Gyro	OK	
144.00	58.43	-50.34	Gyro	OK		147.00	57.72	-50.32	Gyro	OK	
150.00	60.00	-50.35	Gyro	OK		153.00	57.73	-50.39	Gyro	OK	
156.00	56.99	-50.41	Gyro	OK		159.00	58.67	-50.46	Gyro	OK	
162.00	58.52	-50.52	Gyro	OK		165.00	59.25	-50.42	Gyro	OK	
168.00	58.84	-50.49	Gyro	OK		171.00	58.76	-50.50	Gyro	OK	
174.00	59.17	-50.44	Gyro	OK		177.00	58.15	-50.42	Gyro	OK	
180.00	59.70	-50.41	Gyro	OK		183.00	63.44	-50.46	Gyro	OK	
186.00	59.14	-50.22	Gyro	OK		189.00	60.09	-50.12	Gyro	OK	
192.00	55.19	-50.17	Gyro	OK		195.00	76.73	-50.02	Gyro	DO	
198.00	56.74	-49.87	Gyro	OK		201.00	58.79	-49.89	Gyro	OK	
204.00	61.56	-49.28	Gyro	OK		207.00	67.01	-48.73	Gyro	OK	
210.00	61.54	-48.50	Gyro	OK		213.00	61.09	-48.41	Gyro	OK	
216.00	60.66	-48.25	Gyro	OK		219.00	60.90	-48.04	Gyro	OK	
222.00	65.08	-47.87	Gyro	OK		225.00	60.56	-47.72	Gyro	OK	
228.00	61.13	-47.50	Gyro	OK		231.00	61.19	-47.41	Gyro	OK	

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	NI%	Cu%	Co%
0	2.80	C, Casing							

Hole Number: ER2006-05

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
2.80	97.15	GAB, Gabbro	PG04469	15.00	16.50	1.50	0.0700	0.0250	0.0100
		This unit consists of a medium-grained, dark gray, generally non-magnetic, non-foliated, on a meter scale homogeneous, pyroxene and plagioclase (~50/50) bearing gabbro-norite. Locally, larger opx (bronzite?) crystals are visible in drill core. Locally, the grain size increases in close proximity to mineralized areas. The unit is cut by a number of high angle (tca) shears that are commonly serpentinized and/or chlorite-bearing. The unit is extensively mineralized by pervasive disseminated po as well as py +- cpy patches. The lower contact of this unit is sharp at 60 degrees tca Mineralization 70.56 - 70.61 : Po Pyrrhotite, M Massive, 100% Massive sulphide veinlet (po-py-cpy), with upper and lower contacts at 85 and 70 degrees tca, respectively. 27.40 - 27.70 : Cpy Chalcopyrite, SM Semi-Massive, 2% 27.40 - 27.70 : Po Pyrrhotite, SM Semi-Massive, 25% 32.53 - 33.20 : Cpy Chalcopyrite, SM Semi-Massive, 0.5% 32.53 - 33.20 : Py Pyrite, SM Semi-Massive, 15% 32.53 - 33.20 : Po Pyrrhotite, SM Semi-Massive, 20% 44.94 - 45.10 : Py Pyrite, SM Semi-Massive, 15% 44.94 - 46.26 : Cpy Chalcopyrite, SM Semi-Massive, 0.5% 44.94 - 46.26 : Po Pyrrhotite, SM Semi-Massive, 35% 55.45 - 55.72 : Cpy Chalcopyrite, SM Semi-Massive, 2% 55.45 - 55.72 : Po Pyrrhotite, SM Semi-Massive, 25% Structure 18.80 - 18.81 : S Schistose, 15 Deg to CA 38.50 - 38.51 : S Schistose, 35 Deg to CA 52.20 - 52.22 : S Schistose, 20 Deg to CA 57.75 - 58.25 : F Fractured, 20 Deg to CA 75.25 - 75.27 : S Schistose, 15 Deg to CA RQD 2.80 - 6.00 : 84.00 % RQD 100.00 % Core 6.00 - 9.00 : 87.00 % RQD 100.00 % Core 9.00 - 12.00 : 95.00 % RQD 100.00 % Core 12.00 - 15.00 : 98.00 % RQD 100.00 % Core 15.00 - 18.00 : 90.00 % RQD 100.00 % Core 18.00 - 21.00 : 94.00 % RQD 100.00 % Core 21.00 - 24.00 : 87.00 % RQD 100.00 % Core 24.00 - 27.00 : 90.00 % RQD 100.00 % Core 27.00 - 30.00 : 94.00 % RQD 100.00 % Core	PG04470	16.50	18.00	1.50	0.0900	0.0500	0.0100
			PG04471	18.00	19.50	1.50	0.0500	0.0600	0.0100
			PG04472	23.00	24.50	1.50	0.1500	0.0800	0.0100
			PG04473	24.50	26.00	1.50	0.1200	0.0900	0.0100
			PG04474	26.00	27.30	1.30	0.1000	0.0250	0.0100
			PG04476	27.30	27.70	0.40	0.7200	0.4400	0.0500
			PG04477	27.70	29.00	1.30	0.2400	0.1700	0.0300
			PG04478	29.00	30.50	1.50	0.1700	0.2000	0.0200
			PG04479	30.50	31.25	0.75	0.1000	0.0800	0.0100
			PG04480	31.25	32.10	0.85	0.0800	0.0700	0.0100
			PG04481	32.10	32.53	0.43	0.5400	0.1700	0.0200
			PG04482	32.53	33.27	0.74	0.9900	0.3100	0.1200
			PG04483	33.27	34.00	0.73	0.1500	0.1300	0.0100
			PG04484	34.00	35.50	1.50	0.1900	0.1500	0.0200
			PG04485	35.50	37.00	1.50	0.1400	0.1300	0.0100
			PG04486	37.00	38.50	1.50	0.0250	0.0250	0.0100
		PG04487	38.50	40.00	1.50	0.1200	0.1400	0.0100	
		PG04488	40.00	41.00	1.00	0.2400	0.1000	0.0300	
		PG04489	41.00	42.00	1.00	0.5400	0.3000	0.0400	
		PG04490	42.00	43.50	1.50	0.0600	0.0250	0.0100	
		PG04491	43.50	44.94	1.44	0.0250	0.0250	0.0100	
		PG04492	44.94	46.26	1.32	1.1000	0.3700	0.0900	
		PG04493	46.26	47.00	0.74	0.0600	0.0250	0.0100	
		PG04494	47.00	48.50	1.50	0.0800	0.0500	0.0100	
		PG04495	48.50	50.00	1.50	0.0600	0.0800	0.0100	
		PG04496	50.00	51.50	1.50	0.1000	0.0700	0.0100	
		PG04497	51.50	53.00	1.50	0.0250	0.0250	0.0100	
		PG04498	53.00	54.50	1.50	0.1400	0.0700	0.0100	
		PG04499	54.50	56.00	1.50	0.3200	0.3100	0.0300	
		PG04501	56.00	57.50	1.50	0.0900	0.0250	0.0100	
		PG04502	65.00	66.32	1.32	0.0800	0.1200	0.0100	
		PG04503	66.32	67.63	1.31	0.0250	0.0800	0.0100	
		PG04504	67.63	69.00	1.37	0.1200	0.0900	0.0100	
		PG04505	69.00	70.50	1.50	0.0250	0.0250	0.0100	
		PG04506	70.50	72.00	1.50	0.1100	0.1100	0.0200	
		PG04507	72.00	73.50	1.50	0.0600	0.0250	0.0100	
		PG04508	81.00	82.50	1.50	0.0900	0.0500	0.0100	
		PG04509	82.50	84.00	1.50	0.1400	0.1100	0.0100	
		PG04510	84.00	85.50	1.50	0.1000	0.0600	0.0100	
		PG04511	88.00	89.00	1.00	0.0600	0.0250	0.0100	
		PG04512	89.00	90.00	1.00	0.0500	0.0250	0.0100	
		PG04513	90.00	91.00	1.00	0.0500	0.0250	0.0100	

Hole Number: ER2006-05

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
		RQD	PG04514	96.00	97.50	1.50	0.0250	0.0250	0.0100
		30.00 - 33.00 : 100.00 % RQD 100.00 % Core							
		33.00 - 36.00 : 97.00 % RQD 100.00 % Core							
		36.00 - 39.00 : 76.00 % RQD 100.00 % Core							
		39.00 - 42.00 : 91.00 % RQD 100.00 % Core							
		42.00 - 45.00 : 93.00 % RQD 100.00 % Core							
		45.00 - 48.00 : 95.00 % RQD 100.00 % Core							
		48.00 - 51.00 : 100.00 % RQD 100.00 % Core							
		51.00 - 54.00 : 86.00 % RQD 100.00 % Core							
		54.00 - 57.00 : 97.00 % RQD 100.00 % Core							
		57.00 - 60.00 : 76.00 % RQD 100.00 % Core							
		60.00 - 63.00 : 88.00 % RQD 100.00 % Core							
		63.00 - 66.00 : 97.00 % RQD 100.00 % Core							
		66.00 - 69.00 : 86.00 % RQD 100.00 % Core							
		69.00 - 72.00 : 92.00 % RQD 100.00 % Core							
		72.00 - 75.00 : 91.00 % RQD 100.00 % Core							
		75.00 - 78.00 : 94.00 % RQD 100.00 % Core							
		78.00 - 81.00 : 100.00 % RQD 100.00 % Core							
		81.00 - 84.00 : 84.00 % RQD 100.00 % Core							
		84.00 - 87.00 : 100.00 % RQD 100.00 % Core							
		87.00 - 90.00 : 89.00 % RQD 100.00 % Core							
		90.00 - 93.00 : 89.00 % RQD 100.00 % Core							
		93.00 - 96.00 : 66.00 % RQD 100.00 % Core							
		96.00 - 99.00 : 78.00 % RQD 100.00 % Core							
		MINOR INTERVALS:							
		Minor Interval:							
		66.32 - 67.63 MD, Mafic Dike							
		Homogeneous, fine-grained, dark gray to black, plagioclase and pyroxene-bearing, non-magnetic mafic ?dyke.							
		The upper contact is moderately sharp at 60 degrees tca, the lower contact is broken and contains minor po mineralization.							
		Except from the lower contact, this unit is not mineralized.							

Hole Number: ER2006-05

Units: METRIC

Detailed Lithology		Lithology	Assay Data						
From (m)	To (m)		Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
97.15	103.70	5, Undivided Metasediments Inhomogeneous, garnet bearing, locally well foliated, mineralized unit. The upper and lower contacts are ill-defined, likely due to digestion of the surrounding gabbro-norite. This unit hosts a significant amount of po and cpy mineralization in cm - dm-scale semi massive to massive sulfides, which are commonly rimmed by garnets. The groundmass to the mineralization is ~90% gneiss and ~10% gabbro-norite. Mineralization 97.15 - 103.70 : Cpy Chalcopyrite, SM Semi-Massive, 2% throughout the massive po patches; in gneissic host 97.15 - 103.70 : Po Pyrrhotite, SM Semi-Massive, 20% in cm to dm-scale massive patches; in gneissic host RQD 99.00 - 102.00 : 92.00 % RQD 100.00 % Core 102.00 - 105.00 : 88.00 % RQD 100.00 % Core	PG04515	97.50	97.92	0.42	0.0250	0.0250	0.0100
			PG04516	97.92	98.66	0.74	0.8900	0.4400	0.0700
			PG04517	98.66	99.23	0.57	0.1700	0.1700	0.0100
			PG04518	99.23	100.73	1.50	0.9100	0.1600	0.0600
			PG04519	100.73	101.93	1.20	0.5600	1.8700	0.0500
			PG04520	101.93	103.05	1.12	0.9900	0.6100	0.1200
			PG04521	103.05	103.70	0.65	0.6300	0.4200	0.0300
103.70	106.78	MS, Massive Sulphide Semi massive to massive sulfide with 50 - 60% medium-grained po and 1 - 2% cpy. Cpy is more common along the hanging and footwall contacts. Mafic clasts in the po matrix. The conductance is C= 1200 - 3900S. This unit is in the immediate footwall to the heavily, but not massive mineralized section in the above gabbro-norite/gneiss. See picture for the complete mineralized intersection. Mineralization 103.70 - 106.78 : Cpy Chalcopyrite, M Massive, 2% concentrated along hanging and footwall contacts 103.70 - 106.78 : Po Pyrrhotite, M Massive, 55% RQD 105.00 - 108.00 : 77.00 % RQD 100.00 % Core	PG04522	103.70	104.70	1.00	1.6600	0.9200	0.1000
			PG04523	104.70	105.70	1.00	1.9500	0.2200	0.1300
			PG04524	105.70	106.78	1.08	1.4900	0.6300	0.1100

Hole Number: ER2006-05

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
106.78	191.60	GAB, Gabbro	PG04526	106.78	107.26	0.48	0.0600	0.0250	0.0100
		Fine- to medium-grained, light to medium gray, non-magnetic, non-foliated, on a meter scale homogeneous, pyroxene and plagioclase-bearing gabbro. The upper contact is marked by 48cm of very coarse-grained anorthosite, which also marks the lower contact of the massive sulfides above. The upper part (106.78 - ~144.5) of this unit has a lighter color than the remainder of the gabbro, possibly indicating a higher degree of alteration (more serpentine minerals). The lower contact of this unit is sharp but irregular within the underlying gneiss. The contact is marked with trace to 1% fine grained pyrite. Alteration 107.26 - 107.73 :CH Chlorite, P Pervasive, M Moderate Finer grained, highly foliated, chlorite-rich alteration downhole of anorthosite vein. Structure 114.15 - 114.75 unknown attitude due to broken core 133.15 - 133.40 : F Fractured, 30 Deg to CA 139.80 - 141.00 unknown attitude due to broken core 141.20 - 141.50 : F Fractured, 30 Deg to CA 155.00 - 155.05 unknown attitude due to broken core 158.20 - 158.21 : S Schistose, 20 Deg to CA 178.42 - 178.80 unknown attitude due to broken core 185.60 - 185.90 unknown attitude due to broken core RQD 108.00 - 111.00 : 64.00 % RQD 100.00 % Core 111.00 - 114.00 : 90.00 % RQD 100.00 % Core 114.00 - 117.00 : 68.00 % RQD 100.00 % Core 117.00 - 120.00 : 77.00 % RQD 100.00 % Core 120.00 - 123.00 : 89.00 % RQD 100.00 % Core 123.00 - 126.00 : 70.00 % RQD 100.00 % Core 126.00 - 129.00 : 87.00 % RQD 100.00 % Core 129.00 - 132.00 : 71.00 % RQD 100.00 % Core 132.00 - 135.00 : 77.00 % RQD 100.00 % Core 135.00 - 138.00 : 91.00 % RQD 100.00 % Core 138.00 - 141.00 : 67.00 % RQD 100.00 % Core 141.00 - 144.00 : 60.00 % RQD 100.00 % Core 144.00 - 147.00 : 77.00 % RQD 100.00 % Core	PG04527	107.26	108.00	0.74	0.0700	0.0250	0.0100
			PG04528	132.50	134.00	1.50	0.1300	0.0250	0.0100
			PG04529	134.00	135.50	1.50	0.1400	0.0800	0.0100
			PG04530	135.50	137.00	1.50	0.1600	0.0900	0.0200
			PG04531	137.00	138.50	1.50	0.1400	0.0900	0.0200
			PG04532	138.50	140.00	1.50	0.1600	0.0800	0.0100
			PG04533	140.00	141.50	1.50	0.0600	0.0700	0.0100
			PG04534	141.50	143.00	1.50	0.0250	0.0250	0.0100
			PG04535	143.00	144.50	1.50	0.0250	0.0250	0.0100
			PG04536	144.50	146.00	1.50	0.0800	0.0600	0.0100
			PG04537	146.00	147.50	1.50	0.1300	0.0900	0.0100
			PG04538	147.50	149.00	1.50	0.0700	0.0500	0.0100
			PG04539	149.00	150.50	1.50	0.0250	0.0250	0.0100
			PG04540	150.50	152.00	1.50	0.0600	0.0250	0.0100
			PG04541	152.00	153.50	1.50	0.0800	0.0250	0.0100
			PG04542	153.50	155.00	1.50	0.1400	0.0800	0.0100
		PG04543	155.00	156.50	1.50	0.0700	0.0250	0.0100	
		PG04544	156.50	158.00	1.50	0.0800	0.0250	0.0100	

Hole Number: ER2006-05

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
		RQD							
		147.00 - 150.00 : 86.00 % RQD 100.00 % Core							
		150.00 - 153.00 : 87.00 % RQD 100.00 % Core							
		153.00 - 156.00 : 81.00 % RQD 100.00 % Core							
		156.00 - 159.00 : 97.00 % RQD 100.00 % Core							
		159.00 - 162.00 : 88.00 % RQD 100.00 % Core							
		162.00 - 165.00 : 63.00 % RQD 100.00 % Core							
		165.00 - 168.00 : 93.00 % RQD 100.00 % Core							
		168.00 - 171.00 : 91.00 % RQD 100.00 % Core							
		171.00 - 174.00 : 92.00 % RQD 100.00 % Core							
		174.00 - 177.00 : 86.00 % RQD 100.00 % Core							
		177.00 - 180.00 : 72.00 % RQD 100.00 % Core							
		180.00 - 183.00 : 79.00 % RQD 100.00 % Core							
		183.00 - 186.00 : 56.00 % RQD 100.00 % Core							
		186.00 - 189.00 : 73.00 % RQD 100.00 % Core							
		189.00 - 192.00 : 66.00 % RQD 100.00 % Core							
		MINOR INTERVALS:							
		Minor Interval:							
		106.78 - 107.26 4, Anorthosite / Anorthosite Gabbro							
		Anorthosite 70% plagioclase and 30% biotite-muscovite. The upper and lower contacts are both sharp at 85 degrees to the ca.							

Hole Number: ER2006-05

Units: METRIC

Detailed Lithology		Lithology	Assay Data						
From (m)	To (m)		Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
191.60	239.70	5, Undivided Metasediments	PG04545	198.50	199.70	1.20	0.0250	0.0250	0.0100
		<p>This unit consists of a very well foliated, non-magnetic intermediate to locally mafic gneiss. The main rockforming minerals are plagioclase and pyroxene; locally the garnet content is very high, quartz can be found in small amounts. Generally, mineral ratios change on a dm-scale, indicating banding in the gneiss. The foliation angles change rapidly and vary between ~90 and 15 degrees tca. The unit is cut by a fine-grained mafic ?dyke at 203.64 - 204.68m.</p> <p>This unit contains mineralization between 199.70 and 209.62m. Mineralization consists of fine to medium-grained patchy po and cpy that occurs not parallel to foliation. The sulfides occur interstitially and locally seem to replace silicates as indicated by rounded grains and sulfide-filled embayments. Cpy occurs throughout in cm- to dm-scale patches and not just along the hanging and footwall contacts. Overall sulfide content is ~10 - 20%po and 1 - 5%cpy.</p> <p>Mineralization</p> <p>209.32 - 209.62 : Cpy Chalcopyrite, PAT Patchy, 20%</p> <p>209.32 - 209.62 : Po Pyrrhotite, PAT Patchy, 5%</p> <p>207.36 - 208.70 : Cpy Chalcopyrite, PAT Patchy, 2%</p> <p>207.36 - 208.70 : Po Pyrrhotite, PAT Patchy, 30%</p> <p>199.70 - 201.00 : Cpy Chalcopyrite, PAT Patchy, 5%</p> <p>199.70 - 201.00 : Po Pyrrhotite, PAT Patchy, 15%</p> <p>RQD</p> <p>192.00 - 195.00 : 80.00 % RQD 100.00 % Core</p> <p>195.00 - 198.00 : 40.00 % RQD 100.00 % Core</p> <p>198.00 - 201.00 : 38.00 % RQD 100.00 % Core</p> <p>201.00 - 204.00 : 88.00 % RQD 100.00 % Core</p> <p>204.00 - 207.00 : 87.00 % RQD 100.00 % Core</p> <p>207.00 - 210.00 : 85.00 % RQD 100.00 % Core</p> <p>210.00 - 213.00 : 83.00 % RQD 100.00 % Core</p> <p>213.00 - 216.00 : 79.00 % RQD 100.00 % Core</p> <p>216.00 - 219.00 : 82.00 % RQD 100.00 % Core</p> <p>219.00 - 222.00 : 58.00 % RQD 100.00 % Core</p> <p>222.00 - 225.00 : 68.00 % RQD 100.00 % Core</p> <p>225.00 - 228.00 : 52.00 % RQD 100.00 % Core</p> <p>228.00 - 231.00 : 54.00 % RQD 100.00 % Core</p> <p>231.00 - 234.00 : 74.00 % RQD 100.00 % Core</p> <p>234.00 - 237.00 : 53.00 % RQD 100.00 % Core</p> <p>237.00 - 239.70 : 46.00 % RQD 100.00 % Core</p>	PG04546	199.70	200.00	0.30	0.2900	2.8600	0.0300
			PG04547	200.00	201.00	1.00	0.8400	0.9200	0.0600
			PG04548	201.00	202.25	1.25	0.0250	0.1300	0.0100
			PG04549	202.25	203.64	1.39	0.0250	0.0800	0.0100
			PG04551	203.64	204.68	1.04	0.0250	0.7500	0.0100
			PG04552	204.68	206.00	1.32	0.0250	0.0500	0.0100
			PG04553	206.00	207.36	1.36	0.0250	0.0250	0.0100
			PG04554	207.36	208.70	1.34	1.0300	2.3100	0.0800
			PG04555	208.70	209.32	0.62	0.0250	0.0900	0.0100
			PG04556	209.32	209.62	0.30	0.2200	7.0000	0.0200
			PG04557	209.62	211.00	1.38	0.0250	0.0250	0.0100

Hole Number: ER2006-05

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG04469	15.00	16.50	0.0700	0.0250	0.0100
PG04470	16.50	18.00	0.0900	0.0500	0.0100
PG04471	18.00	19.50	0.0500	0.0600	0.0100
PG04472	23.00	24.50	0.1500	0.0800	0.0100
PG04473	24.50	26.00	0.1200	0.0900	0.0100
PG04474	26.00	27.30	0.1000	0.0250	0.0100
PG04476	27.30	27.70	0.7200	0.4400	0.0500
PG04477	27.70	29.00	0.2400	0.1700	0.0300
PG04478	29.00	30.50	0.1700	0.2000	0.0200
PG04479	30.50	31.25	0.1000	0.0800	0.0100
PG04480	31.25	32.10	0.0800	0.0700	0.0100
PG04481	32.10	32.53	0.5400	0.1700	0.0200
PG04482	32.53	33.27	0.9900	0.3100	0.1200
PG04483	33.27	34.00	0.1500	0.1300	0.0100
PG04484	34.00	35.50	0.1900	0.1500	0.0200
PG04485	35.50	37.00	0.1400	0.1300	0.0100
PG04486	37.00	38.50	0.0250	0.0250	0.0100
PG04487	38.50	40.00	0.1200	0.1400	0.0100
PG04488	40.00	41.00	0.2400	0.1000	0.0300
PG04489	41.00	42.00	0.5400	0.3000	0.0400
PG04490	42.00	43.50	0.0600	0.0250	0.0100
PG04491	43.50	44.94	0.0250	0.0250	0.0100
PG04492	44.94	46.26	1.1000	0.3700	0.0900
PG04493	46.26	47.00	0.0600	0.0250	0.0100
PG04494	47.00	48.50	0.0800	0.0500	0.0100
PG04495	48.50	50.00	0.0600	0.0800	0.0100
PG04496	50.00	51.50	0.1000	0.0700	0.0100
PG04497	51.50	53.00	0.0250	0.0250	0.0100
PG04498	53.00	54.50	0.1400	0.0700	0.0100
PG04499	54.50	56.00	0.3200	0.3100	0.0300
PG04501	56.00	57.50	0.0900	0.0250	0.0100
PG04502	65.00	66.32	0.0800	0.1200	0.0100
PG04503	66.32	67.63	0.0250	0.0800	0.0100
PG04504	67.63	69.00	0.1200	0.0900	0.0100
PG04505	69.00	70.50	0.0250	0.0250	0.0100
PG04506	70.50	72.00	0.1100	0.1100	0.0200
PG04507	72.00	73.50	0.0600	0.0250	0.0100

Hole Number: ER2006-05

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG04508	81.00	82.50	0.0900	0.0500	0.0100
PG04509	82.50	84.00	0.1400	0.1100	0.0100
PG04510	84.00	85.50	0.1000	0.0600	0.0100
PG04511	88.00	89.00	0.0600	0.0250	0.0100
PG04512	89.00	90.00	0.0500	0.0250	0.0100
PG04513	90.00	91.00	0.0500	0.0250	0.0100
PG04514	96.00	97.50	0.0250	0.0250	0.0100
PG04515	97.50	97.92	0.0250	0.0250	0.0100
PG04516	97.92	98.66	0.8900	0.4400	0.0700
PG04517	98.66	99.23	0.1700	0.1700	0.0100
PG04518	99.23	100.73	0.9100	0.1600	0.0600
PG04519	100.73	101.93	0.5600	1.8700	0.0500
PG04520	101.93	103.05	0.9900	0.6100	0.1200
PG04521	103.05	103.70	0.6300	0.4200	0.0300
PG04522	103.70	104.70	1.6600	0.9200	0.1000
PG04523	104.70	105.70	1.9500	0.2200	0.1300
PG04524	105.70	106.78	1.4900	0.6300	0.1100
PG04526	106.78	107.26	0.0600	0.0250	0.0100
PG04527	107.26	108.00	0.0700	0.0250	0.0100
PG04528	132.50	134.00	0.1300	0.0250	0.0100
PG04529	134.00	135.50	0.1400	0.0800	0.0100
PG04530	135.50	137.00	0.1600	0.0900	0.0200
PG04531	137.00	138.50	0.1400	0.0900	0.0200
PG04532	138.50	140.00	0.1600	0.0800	0.0100
PG04533	140.00	141.50	0.0600	0.0700	0.0100
PG04534	141.50	143.00	0.0250	0.0250	0.0100
PG04535	143.00	144.50	0.0250	0.0250	0.0100
PG04536	144.50	146.00	0.0800	0.0600	0.0100
PG04537	146.00	147.50	0.1300	0.0900	0.0100
PG04538	147.50	149.00	0.0700	0.0500	0.0100
PG04539	149.00	150.50	0.0250	0.0250	0.0100
PG04540	150.50	152.00	0.0600	0.0250	0.0100
PG04541	152.00	153.50	0.0800	0.0250	0.0100
PG04542	153.50	155.00	0.1400	0.0800	0.0100
PG04543	155.00	156.50	0.0700	0.0250	0.0100
PG04544	156.50	158.00	0.0800	0.0250	0.0100
PG04545	198.50	199.70	0.0250	0.0250	0.0100

Hole Number: ER2006-05

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG04546	199.70	200.00	0.2900	2.8600	0.0300
PG04547	200.00	201.00	0.8400	0.9200	0.0600
PG04548	201.00	202.25	0.0250	0.1300	0.0100
PG04549	202.25	203.64	0.0250	0.0800	0.0100
PG04551	203.64	204.68	0.0250	0.7500	0.0100
PG04552	204.68	206.00	0.0250	0.0500	0.0100
PG04553	206.00	207.36	0.0250	0.0250	0.0100
PG04554	207.36	208.70	1.0300	2.3100	0.0800
PG04555	208.70	209.32	0.0250	0.0900	0.0100
PG04556	209.32	209.62	0.2200	7.0000	0.0200
PG04557	209.62	211.00	0.0250	0.0250	0.0100