

Hole Number: ER08-59

Units: METRIC

|                                     |                                     |                                    |                              |
|-------------------------------------|-------------------------------------|------------------------------------|------------------------------|
| Project Name: Norway - South Norway | Primary Coordinates Grid: UTM84-32N | Destination Coordinates Grid: UTM: | Collar Dip: -44.60           |
| Project Number: 203                 | North: 6659602.47                   | North: 60.07                       | Collar Az: 58.00             |
| Location: Surface                   | East: 558180.00                     | East: 10.05                        | Length: 167.11 (m)           |
|                                     | Elev: 172.38                        | Elev: 172.38                       | Start Depth: 0.00 (m)        |
| Date Started: Apr 09, 2008          | Collar Survey: N                    | Plugged: N                         | Contractor: Drillcon Core AB |
| Date Completed: Apr 15, 2008        | Multishot Survey: N                 | Hole Size: TT46                    | Core Storage: Tyrstrand      |
| Logged By: Johanna Tordell          | Pulse EM Survey: N                  | Casing: Left in Hole               | Final Depth: 167.11 (m)      |

Comments: Testing the gabbro/footwall contact between 1550N and 1600N

Results:

Sulphides throughout from 63m to end of hole. Hole abandoned due to the fault zone.

## Sample Averages

## Survey Data

| Depth (m) | Azimuth<br>Decimal | Dip<br>Decimal | Test<br>Type | Flag | Comments | Depth (m) | Azimuth<br>Decimal | Dip<br>Decimal | Test<br>Type | Flag | Comments |
|-----------|--------------------|----------------|--------------|------|----------|-----------|--------------------|----------------|--------------|------|----------|
| 10.00     |                    | -44.60         | EZ           | OK   |          | 25.00     | 59.10              | -44.60         | EZ           | OK   |          |
| 50.00     | 62.00              | -44.40         | EZ           | OK   |          | 110.00    | 70.90              | -44.40         | EZ           | OK   |          |
| 130.00    | 61.80              | -44.20         | EZ           | OK   |          | 160.00    | 64.20              | -44.30         | EZ           | OK   |          |

| Detailed Lithology |        |                                                                                                                                                                                                                            | Assay Data    |          |        |            |        |        |        |
|--------------------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|--------|------------|--------|--------|--------|
| From (m)           | To (m) | Lithology                                                                                                                                                                                                                  | Sample Number | From (m) | To (m) | Length (m) | Ni%    | Cu%    | Co%    |
| 0                  | 8.45   | O/B, Overburden                                                                                                                                                                                                            |               |          |        |            |        |        |        |
| 8.45               | 27.00  | GAB, Gabbro<br>Dark grey, black, green coarse grained to medium grained gabbro. some trace of sulphides                                                                                                                    |               |          |        |            |        |        |        |
| 27.00              | 29.79  | FLT, Fault                                                                                                                                                                                                                 |               |          |        |            |        |        |        |
| 29.79              | 67.90  | GAB, Gabbro<br>Dark grey, black greenish coarse grained to medium grained gabbro. Partly fractured, the core is often more coarse grained close to the contact of the fractured parts and the faults. Sulphides throughout | BL02808       | 62.00    | 63.00  | 1.00       | 0.0910 | 0.1070 | 0.0060 |
|                    |        |                                                                                                                                                                                                                            | BL02809       | 63.00    | 64.00  | 1.00       | 0.1250 | 0.0820 | 0.0090 |
|                    |        |                                                                                                                                                                                                                            | BL02810       | 64.00    | 65.00  | 1.00       | 0.1550 | 0.0890 | 0.0090 |
|                    |        |                                                                                                                                                                                                                            | BL02811       | 65.00    | 66.05  | 1.05       | 0.1080 | 0.0480 | 0.0080 |
|                    |        |                                                                                                                                                                                                                            | BL02812       | 66.05    | 67.00  | 0.95       | 0.0790 | 0.0440 | 0.0060 |
|                    |        |                                                                                                                                                                                                                            | BL02813       | 67.00    | 68.00  | 1.00       | 0.1400 | 0.0810 | 0.0100 |
| 67.90              | 71.70  | FLT, Fault                                                                                                                                                                                                                 | BL02814       | 68.00    | 69.00  | 1.00       | 0.0900 | 0.1590 | 0.0080 |
|                    |        |                                                                                                                                                                                                                            | BL02815       | 69.00    | 70.00  | 1.00       | 0.0600 | 0.0370 | 0.0060 |
|                    |        |                                                                                                                                                                                                                            | BL02816       | 70.00    | 71.00  | 1.00       | 0.0980 | 0.0560 | 0.0090 |
|                    |        |                                                                                                                                                                                                                            | BL02817       | 71.00    | 72.00  | 1.00       | 0.1010 | 0.0420 | 0.0100 |

## DETAILED LOG

Hole Number: ER08-59

Units: METRIC

| Detailed Lithology |        | Lithology                    | Assay Data    |          |        |            |        |        |        |
|--------------------|--------|------------------------------|---------------|----------|--------|------------|--------|--------|--------|
| From (m)           | To (m) |                              | Sample Number | From (m) | To (m) | Length (m) | Ni%    | Cu%    | Co%    |
| 71.70              | 111.80 | GAB, Gabbro<br>Samw as above | BL02818       | 72.00    | 73.00  | 1.00       | 0.1080 | 0.0640 | 0.0090 |
|                    |        |                              | BL02819       | 73.00    | 74.00  | 1.00       | 0.1130 | 0.0610 | 0.0090 |
|                    |        |                              | BL02820       | 74.00    | 75.00  | 1.00       | 0.0610 | 0.0300 | 0.0050 |
|                    |        |                              | BL02821       | 75.00    | 75.50  | 0.50       | 0.1080 | 0.1600 | 0.0100 |
|                    |        |                              | BL02823       | 75.50    | 76.00  | 0.50       | 0.1280 | 0.0890 | 0.0100 |
|                    |        |                              | BL02824       | 76.00    | 77.00  | 1.00       | 0.1910 | 0.1410 | 0.0140 |
|                    |        |                              | BL02825       | 77.00    | 78.00  | 1.00       | 0.2370 | 0.1400 | 0.0170 |
|                    |        |                              | BL02826       | 78.00    | 79.00  | 1.00       | 0.1830 | 0.1520 | 0.0130 |
|                    |        |                              | BL02827       | 79.00    | 80.00  | 1.00       | 0.2170 | 0.2290 | 0.0170 |
|                    |        |                              | BL02828       | 80.00    | 81.00  | 1.00       | 0.2100 | 0.1260 | 0.0150 |
|                    |        |                              | BL02829       | 81.00    | 82.00  | 1.00       | 0.2410 | 0.2360 | 0.0200 |
|                    |        |                              | BL02830       | 82.00    | 83.00  | 1.00       | 0.1540 | 0.2580 | 0.0110 |
|                    |        |                              | BL02831       | 83.00    | 84.00  | 1.00       | 0.2270 | 0.3910 | 0.0180 |
|                    |        |                              | BL02832       | 84.00    | 85.00  | 1.00       | 0.1760 | 0.0890 | 0.0150 |
|                    |        |                              | BL02833       | 85.00    | 85.50  | 0.50       | 0.3070 | 0.1490 | 0.0310 |
|                    |        |                              | BL02834       | 85.50    | 86.00  | 0.50       | 0.1870 | 0.0950 | 0.0110 |
|                    |        |                              | BL02835       | 86.00    | 87.00  | 1.00       | 0.1620 | 0.1150 | 0.0120 |
|                    |        |                              | BL02836       | 87.00    | 88.00  | 1.00       | 0.1830 | 0.1040 | 0.0130 |
|                    |        |                              | BL02837       | 88.00    | 89.00  | 1.00       | 0.1750 | 0.1230 | 0.0120 |
|                    |        |                              | BL02839       | 89.00    | 90.00  | 1.00       | 0.1400 | 0.1080 | 0.0110 |
|                    |        |                              | BL02840       | 90.00    | 91.00  | 1.00       | 1.0870 | 0.0750 | 0.0110 |
|                    |        |                              | BL02841       | 91.00    | 92.00  | 1.00       | 0.1310 | 0.0930 | 0.0100 |
|                    |        |                              | BL02842       | 92.00    | 92.80  | 0.80       | 0.1330 | 0.0750 | 0.0100 |
|                    |        |                              | BL02843       | 92.80    | 93.30  | 0.50       | 0.2000 | 0.1160 | 0.0160 |
|                    |        |                              | BL02844       | 93.30    | 93.80  | 0.50       | 0.0940 | 0.0480 | 0.0060 |
|                    |        |                              | BL02845       | 93.80    | 95.00  | 1.20       | 0.1460 | 0.0950 | 0.0100 |
|                    |        |                              | BL02846       | 95.00    | 96.00  | 1.00       | 0.2150 | 0.2090 | 0.0150 |
|                    |        |                              | BL02847       | 96.00    | 97.00  | 1.00       | 0.0170 | 0.0070 | 0.0010 |
|                    |        |                              | BL02848       | 97.00    | 98.00  | 1.00       | 0.0460 | 0.0930 | 0.0040 |
|                    |        |                              | BL02849       | 98.00    | 99.00  | 1.00       | 0.2300 | 0.1100 | 0.0180 |
|                    |        |                              | BL02850       | 99.00    | 100.00 | 1.00       | 0.2780 | 0.1440 | 0.0200 |
|                    |        |                              | BL02851       | 100.00   | 101.00 | 1.00       | 0.2720 | 0.1450 | 0.0200 |
|                    |        |                              | BL02852       | 101.00   | 102.00 | 1.00       | 0.1420 | 0.0910 | 0.0090 |
|                    |        |                              | BL02853       | 102.00   | 103.00 | 1.00       | 0.2320 | 0.1460 | 0.0170 |
|                    |        |                              | BL02854       | 103.00   | 104.00 | 1.00       | 0.1640 | 0.1490 | 0.0120 |
|                    |        |                              | BL02855       | 104.00   | 104.60 | 0.60       | 0.1010 | 0.0870 | 0.0100 |
|                    |        |                              | BL02856       | 104.60   | 105.00 | 0.40       | 0.0620 | 0.0450 | 0.0050 |
|                    |        |                              | BL02858       | 105.00   | 106.00 | 1.00       | 0.1740 | 0.0710 | 0.0120 |
|                    |        |                              | BL02859       | 106.00   | 106.50 | 0.50       | 0.3260 | 0.1810 | 0.0250 |
|                    |        |                              | BL02860       | 106.50   | 107.00 | 0.50       | 1.0850 | 0.0730 | 0.0110 |
|                    |        |                              | BL02861       | 107.00   | 108.00 | 1.00       | 0.1880 | 0.1790 | 0.0180 |
|                    |        |                              | BL02862       | 108.00   | 109.00 | 1.00       | 0.1520 | 0.1350 | 0.0110 |
|                    |        |                              | BL02863       | 109.00   | 110.00 | 1.00       | 0.2150 | 0.2120 | 0.0150 |

## DETAILED LOG

Hole Number: ER08-59

Units: METRIC

| Detailed Lithology |        | Assay Data |               |          |        |            |        |        |        |
|--------------------|--------|------------|---------------|----------|--------|------------|--------|--------|--------|
| From (m)           | To (m) | Lithology  | Sample Number | From (m) | To (m) | Length (m) | Ni%    | Cu%    | Co%    |
|                    |        |            | BL02864       | 110.00   | 111.00 | 1.00       | 0.0950 | 0.0840 | 0.0070 |
|                    |        |            | BL02865       | 111.00   | 112.00 | 1.00       | 0.2600 | 0.1760 | 0.0200 |

## DETAILED LOG

Hole Number: ER08-59

Units: METRIC

| Detailed Lithology |        | Lithology  | Assay Data    |          |        |            |        |        |        |
|--------------------|--------|------------|---------------|----------|--------|------------|--------|--------|--------|
| From (m)           | To (m) |            | Sample Number | From (m) | To (m) | Length (m) | Ni%    | Cu%    | Co%    |
| 111.80             | 167.10 | FLT, Fault | BL02866       | 112.00   | 113.00 | 1.00       | 0.2540 | 0.1910 | 0.0180 |
|                    |        |            | BL02867       | 113.00   | 114.00 | 1.00       | 0.2070 | 0.1420 | 0.0150 |
|                    |        |            | BL02868       | 114.00   | 115.00 | 1.00       | 0.1340 | 0.1000 | 0.0100 |
|                    |        |            | BL02869       | 115.00   | 116.00 | 1.00       | 0.1560 | 0.1270 | 0.0130 |
|                    |        |            | BL02870       | 116.00   | 117.00 | 1.00       | 0.1680 | 0.1380 | 0.0120 |
|                    |        |            | BL02871       | 117.00   | 118.00 | 1.00       | 0.0670 | 0.0380 | 0.0050 |
|                    |        |            | BL02872       | 118.00   | 119.00 | 1.00       | 0.1030 | 0.0520 | 0.0070 |
|                    |        |            | BL02873       | 119.00   | 120.00 | 1.00       | 0.0970 | 0.0880 | 0.0070 |
|                    |        |            | BL02874       | 120.00   | 121.00 | 1.00       | 0.2130 | 0.1830 | 0.0170 |
|                    |        |            | BL02875       | 121.00   | 122.00 | 1.00       | 0.1020 | 0.0730 | 0.0070 |
|                    |        |            | BL02876       | 122.00   | 123.00 | 1.00       | 0.0950 | 0.0640 | 0.0070 |
|                    |        |            | BL02878       | 123.00   | 124.00 | 1.00       | 0.1190 | 0.0970 | 0.0090 |
|                    |        |            | BL02879       | 124.00   | 125.00 | 1.00       | 0.1160 | 0.0800 | 0.0080 |
|                    |        |            | BL02880       | 125.00   | 126.00 | 1.00       | 0.1090 | 0.0610 | 0.0070 |
|                    |        |            | BL02881       | 126.00   | 127.00 | 1.00       | 0.0460 | 0.0250 | 0.0040 |
|                    |        |            | BL02882       | 127.00   | 128.10 | 1.10       | 0.1030 | 0.0550 | 0.0090 |
|                    |        |            | BL02883       | 128.10   | 128.60 | 0.50       | 0.3550 | 0.2760 | 0.0220 |
|                    |        |            | BL02884       | 128.60   | 129.20 | 0.60       | 0.1440 | 0.1480 | 0.0100 |
|                    |        |            | BL02885       | 129.20   | 129.90 | 0.70       | 0.0960 | 0.0780 | 0.0070 |
|                    |        |            | BL02886       | 129.90   | 130.50 | 0.60       | 0.1780 | 0.1300 | 0.0130 |
|                    |        |            | BL02887       | 130.50   | 131.00 | 0.50       | 0.1110 | 0.0660 | 0.0080 |
|                    |        |            | BL02888       | 131.00   | 132.00 | 1.00       | 0.0720 | 0.0550 | 0.0060 |
|                    |        |            | BL02889       | 132.00   | 133.00 | 1.00       | 0.0740 | 0.0290 | 0.0060 |
|                    |        |            | BL02890       | 133.00   | 134.00 | 1.00       | 0.0780 | 0.0430 | 0.0060 |
|                    |        |            | BL02891       | 134.00   | 135.15 | 1.15       | 0.1890 | 0.7520 | 0.0120 |
|                    |        |            | BL02892       | 135.15   | 135.70 | 0.55       | 0.0210 | 0.0450 | 0.0010 |
|                    |        |            | BL02893       | 135.70   | 136.50 | 0.80       | 0.0630 | 0.1210 | 0.0040 |
|                    |        |            | BL02894       | 136.50   | 137.00 | 0.50       | 0.0500 | 0.0510 | 0.0040 |
|                    |        |            | BL02895       | 137.00   | 138.00 | 1.00       | 0.1930 | 0.1200 | 0.0120 |
|                    |        |            | BL02896       | 138.00   | 139.00 | 1.00       | 0.2160 | 0.1430 | 0.0140 |
|                    |        |            | BL02898       | 139.00   | 140.00 | 1.00       | 0.1680 | 0.0930 | 0.0100 |
|                    |        |            | BL02899       | 140.00   | 141.00 | 1.00       | 0.1400 | 0.0640 | 0.0090 |
|                    |        |            | BL02900       | 141.00   | 142.00 | 1.00       | 0.1440 | 0.0640 | 0.0130 |
|                    |        |            | BL02901       | 142.00   | 143.00 | 1.00       | 0.1290 | 0.0780 | 0.0090 |
|                    |        |            | BL02902       | 143.00   | 144.00 | 1.00       | 0.1400 | 0.0990 | 0.0100 |
|                    |        |            | BL02903       | 144.00   | 145.00 | 1.00       | 0.1910 | 0.1860 | 0.0140 |
|                    |        |            | BL02904       | 145.00   | 146.00 | 1.00       | 0.1870 | 0.1090 | 0.0120 |
|                    |        |            | BL02905       | 146.00   | 147.00 | 1.00       | 0.0640 | 0.0270 | 0.0050 |
|                    |        |            | BL02906       | 147.00   | 148.00 | 1.00       | 0.0860 | 0.0270 | 0.0060 |
|                    |        |            | BL02907       | 148.00   | 149.00 | 1.00       | 0.0740 | 0.0370 | 0.0060 |
|                    |        |            | BL02908       | 149.00   | 150.00 | 1.00       | 0.1060 | 0.0770 | 0.0090 |
|                    |        |            | BL02909       | 150.00   | 151.10 | 1.10       | 0.0840 | 0.0480 | 0.0070 |
|                    |        |            | BL02910       | 151.10   | 152.00 | 0.90       | 0.0630 | 0.0520 | 0.0060 |

Hole Number: ER08-59

Units: METRIC

| Detailed Lithology |        | Assay Data       |               |          |        |            |        |        |        |
|--------------------|--------|------------------|---------------|----------|--------|------------|--------|--------|--------|
| From (m)           | To (m) | Lithology        | Sample Number | From (m) | To (m) | Length (m) | Ni%    | Cu%    | Co%    |
| 167.10             | 167.11 | EOH, End of Hole | BL02911       | 152.00   | 152.70 | 0.70       | 0.0080 | 0.0070 | 0.0030 |

## Samples

| Sample Number | From (m) | To (m) | Ni%    | Cu%    | Co%    |
|---------------|----------|--------|--------|--------|--------|
| Sample Type   | ASSAY    |        |        |        |        |
| BL02808       | 62.00    | 63.00  | 0.0910 | 0.1070 | 0.0060 |
| BL02809       | 63.00    | 64.00  | 0.1250 | 0.0820 | 0.0090 |
| BL02810       | 64.00    | 65.00  | 0.1550 | 0.0890 | 0.0090 |
| BL02811       | 65.00    | 66.05  | 0.1080 | 0.0480 | 0.0080 |
| BL02812       | 66.05    | 67.00  | 0.0790 | 0.0440 | 0.0060 |
| BL02813       | 67.00    | 68.00  | 0.1400 | 0.0810 | 0.0100 |
| BL02814       | 68.00    | 69.00  | 0.0900 | 0.1590 | 0.0080 |
| BL02815       | 69.00    | 70.00  | 0.0600 | 0.0370 | 0.0060 |
| BL02816       | 70.00    | 71.00  | 0.0980 | 0.0560 | 0.0090 |
| BL02817       | 71.00    | 72.00  | 0.1010 | 0.0420 | 0.0100 |
| BL02818       | 72.00    | 73.00  | 0.1080 | 0.0640 | 0.0090 |
| BL02819       | 73.00    | 74.00  | 0.1130 | 0.0610 | 0.0090 |
| BL02820       | 74.00    | 75.00  | 0.0610 | 0.0300 | 0.0050 |
| BL02821       | 75.00    | 75.50  | 0.1080 | 0.1600 | 0.0100 |
| BL02823       | 75.50    | 76.00  | 0.1280 | 0.0890 | 0.0100 |
| BL02824       | 76.00    | 77.00  | 0.1910 | 0.1410 | 0.0140 |
| BL02825       | 77.00    | 78.00  | 0.2370 | 0.1400 | 0.0170 |
| BL02826       | 78.00    | 79.00  | 0.1830 | 0.1520 | 0.0130 |
| BL02827       | 79.00    | 80.00  | 0.2170 | 0.2290 | 0.0170 |
| BL02828       | 80.00    | 81.00  | 0.2100 | 0.1260 | 0.0150 |
| BL02829       | 81.00    | 82.00  | 0.2410 | 0.2360 | 0.0200 |
| BL02830       | 82.00    | 83.00  | 0.1540 | 0.2580 | 0.0110 |
| BL02831       | 83.00    | 84.00  | 0.2270 | 0.3910 | 0.0180 |
| BL02832       | 84.00    | 85.00  | 0.1760 | 0.0890 | 0.0150 |
| BL02833       | 85.00    | 85.50  | 0.3070 | 0.1490 | 0.0310 |
| BL02834       | 85.50    | 86.00  | 0.1870 | 0.0950 | 0.0110 |
| BL02835       | 86.00    | 87.00  | 0.1620 | 0.1150 | 0.0120 |
| BL02836       | 87.00    | 88.00  | 0.1830 | 0.1040 | 0.0130 |
| BL02837       | 88.00    | 89.00  | 0.1750 | 0.1230 | 0.0120 |
| BL02839       | 89.00    | 90.00  | 0.1400 | 0.1080 | 0.0110 |
| BL02840       | 90.00    | 91.00  | 1.0870 | 0.0750 | 0.0110 |
| BL02841       | 91.00    | 92.00  | 0.1310 | 0.0930 | 0.0100 |

Hole Number: ER08-59

Units: METRIC

## Samples

| Sample Number | From (m) | To (m) | Ni%    | Cu%    | Co%    |
|---------------|----------|--------|--------|--------|--------|
| Sample Type   | ASSAY    |        |        |        |        |
| BL02842       | 92.00    | 92.80  | 0.1330 | 0.0750 | 0.0100 |
| BL02843       | 92.80    | 93.30  | 0.2000 | 0.1160 | 0.0160 |
| BL02844       | 93.30    | 93.80  | 0.0940 | 0.0480 | 0.0060 |
| BL02845       | 93.80    | 95.00  | 0.1460 | 0.0950 | 0.0100 |
| BL02846       | 95.00    | 96.00  | 0.2150 | 0.2090 | 0.0150 |
| BL02847       | 96.00    | 97.00  | 0.0170 | 0.0070 | 0.0010 |
| BL02848       | 97.00    | 98.00  | 0.0460 | 0.0930 | 0.0040 |
| BL02849       | 98.00    | 99.00  | 0.2300 | 0.1100 | 0.0180 |
| BL02850       | 99.00    | 100.00 | 0.2780 | 0.1440 | 0.0200 |
| BL02851       | 100.00   | 101.00 | 0.2720 | 0.1450 | 0.0200 |
| BL02852       | 101.00   | 102.00 | 0.1420 | 0.0910 | 0.0090 |
| BL02853       | 102.00   | 103.00 | 0.2320 | 0.1460 | 0.0170 |
| BL02854       | 103.00   | 104.00 | 0.1640 | 0.1490 | 0.0120 |
| BL02855       | 104.00   | 104.60 | 0.1010 | 0.0870 | 0.0100 |
| BL02856       | 104.60   | 105.00 | 0.0620 | 0.0450 | 0.0050 |
| BL02858       | 105.00   | 106.00 | 0.1740 | 0.0710 | 0.0120 |
| BL02859       | 106.00   | 106.50 | 0.3260 | 0.1810 | 0.0250 |
| BL02860       | 106.50   | 107.00 | 1.0850 | 0.0730 | 0.0110 |
| BL02861       | 107.00   | 108.00 | 0.1880 | 0.1790 | 0.0180 |
| BL02862       | 108.00   | 109.00 | 0.1520 | 0.1350 | 0.0110 |
| BL02863       | 109.00   | 110.00 | 0.2150 | 0.2120 | 0.0150 |
| BL02864       | 110.00   | 111.00 | 0.0950 | 0.0840 | 0.0070 |
| BL02865       | 111.00   | 112.00 | 0.2600 | 0.1760 | 0.0200 |
| BL02866       | 112.00   | 113.00 | 0.2540 | 0.1910 | 0.0180 |
| BL02867       | 113.00   | 114.00 | 0.2070 | 0.1420 | 0.0150 |
| BL02868       | 114.00   | 115.00 | 0.1340 | 0.1000 | 0.0100 |
| BL02869       | 115.00   | 116.00 | 0.1560 | 0.1270 | 0.0130 |
| BL02870       | 116.00   | 117.00 | 0.1680 | 0.1380 | 0.0120 |
| BL02871       | 117.00   | 118.00 | 0.0670 | 0.0380 | 0.0050 |
| BL02872       | 118.00   | 119.00 | 0.1030 | 0.0520 | 0.0070 |
| BL02873       | 119.00   | 120.00 | 0.0970 | 0.0880 | 0.0070 |
| BL02874       | 120.00   | 121.00 | 0.2130 | 0.1830 | 0.0170 |
| BL02875       | 121.00   | 122.00 | 0.1020 | 0.0730 | 0.0070 |
| BL02876       | 122.00   | 123.00 | 0.0950 | 0.0640 | 0.0070 |
| BL02878       | 123.00   | 124.00 | 0.1190 | 0.0970 | 0.0090 |
| BL02879       | 124.00   | 125.00 | 0.1160 | 0.0800 | 0.0080 |
| BL02880       | 125.00   | 126.00 | 0.1090 | 0.0610 | 0.0070 |

Hole Number: ER08-59

Units: METRIC

## Samples

| Sample Number | From (m) | To (m) | Ni%    | Cu%    | Co%    |
|---------------|----------|--------|--------|--------|--------|
| Sample Type   | ASSAY    |        |        |        |        |
| BL02881       | 126.00   | 127.00 | 0.0460 | 0.0250 | 0.0040 |
| BL02882       | 127.00   | 128.10 | 0.1030 | 0.0550 | 0.0090 |
| BL02883       | 128.10   | 128.60 | 0.3550 | 0.2760 | 0.0220 |
| BL02884       | 128.60   | 129.20 | 0.1440 | 0.1480 | 0.0100 |
| BL02885       | 129.20   | 129.90 | 0.0960 | 0.0780 | 0.0070 |
| BL02886       | 129.90   | 130.50 | 0.1780 | 0.1300 | 0.0130 |
| BL02887       | 130.50   | 131.00 | 0.1110 | 0.0660 | 0.0080 |
| BL02888       | 131.00   | 132.00 | 0.0720 | 0.0550 | 0.0060 |
| BL02889       | 132.00   | 133.00 | 0.0740 | 0.0290 | 0.0060 |
| BL02890       | 133.00   | 134.00 | 0.0780 | 0.0430 | 0.0060 |
| BL02891       | 134.00   | 135.15 | 0.1890 | 0.7520 | 0.0120 |
| BL02892       | 135.15   | 135.70 | 0.0210 | 0.0450 | 0.0010 |
| BL02893       | 135.70   | 136.50 | 0.0630 | 0.1210 | 0.0040 |
| BL02894       | 136.50   | 137.00 | 0.0500 | 0.0510 | 0.0040 |
| BL02895       | 137.00   | 138.00 | 0.1930 | 0.1200 | 0.0120 |
| BL02896       | 138.00   | 139.00 | 0.2160 | 0.1430 | 0.0140 |
| BL02898       | 139.00   | 140.00 | 0.1680 | 0.0930 | 0.0100 |
| BL02899       | 140.00   | 141.00 | 0.1400 | 0.0640 | 0.0090 |
| BL02900       | 141.00   | 142.00 | 0.1440 | 0.0640 | 0.0130 |
| BL02901       | 142.00   | 143.00 | 0.1290 | 0.0780 | 0.0090 |
| BL02902       | 143.00   | 144.00 | 0.1400 | 0.0990 | 0.0100 |
| BL02903       | 144.00   | 145.00 | 0.1910 | 0.1860 | 0.0140 |
| BL02904       | 145.00   | 146.00 | 0.1870 | 0.1090 | 0.0120 |
| BL02905       | 146.00   | 147.00 | 0.0640 | 0.0270 | 0.0050 |
| BL02906       | 147.00   | 148.00 | 0.0860 | 0.0270 | 0.0060 |
| BL02907       | 148.00   | 149.00 | 0.0740 | 0.0370 | 0.0060 |
| BL02908       | 149.00   | 150.00 | 0.1060 | 0.0770 | 0.0090 |
| BL02909       | 150.00   | 151.10 | 0.0840 | 0.0480 | 0.0070 |
| BL02910       | 151.10   | 152.00 | 0.0630 | 0.0520 | 0.0060 |
| BL02911       | 152.00   | 152.70 | 0.0080 | 0.0070 | 0.0030 |