

DETAILED LOG

Hole Number: ER2006-09

Units: METRIC

Project Name: Norway - South Norway	Primary Coordinates Grid: UTM84-32N	Destination Coordinates Grid: UTM:	Collar Dip: -67.97
Project Number: 203	North: 6659711.58	North: 60.07	Collar Az: 65.00
Location: Ertelia	East: 558043.17	East: 10.04	Length: 339.30 (m)
	Elev: 172.60	Elev: 172.60	Start Depth: 0.00 (m)
Date Started: Jul 28, 2006	Collar Survey: N	Plugged: N	Contractor: Arctic Drilling A/S
Date Completed: Aug 12, 2006	Multishot Survey: Y	Hole Size: TT46	Core Storage:
Logged By: larsw	Pulse EM Survey: N	Casing: Left in Hole, capped	Final Depth: 339.30 (m)

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	251.16	254.70	3.54	0.7172	1.2981	0.0616
WEIGHTED	251.16	259.80	8.64	0.3650	0.5910	0.0316

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
0.00	65.00	-67.97	Gyro	OK		3.00	65.36	-67.82	Gyro	OK	
6.00	66.76	-67.76	Gyro	OK		9.00	68.59	-67.91	Gyro	OK	
12.00	67.88	-67.89	Gyro	OK		15.00	66.26	-67.88	Gyro	OK	
18.00	66.29	-67.70	Gyro	OK		21.00	65.44	-67.75	Gyro	OK	
24.00	69.20	-67.79	Gyro	OK		27.00	67.35	-67.75	Gyro	OK	
30.00	68.73	-67.75	Gyro	OK		33.00	66.33	-67.74	Gyro	OK	
36.00	68.50	-67.73	Gyro	OK		39.00	69.24	-67.70	Gyro	OK	
42.00	69.50	-67.65	Gyro	OK		45.00	68.02	-67.60	Gyro	OK	
48.00	67.86	-67.60	Gyro	OK		51.00	69.76	-67.65	Gyro	OK	
54.00	68.09	-67.57	Gyro	OK		57.00	71.38	-67.37	Gyro	OK	
60.00	71.12	-67.27	Gyro	OK		63.00	67.92	-67.23	Gyro	OK	
66.00	71.57	-67.33	Gyro	OK		69.00	69.14	-67.37	Gyro	OK	
72.00	68.09	-67.36	Gyro	OK		75.00	70.82	-67.28	Gyro	OK	
78.00	68.38	-67.14	Gyro	OK		81.00	68.56	-67.27	Gyro	OK	
84.00	70.80	-67.30	Gyro	OK		87.00	68.77	-67.36	Gyro	OK	
90.00	70.99	-67.42	Gyro	OK		93.00	69.06	-67.50	Gyro	OK	
96.00	68.34	-67.34	Gyro	OK		99.00	71.44	-67.21	Gyro	OK	
102.00	69.79	-67.10	Gyro	OK		105.00	71.89	-67.19	Gyro	OK	
108.00	70.46	-66.96	Gyro	OK		111.00	71.18	-67.08	Gyro	OK	
114.00	70.11	-66.86	Gyro	OK		117.00	71.40	-66.98	Gyro	OK	
120.00	69.19	-67.08	Gyro	OK		123.00	71.92	-66.92	Gyro	OK	
126.00	70.78	-66.85	Gyro	OK		129.00	71.68	-67.06	Gyro	OK	

Hole Number: ER2006-09

Units: METRIC

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
132.00	72.41	-66.71	Gyro	OK		135.00	69.32	-66.90	Gyro	OK	
138.00	69.51	-66.66	Gyro	OK		141.00	70.10	-66.64	Gyro	OK	
144.00	70.59	-66.64	Gyro	OK		147.00	70.73	-66.62	Gyro	OK	
150.00	70.16	-66.70	Gyro	OK		153.00	70.88	-66.46	Gyro	OK	
156.00	70.22	-66.62	Gyro	OK		159.00	70.85	-66.36	Gyro	OK	
162.00	73.06	-66.51	Gyro	OK		165.00	69.25	-66.54	Gyro	OK	
168.00	73.39	-66.28	Gyro	OK		171.00	71.95	-66.36	Gyro	OK	
174.00	69.34	-66.20	Gyro	OK		177.00	73.64	-66.30	Gyro	OK	
180.00	71.33	-66.08	Gyro	OK		183.00	71.46	-65.97	Gyro	OK	
186.00	73.19	-66.07	Gyro	OK		189.00	72.42	-65.82	Gyro	OK	
192.00	73.01	-65.95	Gyro	OK		195.00	72.75	-66.05	Gyro	OK	
198.00	72.81	-66.19	Gyro	OK		201.00	74.30	-66.07	Gyro	OK	
204.00	74.05	-66.12	Gyro	OK		207.00	76.61	-66.05	Gyro	OK	
210.00	78.49	-66.27	Gyro	OK		213.00	79.70	-66.06	Gyro	OK	
216.00	79.30	-66.03	Gyro	OK		219.00	75.12	-66.13	Gyro	OK	
222.00	77.15	-66.00	Gyro	OK		225.00	75.06	-66.08	Gyro	OK	
228.00	81.34	-65.88	Gyro	OK		231.00	80.83	-66.07	Gyro	OK	
234.00	78.87	-65.73	Gyro	OK		237.00	82.85	-65.94	Gyro	OK	
240.00	83.86	-65.92	Gyro	OK		243.00	81.15	-65.91	Gyro	OK	
246.00	83.32	-65.74	Gyro	OK		249.00	82.28	-65.95	Gyro	OK	
252.00	79.11	-65.71	Gyro	OK		255.00	79.34	-65.82	Gyro	OK	
258.00	78.76	-65.92	Gyro	OK		261.00	79.64	-65.65	Gyro	OK	
264.00	81.04	-65.71	Gyro	OK		267.00	77.62	-65.78	Gyro	OK	
270.00	79.27	-65.61	Gyro	OK		273.00	80.53	-65.81	Gyro	OK	
276.00	78.87	-65.42	Gyro	OK		279.00	79.26	-65.64	Gyro	OK	
282.00	81.13	-65.47	Gyro	OK		285.00	79.05	-65.80	Gyro	OK	
288.00	79.83	-65.56	Gyro	OK		291.00	81.98	-65.80	Gyro	OK	
294.00	77.37	-65.49	Gyro	OK		297.00	76.96	-65.34	Gyro	OK	
300.00	77.33	-65.25	Gyro	OK		306.00	77.51	-65.00	Gyro	OK	
309.00	77.67	-64.97	Gyro	OK		312.00	77.97	-65.12	Gyro	OK	
315.00	78.67	-64.87	Gyro	OK		318.00	79.26	-64.58	Gyro	OK	
321.00	80.21	-64.80	Gyro	OK		324.00	81.25	-64.54	Gyro	OK	
327.00	81.24	-64.53	Gyro	OK							

DETAILED LOG

Hole Number: ER2006-09

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.30	C, Casing							

Hole Number: ER2006-09

Units: METRIC

Detailed Lithology		Lithology	Assay Data						
From (m)	To (m)		Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
1.30	256.70	GAB, Gabbro	PG04626	250.00	251.16	1.16	0.0700	0.0700	0.0100
		<p>This unit consists of a dark gray to gray-mottled, non-foliated, variably magnetic, on a meter-scale homogeneous, pyroxene and plagioclase (+- alteration minerals)-bearing medium-grained gabbro. Locally, characteristic larger opx (bronzite?) can be seen in the drill core.</p> <p>Commonly the magnetic susceptibility is <5, however, locally higher values have been observed (53 - 80m, 164 - 190m) and are possibly due to magnetite as well as magnetic po.</p> <p>The unit is cut by numerous serpentinized, talcose, locally chlorite-bearing shears at moderate core angles.</p> <p>Very fine-grained homogeneous, mafic intrusive (?) dykes are common.</p> <p>Locally, up to ~1cm in diameter garnet clusters occur.</p> <p>The unit contains up to ~20% (?) biotite in close vicinity to the pegmatitic anorthosite (see minor units). Between the two anorthosite units the rock is well foliated very similar to a mafic gneiss.</p> <p>INTERPRETATION: Even though the foliated rock is similar to a mafic gneiss, it is believed that it is not a sliver/raft of gneiss but rather that the increased fluid flow that must have been present during emplacement of the pegmatitic anorthosite and any movement along this natural zone of weakness facilitated fabric development.</p> <p>The core is broken between 100.00m and 100.80m (fault)</p> <p>126.1m - 126.5m: quartz-feldspar breccia with underlying fine-grained mafic intrusive.</p> <p>171.56m - 172.00m: fine-grained homogeneous mafic intrusive; the upper and lower contacts are sharp at 80 and 50 degrees tca, respectively. Minor po and cpy mineralization occurs over ~2cm along the footwall contact.</p> <p>Between ~178 and ~190m the rock has a mottled appearance, with possible recrystallization textures and larger ?xenocrysts?. Locally, the rock appears weakly foliated, though no mica has been observed.</p> <p>Broken core at 255m possibly indicates a fault.</p> <p>Trace to minor po mineralization is common throughout most of this unit. Sulfides occur disseminated, in blebs, or in small seemingly recrystallized clusters.</p> <p>Mineralization 251.19 - 252.73 : Cpy Chalcopyrite, INT Interstitial, 2% patchy with po 254.23 - 254.71 : Po Pyrrhotite, INT Interstitial, 20% fine to medium-grained</p>	PG04627	251.16	252.00	0.84	0.7000	2.0900	0.0500
			PG04628	252.00	252.72	0.72	0.8600	0.9000	0.1200
			PG04629	252.72	253.40	0.68	0.1600	0.1200	0.0100
			PG04630	253.40	254.00	0.60	1.2800	0.8800	0.0800
			PG04631	254.00	254.70	0.70	0.6500	2.2600	0.0500
			PG04632	254.70	256.00	1.30	0.0250	0.0800	0.0100

Hole Number: ER2006-09

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
		Mineralization							
		251.19 - 252.73 : Po Pyrrhotite, INT Interstitial, 10% fine-grained, remobilized, locally matrix to wallrock frags							
		253.60 - 253.93 : Cpy Chalcopyrite, TR Trace, 0.5%							
		253.60 - 253.93 : Po Pyrrhotite, SM Semi-Massive, 50% medium-grained, contains black wallrock frags up to 1cm in size							
		254.23 - 254.35 : Cpy Chalcopyrite, INT Interstitial, 5% with po in proximity to upper contact							
		Structure							
		30.30 - 30.32 : S Schistose, 35 Deg to CA							
		32.40 - 32.43 : S Schistose, 40 Deg to CA							
		34.37 - 34.39 : S Schistose, 60 Deg to CA							
		58.60 - 58.63 : S Schistose, 50 Deg to CA							
		65.65 - 65.90 : S Schistose, 50 Deg to CA with splay 0 degrees tca							
		87.00 - 90.00 : G Gouge, 45 Deg to CA varies between 40 and 55 degrees tca							
		99.46 - 99.51 : S Schistose, 30 Deg to CA							
		102.00 - 102.04 : S Schistose, 20 Deg to CA							
		129.30 - 129.50 : F Fractured, 30 Deg to CA							
		133.50 - 133.70 : F Fractured, 35 Deg to CA							
		134.00 - 135.00 : S Schistose, 40 Deg to CA with splay 0 degrees tca							
		139.72 - 139.74 : S Schistose, 30 Deg to CA							
		204.15 - 204.25 : F Fractured, 15 Deg to CA							
		215.15 - 215.22 : F Fractured, 50 Deg to CA							
		217.25 - 217.27 : S Schistose, 50 Deg to CA							
		RQD							
		1.30 - 3.00 : 55.00 % RQD 100.00 % Core							
		3.00 - 6.00 : 71.00 % RQD 100.00 % Core							
		6.00 - 9.00 : 61.00 % RQD 100.00 % Core							
		9.00 - 12.00 : 90.00 % RQD 100.00 % Core							
		12.00 - 15.00 : 95.00 % RQD 100.00 % Core							
		15.00 - 18.00 : 93.00 % RQD 100.00 % Core							
		18.00 - 21.00 : 77.00 % RQD 100.00 % Core							
		21.00 - 24.00 : 27.00 % RQD 100.00 % Core							
		24.00 - 27.00 : 75.00 % RQD 100.00 % Core							
		27.00 - 30.00 : 89.00 % RQD 100.00 % Core							
		30.00 - 33.00 : 84.00 % RQD 100.00 % Core							
		33.00 - 36.00 : 91.00 % RQD 100.00 % Core							
		36.00 - 39.00 : 83.00 % RQD 100.00 % Core							
		39.00 - 42.00 : 89.00 % RQD 100.00 % Core							
		42.00 - 45.00 : 87.00 % RQD 100.00 % Core							

DETAILED LOG

Hole Number: ER2006-09

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
		RQD							
45.00	- 48.00	: 93.00 % RQD 100.00 % Core							
48.00	- 51.00	: 95.00 % RQD 100.00 % Core							
51.00	- 54.00	: 98.00 % RQD 100.00 % Core							
54.00	- 57.00	: 86.00 % RQD 100.00 % Core							
57.00	- 60.00	: 90.00 % RQD 100.00 % Core							
60.00	- 63.00	: 85.00 % RQD 100.00 % Core							
63.00	- 66.00	: 86.00 % RQD 100.00 % Core							
66.00	- 69.00	: 85.00 % RQD 100.00 % Core							
69.00	- 72.00	: 79.00 % RQD 100.00 % Core							
72.00	- 75.00	: 80.00 % RQD 100.00 % Core							
75.00	- 78.00	: 58.00 % RQD 100.00 % Core							
78.00	- 81.00	: 67.00 % RQD 100.00 % Core							
81.00	- 84.00	: 78.00 % RQD 100.00 % Core							
84.00	- 87.00	: 84.00 % RQD 100.00 % Core							
87.00	- 90.00	: 87.00 % RQD 100.00 % Core							
90.00	- 93.00	: 89.00 % RQD 100.00 % Core							
93.00	- 96.00	: 71.00 % RQD 100.00 % Core							
96.00	- 99.00	: 71.00 % RQD 100.00 % Core							
99.00	- 102.00	: 57.00 % RQD 100.00 % Core							
102.00	- 105.00	: 90.00 % RQD 100.00 % Core							
105.00	- 108.00	: 98.00 % RQD 100.00 % Core							
108.00	- 111.00	: 83.00 % RQD 100.00 % Core							
111.00	- 114.00	: 90.00 % RQD 100.00 % Core							
114.00	- 117.00	: 91.00 % RQD 100.00 % Core							
117.00	- 120.00	: 77.00 % RQD 100.00 % Core							
120.00	- 123.00	: 79.00 % RQD 100.00 % Core							
123.00	- 126.00	: 81.00 % RQD 100.00 % Core							
126.00	- 129.00	: 99.00 % RQD 100.00 % Core							
129.00	- 132.00	: 57.00 % RQD 100.00 % Core							
132.00	- 135.00	: 16.00 % RQD 100.00 % Core							
135.00	- 138.00	: 83.00 % RQD 100.00 % Core							
138.00	- 141.00	: 85.00 % RQD 100.00 % Core							
141.00	- 144.00	: 91.00 % RQD 100.00 % Core							
144.00	- 147.00	: 81.00 % RQD 100.00 % Core							
147.00	- 150.00	: 94.00 % RQD 100.00 % Core							
150.00	- 153.00	: 81.00 % RQD 100.00 % Core							
153.00	- 156.00	: 95.00 % RQD 100.00 % Core							

DETAILED LOG

Hole Number: ER2006-09

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
		RQD							
156.00	- 159.00	: 97.00 % RQD 100.00 % Core							
159.00	- 162.00	: 98.00 % RQD 100.00 % Core							
162.00	- 165.00	: 91.00 % RQD 100.00 % Core							
165.00	- 168.00	: 92.00 % RQD 100.00 % Core							
168.00	- 171.00	: 87.00 % RQD 100.00 % Core							
171.00	- 174.00	: 92.00 % RQD 100.00 % Core							
174.00	- 177.00	: 98.00 % RQD 100.00 % Core							
177.00	- 180.00	: 85.00 % RQD 100.00 % Core							
180.00	- 183.00	: 97.00 % RQD 100.00 % Core							
183.00	- 186.00	: 82.00 % RQD 100.00 % Core							
186.00	- 189.00	: 92.00 % RQD 100.00 % Core							
189.00	- 192.00	: 75.00 % RQD 100.00 % Core							
192.00	- 195.00	: 79.00 % RQD 100.00 % Core							
195.00	- 198.00	: 73.00 % RQD 100.00 % Core							
198.00	- 201.00	: 55.00 % RQD 100.00 % Core							
201.00	- 204.00	: 70.00 % RQD 100.00 % Core							
204.00	- 207.00	: 51.00 % RQD 100.00 % Core							
207.00	- 210.00	: 71.00 % RQD 100.00 % Core							
210.00	- 213.00	: 65.00 % RQD 100.00 % Core							
213.00	- 216.00	: 66.00 % RQD 100.00 % Core							
216.00	- 219.00	: 79.00 % RQD 100.00 % Core							
219.00	- 222.00	: 71.00 % RQD 100.00 % Core							
222.00	- 225.00	: 89.00 % RQD 100.00 % Core							
225.00	- 228.00	: 80.00 % RQD 100.00 % Core							
228.00	- 231.00	: 74.00 % RQD 100.00 % Core							
231.00	- 234.00	: 79.00 % RQD 100.00 % Core							
234.00	- 237.00	: 78.00 % RQD 100.00 % Core							
237.00	- 240.00	: 86.00 % RQD 100.00 % Core							
240.00	- 243.00	: 86.00 % RQD 100.00 % Core							
243.00	- 246.00	: 60.00 % RQD 100.00 % Core							
246.00	- 249.00	: 87.00 % RQD 100.00 % Core							
249.00	- 252.00	: 58.00 % RQD 100.00 % Core							
252.00	- 255.00	: 58.00 % RQD 100.00 % Core							
255.00	- 258.00	: 75.00 % RQD 100.00 % Core							

Hole Number: ER2006-09

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
		<p>MINOR INTERVALS:</p> <p>Minor Interval: 20.87 - 24.75 MD, Mafic Dike</p> <p>This unit consists of a fine-grained, black, non-magnetic, homogeneous, plagioclase and pyroxene (+- alteration minerals) bearing mafic rock. The upper and lower contacts are sharp at 10 and 20 degrees tca, respectively.</p> <p>The core is broken between 21 and 22m, especially in the lower half of this intersection.</p> <p>A serpentized shear cuts the core subparallel tca around 23m.</p> <p>The core is cut by a minor qz vein at 24.35m; the vein contains minor py in its halo.</p> <p>Minor Interval: 83.42 - 87 4s, Sausseritized/Tectonized Anorthosite</p> <p>This unit consists of a coarse to very coarse-grained, quartz, white plagioclase, and biotite-bearing, non-magnetic, non-foliated, pegmatitic rock. The upper contact is sharp at 50 degrees, along which the biotite is strongly tectonized ("mangled"); the lower contact is sharp but irregular.</p> <p>This unit is not mineralized</p> <p>Minor Interval: 90.63 - 93.76 4s, Sausseritized/Tectonized Anorthosite</p> <p>This unit consists of a coarse to very coarse-grained, quartz, white plagioclase, and biotite-bearing, non-magnetic, non-foliated, pegmatitic rock. The upper contact is sharp but irregular; the lower contact is sharp at 50 degrees tca.</p> <p>This unit is not mineralized</p> <p>Minor Interval: 191.24 - 193.32 MD, Mafic Dike</p> <p>Very fine-grained, black, non-magnetic, non-foliated, plagioclase and pyroxene-bearing mafic intrusive. The upper and lower contacts are sharp at 40 degrees tca. The wall rock along the contacts is more plagioclase-rich than remainder of rock.</p> <p>Minor Interval: 197.55 - 199.75 MD, Mafic Dike</p> <p>Very fine-grained, black, non-magnetic, non-foliated, plagioclase and pyroxene-bearing mafic intrusive. The upper contact is broken, lower contacts is sharp at 70 degrees tca. The wall rock along the contacts is more plagioclase-rich than remainder of rock.</p>							

Hole Number: ER2006-09

Units: METRIC

Detailed Lithology		Lithology	Assay Data						
From (m)	To (m)		Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
		<p>MINOR INTERVALS: Minor Interval: 227.66 - 229.8 MD, Mafic Dike Very fine-grained, black, non-magnetic, non-foliated, plagioclase and pyroxene-bearing mafic intrusive. The upper contact is sharp at 45 degrees tca, the lower contact is sharp but irregular. The wall rock along the contacts is more plagioclase-rich than remainder of rock</p>							
256.70	262.00	<p>4s, Sausseritized/Tectonized Anorthosite This unit consists of a coarse to very coarse-grained, quartz, white plagioclase, and biotite-bearing, non-magnetic, non-foliated, pegmatitic rock. The lower contact of this unit is sharp but irregular. This unit is not mineralized, but the minor unit within contains 25cm of massive po/py. Mineralization 259.60 - 259.85 : Po Pyrrhotite, M Massive, 90% two-tone, weakly magnetic, fine grained; likely in the process of replacement RQD 258.00 - 261.00 : 35.00 % RQD 100.00 % Core 261.00 - 264.00 : 48.00 % RQD 100.00 % Core MINOR INTERVALS: Minor Interval: 259 - 260.5 5, Undivided Metasediments This unit consists of a mafic, pyroxene, biotite, and feldspar-bearing gneiss. The unit is unmineralized and weakly to moderately well foliated. The lower contact is broken.</p>	PG04633	258.00	259.00	1.00	0.0250	0.0250	0.0100
			PG04634	259.00	259.46	0.46	0.0500	0.0250	0.0100
			PG04635	259.46	259.80	0.34	1.5700	1.0900	0.0800
			PG04636	259.80	260.50	0.70	0.1100	0.1000	0.0100
			PG04641	260.50	261.50	1.00	0.0250	0.0500	0.0100
262.00	266.06	<p>GAB, Gabbro This thin unit, consisting of pyroxene, plagioclase, minor garnet, biotite, and alteration minerals seems to incorporate both gabbro and mafic gneiss. The unit is locally weakly foliated and a number of "contacts" can be distinguished. Due to the location between the pegmatitic anorthosite and the underlying gneiss, it is believed that this unit is a tectonized, partly recrystallized amalgamation of gabbro and gneiss. RQD 264.00 - 267.00 : 97.00 % RQD 100.00 % Core</p>							

DETAILED LOG

Hole Number: ER2006-09

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
266.06	275.80	5, Undivided Metasediments This unit consists of a fine-grained, non-magnetic, non-mineralized, well-foliated, moderately homogeneous gneissic rock with variable amounts of feldspar, pyroxene, garnet, (quartz?) and minor alteration minerals. Gneissosity ranges from 50 - 70 degrees tca. The lower contact of this unit is very sharp at 30 degrees. Structure 266.06 - 275.80 : G Gouge, 60 Deg to CA variable between 50 and 70 degrees 275.79 - 275.80 : LC Lower Contact, 30 Deg to CA very sharp RQD 267.00 - 270.00 : 45.00 % RQD 100.00 % Core 270.00 - 273.00 : 73.00 % RQD 100.00 % Core 273.00 - 276.00 : 41.00 % RQD 100.00 % Core							
275.80	281.82	GAB, Gabbro As described from 1.30m to 256.70m. Mineralization 280.20 - 280.69 : Cpy Chalcopyrite, INT Interstitial, 1% 280.20 - 280.69 : Po Pyrrhotite, INT Interstitial, 10% RQD 276.00 - 279.00 : 83.00 % RQD 100.00 % Core 279.00 - 282.00 : 70.00 % RQD 100.00 % Core	PG04637	279.50	280.40	0.90	0.0700	0.0600	0.0100
			PG04638	280.40	281.14	0.74	0.0700	0.0250	0.0100
			PG04639	281.14	281.65	0.51	0.9100	0.4800	0.0600
			PG04640	281.65	282.77	1.12	0.0800	0.0800	0.0100

Hole Number: ER2006-09

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
		RQD 330.00 - 333.00 : 95.00 % RQD 100.00 % Core 333.00 - 336.00 : 100.00 % RQD 100.00 % Core							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type	ASSAY				
PG04626	250.00	251.16	0.0700	0.0700	0.0100
PG04627	251.16	252.00	0.7000	2.0900	0.0500
PG04628	252.00	252.72	0.8600	0.9000	0.1200
PG04629	252.72	253.40	0.1600	0.1200	0.0100
PG04630	253.40	254.00	1.2800	0.8800	0.0800
PG04631	254.00	254.70	0.6500	2.2600	0.0500
PG04632	254.70	256.00	0.0250	0.0800	0.0100
PG04633	258.00	259.00	0.0250	0.0250	0.0100
PG04634	259.00	259.46	0.0500	0.0250	0.0100
PG04635	259.46	259.80	1.5700	1.0900	0.0800
PG04636	259.80	260.50	0.1100	0.1000	0.0100
PG04641	260.50	261.50	0.0250	0.0500	0.0100
PG04637	279.50	280.40	0.0700	0.0600	0.0100
PG04638	280.40	281.14	0.0700	0.0250	0.0100
PG04639	281.14	281.65	0.9100	0.4800	0.0600
PG04640	281.65	282.77	0.0800	0.0800	0.0100