

DETAILED LOG

Hole Number: ER2006-15

Units: METRIC

Project Name: Norway - South Norway	Primary Coordinates Grid: UTM84-32N	Destination Coordinates Grid: UTM:	Collar Dip: -88.40
Project Number: 203	North: 6659542.10	North: 60.07	Collar Az: 23.50
Location: Ertelia	East: 558148.14	East: 10.04	Length: 252.00 (m)
	Elev: 165.35	Elev: 165.35	Start Depth: 0.00 (m)
Date Started: Sep 15, 2006	Collar Survey: N	Plugged: N	Contractor:
Date Completed: Sep 20, 2006	Multishot Survey: N	Hole Size: NQ	Core Storage:
Logged By: larsw, blairt	Pulse EM Survey: N	Casing: Left in Hole, capped	Final Depth: 252.00 (m)

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
10.00	25.80	-88.40	EZ	OK		25.00	19.00	-88.20	EZ	OK	

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.80	C, Casing							

Hole Number: ER2006-15

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
		Structure							
		131.72 - 131.95 : S Schistose, 20 Deg to CA							
		Serpentine							
		132.55 - 132.90 : S Schistose, 20 Deg to CA							
		Serpentine - minor broken core							
		133.77 - 134.23 : F Fractured, 40 Deg to CA							
		fault gouge - broken core							
		RQD							
		2.80 - 6.00 : 88.00 % RQD 100.00 % Core							
		6.00 - 9.00 : 91.00 % RQD 100.00 % Core							
		9.00 - 12.00 : 93.00 % RQD 100.00 % Core							
		12.00 - 15.00 : 86.00 % RQD 100.00 % Core							
		15.00 - 18.00 : 77.00 % RQD 100.00 % Core							
		18.00 - 21.00 : 84.00 % RQD 100.00 % Core							
		21.00 - 24.00 : 100.00 % RQD 100.00 % Core							
		24.00 - 27.00 : 93.00 % RQD 100.00 % Core							
		27.00 - 30.00 : 78.00 % RQD 100.00 % Core							
		30.00 - 33.00 : 85.00 % RQD 100.00 % Core							
		33.00 - 36.00 : 91.00 % RQD 100.00 % Core							
		36.00 - 39.00 : 87.00 % RQD 100.00 % Core							
		39.00 - 42.00 : 89.00 % RQD 100.00 % Core							
		42.00 - 45.00 : 90.00 % RQD 100.00 % Core							
		45.00 - 48.00 : 98.00 % RQD 100.00 % Core							
		48.00 - 51.00 : 92.00 % RQD 100.00 % Core							
		51.00 - 54.00 : 92.00 % RQD 100.00 % Core							
		54.00 - 57.00 : 97.00 % RQD 100.00 % Core							
		57.00 - 60.00 : 85.00 % RQD 100.00 % Core							
		60.00 - 63.00 : 96.00 % RQD 100.00 % Core							
		63.00 - 66.00 : 57.00 % RQD 100.00 % Core							
		66.00 - 69.00 : 71.00 % RQD 100.00 % Core							
		69.00 - 72.00 : 97.00 % RQD 100.00 % Core							
		72.00 - 75.00 : 96.00 % RQD 100.00 % Core							
		75.00 - 78.00 : 85.00 % RQD 100.00 % Core							
		78.00 - 81.00 : 85.00 % RQD 100.00 % Core							
		81.00 - 84.00 : 77.00 % RQD 100.00 % Core							
		84.00 - 87.00 : 91.00 % RQD 100.00 % Core							
		87.00 - 90.00 : 90.00 % RQD 100.00 % Core							
		90.00 - 93.00 : 98.00 % RQD 100.00 % Core							
		93.00 - 96.00 : 90.00 % RQD 100.00 % Core							

DETAILED LOG

Hole Number: ER2006-15

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
		RQD							
	96.00 - 99.00	: 91.00 % RQD 100.00 % Core							
	99.00 - 102.00	: 82.00 % RQD 100.00 % Core							
	102.00 - 105.00	: 89.00 % RQD 100.00 % Core							
	105.00 - 108.00	: 87.00 % RQD 100.00 % Core							
	108.00 - 111.00	: 85.00 % RQD 100.00 % Core							
	111.00 - 114.00	: 74.00 % RQD 100.00 % Core							
	114.00 - 117.00	: 77.00 % RQD 100.00 % Core							
	117.00 - 120.00	: 95.00 % RQD 100.00 % Core							
	120.00 - 123.00	: 63.00 % RQD 100.00 % Core							
	123.00 - 126.00	: 67.00 % RQD 100.00 % Core							
	126.00 - 129.00	: 82.00 % RQD 100.00 % Core							
	129.00 - 132.00	: 80.00 % RQD 100.00 % Core							
	132.00 - 135.00	: 87.00 % RQD 100.00 % Core							
	135.00 - 138.00	: 86.00 % RQD 100.00 % Core							
	138.00 - 141.00	: 100.00 % RQD 100.00 % Core							
	141.00 - 144.00	: 62.00 % RQD 100.00 % Core							
	MINOR INTERVALS:								
	Minor Interval:								
	65.9 - 67.85 5, Undivided Metasediments								
	Gneissic xenolith - locally brecciated; foliation throughout of 50 degrees to the ca.								

DETAILED LOG

Hole Number: ER2006-15

Units: METRIC

Detailed Lithology		Assay Data							
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
		RQD							
		201.00 - 204.00 : 80.00 % RQD 100.00 % Core							
		204.00 - 207.00 : 70.00 % RQD 100.00 % Core							
		207.00 - 210.00 : 71.00 % RQD 100.00 % Core							
		210.00 - 213.00 : 58.00 % RQD 100.00 % Core							
		213.00 - 216.00 : 52.00 % RQD 100.00 % Core							
		216.00 - 219.00 : 33.00 % RQD 100.00 % Core							
		219.00 - 222.00 : 54.00 % RQD 100.00 % Core							
		222.00 - 225.00 : 91.00 % RQD 100.00 % Core							
		225.00 - 228.00 : 54.00 % RQD 100.00 % Core							
		Highly broken core from 227.4-227.55m; gravel with no prominent core axis angles							
		228.00 - 231.00 : 77.00 % RQD 100.00 % Core							
		231.00 - 234.00 : 86.00 % RQD 100.00 % Core							
		234.00 - 237.00 : 96.00 % RQD 100.00 % Core							
		237.00 - 240.00 : 61.00 % RQD 100.00 % Core							
		Highly broken core from 237.25-227.60m; gravel with no prominent core axis angles							
		240.00 - 243.00 : 63.00 % RQD 100.00 % Core							
		243.00 - 246.00 : 84.00 % RQD 100.00 % Core							
		246.00 - 249.00 : 52.00 % RQD 100.00 % Core							
		249.00 - 252.00 : 24.00 % RQD 100.00 % Core							
		Highly broken core with no prominent core axis angles							